

# NAG Library Routine Document

## F08HBF (DSBEVX)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F08HBF (DSBEVX) computes selected eigenvalues and, optionally, eigenvectors of a real  $n$  by  $n$  symmetric band matrix  $A$  of bandwidth  $(2k_d + 1)$ . Eigenvalues and eigenvectors can be selected by specifying either a range of values or a range of indices for the desired eigenvalues.

### 2 Specification

```
SUBROUTINE F08HBF (JOBZ, RANGE, UPLO, N, KD, AB, LDAB, Q, LDQ, VL, VU, IL,      &
                  IU, ABSTOL, M, W, Z, LDZ, WORK, IWORK, JFAIL, INFO)
INTEGER          N, KD, LDAB, LDQ, IL, IU, M, LDZ, IWORK(5*N), JFAIL(*),      &
                  INFO
REAL (KIND=nag_wp) AB(LDAB,*), Q(LDQ,*), VL, VU, ABSTOL, W(N), Z(LDZ,*),      &
                  WORK(7*N)
CHARACTER(1)     JOBZ, RANGE, UPLO
```

The routine may be called by its LAPACK name *dsbev*.

### 3 Description

The symmetric band matrix  $A$  is first reduced to tridiagonal form, using orthogonal similarity transformations. The required eigenvalues and eigenvectors are then computed from the tridiagonal matrix; the method used depends upon whether all, or selected, eigenvalues and eigenvectors are required.

### 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Demmel J W and Kahan W (1990) Accurate singular values of bidiagonal matrices *SIAM J. Sci. Statist. Comput.* **11** 873–912

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

### 5 Parameters

- 1: JOBZ – CHARACTER(1) *Input*  
*On entry:* indicates whether eigenvectors are computed.  
 JOBZ = 'N'  
     Only eigenvalues are computed.  
 JOBZ = 'V'  
     Eigenvalues and eigenvectors are computed.  
*Constraint:* JOBZ = 'N' or 'V'.
- 2: RANGE – CHARACTER(1) *Input*  
*On entry:* if RANGE = 'A', all eigenvalues will be found.

If RANGE = 'V', all eigenvalues in the half-open interval (VL, VU] will be found.

If RANGE = 'I', the I<sup>l</sup>th to I<sup>u</sup>th eigenvalues will be found.

*Constraint:* RANGE = 'A', 'V' or 'I'.

- 3: UPLO – CHARACTER(1) *Input*  
*On entry:* if UPLO = 'U', the upper triangular part of  $A$  is stored.  
 If UPLO = 'L', the lower triangular part of  $A$  is stored.  
*Constraint:* UPLO = 'U' or 'L'.
- 4: N – INTEGER *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 5: KD – INTEGER *Input*  
*On entry:* if UPLO = 'U', the number of superdiagonals,  $k_d$ , of the matrix  $A$ .  
 If UPLO = 'L', the number of subdiagonals,  $k_d$ , of the matrix  $A$ .  
*Constraint:*  $KD \geq 0$ .
- 6: AB(LDAB,\*) – REAL (KIND=nag\_wp) array *Input/Output*  
**Note:** the second dimension of the array AB must be at least  $\max(1, N)$ .  
*On entry:* the upper or lower triangle of the  $n$  by  $n$  symmetric band matrix  $A$ .  
 The matrix is stored in rows 1 to  $k_d + 1$ , more precisely,  
     if UPLO = 'U', the elements of the upper triangle of  $A$  within the band must be stored with  
     element  $A_{ij}$  in  $AB(k_d + 1 + i - j, j)$  for  $\max(1, j - k_d) \leq i \leq j$ ;  
     if UPLO = 'L', the elements of the lower triangle of  $A$  within the band must be stored with  
     element  $A_{ij}$  in  $AB(1 + i - j, j)$  for  $j \leq i \leq \min(n, j + k_d)$ .  
*On exit:* AB is overwritten by values generated during the reduction to tridiagonal form.  
 The first superdiagonal or subdiagonal and the diagonal of the tridiagonal matrix  $T$  are returned in  
 AB using the same storage format as described above.
- 7: LDAB – INTEGER *Input*  
*On entry:* the first dimension of the array AB as declared in the (sub)program from which F08HBF  
 (DSBEVX) is called.  
*Constraint:*  $LDAB \geq KD + 1$ .
- 8: Q(LDQ,\*) – REAL (KIND=nag\_wp) array *Output*  
**Note:** the second dimension of the array Q must be at least  $\max(1, N)$  if JOBZ = 'V', and at least 1  
 otherwise.  
*On exit:* if JOBZ = 'V', the  $n$  by  $n$  orthogonal matrix used in the reduction to tridiagonal form.  
 If JOBZ = 'N', Q is not referenced.
- 9: LDQ – INTEGER *Input*  
*On entry:* the first dimension of the array Q as declared in the (sub)program from which F08HBF  
 (DSBEVX) is called.

*Constraints:*

if JOBZ = 'V',  $LDQ \geq \max(1, N)$ ;  
 otherwise  $LDQ \geq 1$ .

- 10: VL – REAL (KIND=nag\_wp) *Input*  
 11: VU – REAL (KIND=nag\_wp) *Input*

*On entry:* if RANGE = 'V', the lower and upper bounds of the interval to be searched for eigenvalues.

If RANGE = 'A' or 'I', VL and VU are not referenced.

*Constraint:* if RANGE = 'V',  $VL < VU$ .

- 12: IL – INTEGER *Input*  
 13: IU – INTEGER *Input*

*On entry:* if RANGE = 'I', the indices (in ascending order) of the smallest and largest eigenvalues to be returned.

If RANGE = 'A' or 'V', IL and IU are not referenced.

*Constraints:*

if RANGE = 'I' and  $N = 0$ ,  $IL = 1$  and  $IU = 0$ ;  
 if RANGE = 'I' and  $N > 0$ ,  $1 \leq IL \leq IU \leq N$ .

- 14: ABSTOL – REAL (KIND=nag\_wp) *Input*

*On entry:* the absolute error tolerance for the eigenvalues. An approximate eigenvalue is accepted as converged when it is determined to lie in an interval  $[a, b]$  of width less than or equal to

$$ABSTOL + \epsilon \max(|a|, |b|),$$

where  $\epsilon$  is the *machine precision*. If ABSTOL is less than or equal to zero, then  $\epsilon \|T\|_1$  will be used in its place, where  $T$  is the tridiagonal matrix obtained by reducing  $A$  to tridiagonal form. Eigenvalues will be computed most accurately when ABSTOL is set to twice the underflow threshold  $2 \times X02AMF( )$ , not zero. If this routine returns with  $INFO > 0$ , indicating that some eigenvectors did not converge, try setting ABSTOL to  $2 \times X02AMF( )$ . See Demmel and Kahan (1990).

- 15: M – INTEGER *Output*

*On exit:* the total number of eigenvalues found.  $0 \leq M \leq N$ .

If RANGE = 'A',  $M = N$ .

If RANGE = 'I',  $M = IU - IL + 1$ .

- 16: W(N) – REAL (KIND=nag\_wp) array *Output*

*On exit:* the first M elements contain the selected eigenvalues in ascending order.

- 17: Z(LDZ,\*) – REAL (KIND=nag\_wp) array *Output*

**Note:** the second dimension of the array  $Z$  must be at least  $\max(1, M)$  if JOBZ = 'V', and at least 1 otherwise.

*On exit:* if JOBZ = 'V', then

if  $INFO = 0$ , the first M columns of  $Z$  contain the orthonormal eigenvectors of the matrix  $A$  corresponding to the selected eigenvalues, with the  $i$ th column of  $Z$  holding the eigenvector associated with  $W(i)$ ;

if an eigenvector fails to converge ( $INFO > 0$ ), then that column of  $Z$  contains the latest approximation to the eigenvector, and the index of the eigenvector is returned in JFAIL.

If JOBZ = 'N',  $Z$  is not referenced.

**Note:** you must ensure that at least  $\max(1, M)$  columns are supplied in the array  $Z$ ; if  $\text{RANGE} = 'V'$ , the exact value of  $M$  is not known in advance and an upper bound of at least  $N$  must be used.

18: LDZ – INTEGER *Input*

*On entry:* the first dimension of the array  $Z$  as declared in the (sub)program from which F08HBF (DSBEVX) is called.

*Constraints:*

if  $\text{JOBZ} = 'V'$ ,  $\text{LDZ} \geq \max(1, N)$ ;  
otherwise  $\text{LDZ} \geq 1$ .

19: WORK( $7 \times N$ ) – REAL (KIND=nag\_wp) array *Workspace*

20: IWORK( $5 \times N$ ) – INTEGER array *Workspace*

21: JFAIL(\*) – INTEGER array *Output*

**Note:** the dimension of the array JFAIL must be at least  $\max(1, N)$ .

*On exit:* if  $\text{JOBZ} = 'V'$ , then

if  $\text{INFO} = 0$ , the first  $M$  elements of JFAIL are zero;

if  $\text{INFO} > 0$ , JFAIL contains the indices of the eigenvectors that failed to converge.

If  $\text{JOBZ} = 'N'$ , JFAIL is not referenced.

22: INFO – INTEGER *Output*

*On exit:*  $\text{INFO} = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$\text{INFO} < 0$

If  $\text{INFO} = -i$ , argument  $i$  had an illegal value. An explanatory message is output, and execution of the program is terminated.

$\text{INFO} > 0$

If  $\text{INFO} = i$ , then  $i$  eigenvectors failed to converge. Their indices are stored in array JFAIL. Please see ABSTOL.

## 7 Accuracy

The computed eigenvalues and eigenvectors are exact for a nearby matrix  $(A + E)$ , where

$$\|E\|_2 = O(\epsilon)\|A\|_2,$$

and  $\epsilon$  is the *machine precision*. See Section 4.7 of Anderson *et al.* (1999) for further details.

## 8 Further Comments

The total number of floating point operations is proportional to  $k_d n^2$  if  $\text{JOBZ} = 'N'$ , and is proportional to  $n^3$  if  $\text{JOBZ} = 'V'$  and  $\text{RANGE} = 'A'$ , otherwise the number of floating point operations will depend upon the number of computed eigenvectors.

The complex analogue of this routine is F08HPF (ZHBEVX).

## 9 Example

This example finds the eigenvalues in the half-open interval  $(-3, 3]$ , and the corresponding eigenvectors, of the symmetric band matrix

$$A = \begin{pmatrix} 1 & 2 & 3 & 0 & 0 \\ 2 & 2 & 3 & 4 & 0 \\ 3 & 3 & 3 & 4 & 5 \\ 0 & 4 & 4 & 4 & 5 \\ 0 & 0 & 5 & 5 & 5 \end{pmatrix}.$$

### 9.1 Program Text

```

Program f08hbfe

!      F08HBF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
!      Use nag_library, Only: dsbevz, nag_wp, x04caf
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..
!      Real (Kind=nag_wp), Parameter      :: zero = 0.0E+0_nag_wp
!      Integer, Parameter                 :: nin = 5, nout = 6
!      Character (1), Parameter          :: uplo = 'U'
!      .. Local Scalars ..
!      Real (Kind=nag_wp)                 :: abstol, vl, vu
!      Integer                             :: i, ifail, il, info, iu, j, kd, ldab, &
!                                          ldq, ldz, m, n
!
!      .. Local Arrays ..
!      Real (Kind=nag_wp), Allocatable    :: ab(:, :), q(:, :), w(:), work(:), z(:, :)
!      Integer, Allocatable               :: iwork(:), jfail(:)
!      .. Intrinsic Procedures ..
!      Intrinsic                          :: max, min
!      .. Executable Statements ..
!      Write (nout,*) 'F08HBF Example Program Results'
!      Write (nout,*)
!      Skip heading in data file
!      Read (nin,*)
!      Read (nin,*) n, kd
!      ldab = kd + 1
!      ldq = n
!      ldz = n
!      m = n
!      Allocate (ab(ldab,n),q(ldq,n),w(n),work(7*n),z(ldz,m),iwork(5*n), &
!              jfail(n))
!
!      Read the lower and upper bounds of the interval to be searched,
!      and read the upper or lower triangular part of the matrix A
!      from data file
!
!      Read (nin,*) vl, vu
!      If (uplo=='U') Then
!          Read (nin,*)((ab(kd+1+i-j,j),j=i,min(n,i+kd)),i=1,n)
!      Else If (uplo=='L') Then
!          Read (nin,*)((ab(1+i-j,j),j=max(1,i-kd),i),i=1,n)
!      End If
!
!      Set the absolute error tolerance for eigenvalues. With ABSTOL
!      set to zero, the default value is used instead
!
!      abstol = zero
!
!      Solve the band symmetric eigenvalue problem
!      The NAG name equivalent of dsbevz is f08hbfe
!      Call dsbevz('Vectors','Values in range',uplo,n,kd,ab,ldab,q,ldq,vl,vu, &

```

```

    il,iu,abstol,m,w,z,ldz,work,iwork,jfail,info)

    If (info>=0) Then

!       Print solution

        Write (nout,99999) 'Number of eigenvalues found =', m
        Write (nout,*)
        Write (nout,*) 'Eigenvalues'
        Write (nout,99998) w(1:m)
        Flush (nout)

!       ifail: behaviour on error exit
!       =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
        ifail = 0
        Call x04caf('General',' ',n,m,z,ldz,'Selected eigenvectors',ifail)

        If (info>0) Then
            Write (nout,99999) 'INFO eigenvectors failed to converge, INFO =', &
                info
            Write (nout,*) 'Indices of eigenvectors that did not converge'
            Write (nout,99997) jfail(1:m)
        End If
    Else
        Write (nout,99999) 'Failure in DSBEVX. INFO =', info
    End If

99999 Format (1X,A,I5)
99998 Format (3X,(8F8.4))
99997 Format (3X,(8I8))
    End Program f08hbfe

```

## 9.2 Program Data

F08HBF Example Program Data

```

    5      2                :Values of N and KD

-3.0  3.0                :Values of VL and VU

    1.0  2.0  3.0
        2.0  3.0  4.0
            3.0  4.0  5.0
                4.0  5.0
                    5.0 :End of matrix A

```

## 9.3 Program Results

F08HBF Example Program Results

Number of eigenvalues found = 2

```

Eigenvalues
-2.6633  1.7511
Selected eigenvectors
      1      2
1 -0.6238 -0.5635
2  0.2575  0.3896
3  0.5900 -0.4008
4 -0.4308  0.5581
5 -0.1039 -0.2421

```

---