

NAG Library Routine Document

F08KAF (DGELSS)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08KAF (DGELSS) computes the minimum norm solution to a real linear least squares problem

$$\min_x \|b - Ax\|_2.$$

2 Specification

```
SUBROUTINE F08KAF (M, N, NRHS, A, LDA, B, LDB, S, RCOND, RANK, WORK, LWORK,      &
                  INFO)
INTEGER          M, N, NRHS, LDA, LDB, RANK, LWORK, INFO
REAL (KIND=nag_wp) A(LDA,*), B(LDB,*), S(*), RCOND, WORK(max(1,LWORK))
```

The routine may be called by its LAPACK name *dgelss*.

3 Description

F08KAF (DGELSS) uses the singular value decomposition (SVD) of A , where A is an m by n matrix which may be rank-deficient.

Several right-hand side vectors b and solution vectors x can be handled in a single call; they are stored as the columns of the m by r right-hand side matrix B and the n by r solution matrix X .

The effective rank of A is determined by treating as zero those singular values which are less than RCOND times the largest singular value.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

- 1: M – INTEGER *Input*
On entry: m , the number of rows of the matrix A .
Constraint: $M \geq 0$.
- 2: N – INTEGER *Input*
On entry: n , the number of columns of the matrix A .
Constraint: $N \geq 0$.
- 3: NRHS – INTEGER *Input*
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrices B and X .
Constraint: $NRHS \geq 0$.

- 4: A(LDA,*) – REAL (KIND=nag_wp) array Input/Output
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the m by n matrix A .
On exit: the first $\min(m, n)$ rows of A are overwritten with its right singular vectors, stored row-wise.
- 5: LDA – INTEGER Input
On entry: the first dimension of the array A as declared in the (sub)program from which F08KAF (DGELSS) is called.
Constraint: $LDA \geq \max(1, M)$.
- 6: B(LDB,*) – REAL (KIND=nag_wp) array Input/Output
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the m by r right-hand side matrix B .
On exit: B is overwritten by the n by r solution matrix X . If $m \geq n$ and $RANK = n$, the residual sum of squares for the solution in the i th column is given by the sum of squares of elements $n + 1, \dots, m$ in that column.
- 7: LDB – INTEGER Input
On entry: the first dimension of the array B as declared in the (sub)program from which F08KAF (DGELSS) is called.
Constraint: $LDB \geq \max(1, M, N)$.
- 8: S(*) – REAL (KIND=nag_wp) array Output
Note: the dimension of the array S must be at least $\max(1, \min(M, N))$.
On exit: the singular values of A in decreasing order.
- 9: RCOND – REAL (KIND=nag_wp) Input
On entry: used to determine the effective rank of A . Singular values $S(i) \leq RCOND \times S(1)$ are treated as zero. If $RCOND < 0$, **machine precision** is used instead.
- 10: RANK – INTEGER Output
On exit: the effective rank of A , i.e., the number of singular values which are greater than $RCOND \times S(1)$.
- 11: WORK(max(1, LWORK)) – REAL (KIND=nag_wp) array Workspace
On exit: if $INFO = 0$, WORK(1) contains the minimum value of LWORK required for optimal performance.
- 12: LWORK – INTEGER Input
On entry: the dimension of the array WORK as declared in the (sub)program from which F08KAF (DGELSS) is called.
 If $LWORK = -1$, a workspace query is assumed; the routine only calculates the optimal size of the WORK array, returns this value as the first entry of the WORK array, and no error message related to LWORK is issued.
Suggested value: for optimal performance, LWORK should generally be larger. Consider increasing LWORK by at least $nb \times \min(M, N)$, where nb is the optimal **block size**.
Constraint: $LWORK \geq 1$, and also
 $LWORK \geq 3 \times \min(M, N) + \max(2 \times \min(M, N), \max(M, N), NRHS)$.

13: INFO – INTEGER

Output

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, argument i had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

The algorithm for computing the SVD failed to converge; if INFO = i , i off-diagonal elements of an intermediate bidiagonal form did not converge to zero.

7 Accuracy

See Section 4.5 of Anderson *et al.* (1999) for details.

8 Further Comments

The complex analogue of this routine is F08KNF (ZGELSS).

9 Example

This example solves the linear least squares problem

$$\min_x \|b - Ax\|_2$$

for the solution, x , of minimum norm, where

$$A = \begin{pmatrix} -0.09 & 0.14 & -0.46 & 0.68 & 1.29 \\ -1.56 & 0.20 & 0.29 & 1.09 & 0.51 \\ -1.48 & -0.43 & 0.89 & -0.71 & -0.96 \\ -1.09 & 0.84 & 0.77 & 2.11 & -1.27 \\ 0.08 & 0.55 & -1.13 & 0.14 & 1.74 \\ -1.59 & -0.72 & 1.06 & 1.24 & 0.34 \end{pmatrix} \quad \text{and} \quad b = \begin{pmatrix} 7.4 \\ 4.2 \\ -8.3 \\ 1.8 \\ 8.6 \\ 2.1 \end{pmatrix}.$$

A tolerance of 0.01 is used to determine the effective rank of A .

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

```

Program f08kafe

!      F08KAF Example Program Text

!      Mark 24 Release. NAG Copyright 2012.

!      .. Use Statements ..
      Use nag_library, Only: dgelss, dnorm2, nag_wp
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nb = 64, nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)          :: rcond, rnorm
      Integer                     :: i, info, lda, lwork, m, n, rank
!      .. Local Arrays ..

```

```

      Real (Kind=nag_wp), Allocatable :: a(:,,:), b(:), s(:), work(:)
!      .. Executable Statements ..
      Write (nout,*) 'F08KAF Example Program Results'
      Write (nout,*)
!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) m, n
      lda = m
      lwork = 3*n + nb*(m+n)
      Allocate (a(lda,n),b(m),s(n),work(lwork))

!      Read A and B from data file

      Read (nin,*)(a(i,1:n),i=1,m)
      Read (nin,*) b(1:m)

!      Choose RCOND to reflect the relative accuracy of the input data

      rcond = 0.01_nag_wp

!      Solve the least squares problem min( norm2(b - Ax) ) for the x
!      of minimum norm.

!      The NAG name equivalent of dgelss is f08kaf
      Call dgelss(m,n,1,a,lda,b,m,s,rcond,rank,work,lwork,info)

      If (info==0) Then

!          Print solution

          Write (nout,*) 'Least squares solution'
          Write (nout,99999) b(1:n)

!          Print the effective rank of A

          Write (nout,*)
          Write (nout,*) 'Tolerance used to estimate the rank of A'
          Write (nout,99998) rcond
          Write (nout,*) 'Estimated rank of A'
          Write (nout,99997) rank

!          Print singular values of A

          Write (nout,*)
          Write (nout,*) 'Singular values of A'
          Write (nout,99999) s(1:n)

!          Compute and print estimate of the square root of the
!          residual sum of squares

          If (rank==n) Then
!              The NAG name equivalent of dnorm2 is f06ejf
              rnorm = dnorm2(m-n,b(n+1),1)
              Write (nout,*)
              Write (nout,*) 'Square root of the residual sum of squares'
              Write (nout,99998) rnorm
          End If
          Else
              Write (nout,*) 'The SVD algorithm failed to converge'
          End If

99999 Format (1X,7F11.4)
99998 Format (3X,1P,E11.2)
99997 Format (1X,I6)
      End Program f08kaf

```

9.2 Program Data

F08KAF Example Program Data

```

6      5                               :Values of M and N
-0.09  0.14 -0.46  0.68  1.29
-1.56  0.20  0.29  1.09  0.51
-1.48 -0.43  0.89 -0.71 -0.96
-1.09  0.84  0.77  2.11 -1.27
 0.08  0.55 -1.13  0.14  1.74
-1.59 -0.72  1.06  1.24  0.34 :End of matrix A

7.4
4.2
-8.3
1.8
8.6
2.1                               :End of vector b

```

9.3 Program Results

F08KAF Example Program Results

```

Least squares solution
 0.6344  0.9699 -1.4403  3.3678  3.3992

Tolerance used to estimate the rank of A
 1.00E-02
Estimated rank of A
 4

Singular values of A
 3.9997  2.9962  2.0001  0.9988  0.0025

```
