

NAG Library Routine Document

F16DLF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F16DLF sums the elements of an integer vector.

2 Specification

```
FUNCTION F16DLF (N, X, INCX)
INTEGER F16DLF
INTEGER N, X(1+(N-1)*ABS(INCX)), INCX
```

3 Description

F16DLF returns the sum

$$x_1 + x_2 + \cdots + x_n$$

of the elements of an n -element integer vector x , via the function name.

If $N \leq 0$ on entry, F16DLF immediately returns the value 0.

4 References

Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001) *Basic Linear Algebra Subprograms Technical (BLAST) Forum Standard* University of Tennessee, Knoxville, Tennessee <http://www.netlib.org/blas/blast-forum/blas-report.pdf>

5 Parameters

- | | | |
|----|--|--------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> n , the number of elements in x . | |
| 2: | $X(1 + (N - 1) \times INCX)$ – INTEGER array | <i>Input</i> |
| | <i>On entry:</i> the vector x . Element x_i is stored in $X((i - 1) \times INCX + 1)$, for $i = 1, 2, \dots, n$. | |
| 3: | INCX – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the increment in the subscripts of X between successive elements of x . | |
| | <i>Constraint:</i> $INCX \neq 0$. | |

6 Error Indicators and Warnings

If $INCX = 0$, an error message is printed and program execution is terminated.

7 Accuracy

The BLAS standard requires accurate implementations which avoid unnecessary over/underflow (see Section 2.7 of Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001)).

8 Further Comments

None.

9 Example

This example computes the sum of the elements of

$$x = (1, 10, 11, -2, 9)^T.$$

9.1 Program Text

```

Program f16dlfe

!      F16DLF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
!      Use nag_library, Only: f16dlf
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..
!      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
!      Integer                    :: i, incx, n, sumval
!      .. Local Arrays ..
!      Integer, Allocatable       :: x(:)
!      .. Intrinsic Procedures ..
!      Intrinsic                 :: abs
!      .. Executable Statements ..
!      Write (nout,*) 'F16DLF Example Program Results'
!
!      Skip heading in data file
!      Read (nin,*)
!
!      Read (nin,*) n, incx
!      Allocate (x(1+(n-1)*abs(incx)))
!
!      Read (nin,*)(x(i),i=1,1+(n-1)*abs(incx),incx)
!
!      Sum the elements of X
!
!      sumval = f16dlf(n,x,incx)
!
!      Write (nout,*)
!      Write (nout,99999) sumval
!
99999 Format (1X,'Sum of elements of X is',I5)
End Program f16dlfe

```

9.2 Program Data

```

F16DLF Example Program Data
  5  1                                : N and INCX
  1 10 11 -2 9                        : Array X

```

9.3 Program Results

```

F16DLF Example Program Results
Sum of elements of X is    29

```