

# NAG Library Routine Document

## G02ABF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

G02ABF computes the nearest correlation matrix, in the Frobenius norm or weighted Frobenius norm, and optionally with bounds on the eigenvalues, to a given square, input matrix.

### 2 Specification

```
SUBROUTINE G02ABF (G, LDG, N, OPT, ALPHA, W, ERRTOL, MAXITS, MAXIT, X, LDX,      &
                  ITER, FEVAL, NRMGRD, IFAIL)
INTEGER          LDG, N, MAXITS, MAXIT, LDX, ITER, FEVAL, IFAIL
REAL (KIND=nag_wp) G(LDG,N), ALPHA, W(N), ERRTOL, X(LDX,N), NRMGRD
CHARACTER(1)    OPT
```

### 3 Description

Finds the nearest correlation matrix  $X$  by minimizing  $\frac{1}{2}\|G - X\|^2$  where  $G$  is an approximate correlation matrix.

The norm can either be the Frobenius norm or the weighted Frobenius norm  $\frac{1}{2}\|W^{\frac{1}{2}}(G - X)W^{\frac{1}{2}}\|_F^2$ .

You can optionally specify a lower bound on the eigenvalues,  $\alpha$ , of the computed correlation matrix, forcing the matrix to be positive definite,  $0 < \alpha < 1$ .

Note that if the weights vary by several orders of magnitude from one another the algorithm may fail to converge.

### 4 References

Borsdorf R and Higham N J (2010) A preconditioned (Newton) algorithm for the nearest correlation matrix *IMA Journal of Numerical Analysis* **30(1)** 94–107

Qi H and Sun D (2006) A quadratically convergent Newton method for computing the nearest correlation matrix *SIAM J. Matrix AnalAppl* **29(2)** 360–385

### 5 Parameters

- 1: G(LDG,N) – REAL (KIND=nag\_wp) array *Input/Output*  
*On entry:*  $G$ , the initial matrix.  
*On exit:* a symmetric matrix  $\frac{1}{2}(G + G^T)$  with the diagonal set to  $I$ .
- 2: LDG – INTEGER *Input*  
*On entry:* the first dimension of the array  $G$  as declared in the (sub)program from which G02ABF is called.  
*Constraint:*  $LDG \geq N$ .

- 3: N – INTEGER *Input*  
*On entry:* the order of the matrix  $G$ .  
*Constraint:*  $N > 0$ .
- 4: OPT – CHARACTER(1) *Input*  
*On entry:* indicates the problem to be solved.  
 OPT = 'A'  
     The lower bound problem is solved.  
 OPT = 'W'  
     The weighted norm problem is solved.  
 OPT = 'B'  
     Both problems are solved.  
*Constraint:* OPT = 'A', 'W' or 'B'.
- 5: ALPHA – REAL (KIND=nag\_wp) *Input*  
*On entry:* the value of  $\alpha$ .  
 If OPT = 'W', ALPHA need not be set.  
*Constraint:*  $0.0 < \text{ALPHA} < 1.0$ .
- 6: W(N) – REAL (KIND=nag\_wp) array *Input/Output*  
*On entry:* the square roots of the diagonal elements of  $W$ , that is the diagonal of  $W^{\frac{1}{2}}$ .  
 If OPT = 'A', W need not be set.  
*On exit:* if OPT = 'W' or 'B', the array is scaled so  $0 < W(i) \leq 1$ , for  $i = 1, 2, \dots, n$ .  
*Constraint:*  $W(i) > 0.0$ , for  $i = 1, 2, \dots, n$ .
- 7: ERRTOL – REAL (KIND=nag\_wp) *Input*  
*On entry:* the termination tolerance for the Newton iteration. If  $\text{ERRTOL} \leq 0.0$  then  $N \times \sqrt{\text{machine precision}}$  is used.
- 8: MAXITS – INTEGER *Input*  
*On entry:* specifies the maximum number of iterations to be used by the iterative scheme to solve the linear algebraic equations at each Newton step.  
 If  $\text{MAXITS} \leq 0$ ,  $2 \times N$  is used.
- 9: MAXIT – INTEGER *Input*  
*On entry:* specifies the maximum number of Newton iterations.  
 If  $\text{MAXIT} \leq 0$ , 200 is used.
- 10: X(LDX,N) – REAL (KIND=nag\_wp) array *Output*  
*On exit:* contains the nearest correlation matrix.
- 11: LDX – INTEGER *Input*  
*On entry:* the first dimension of the array X as declared in the (sub)program from which G02ABF is called.  
*Constraint:*  $\text{LDX} \geq N$ .

- 12: ITER – INTEGER *Output*  
*On exit:* the number of Newton steps taken.
- 13: FEVAL – INTEGER *Output*  
*On exit:* the number of function evaluations of the dual problem.
- 14: NRMGRD – REAL (KIND=nag\_wp) *Output*  
*On exit:* the norm of the gradient of the last Newton step.
- 15: IFAIL – INTEGER *Input/Output*  
*On entry:* IFAIL must be set to 0, –1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
- For environments where it might be inappropriate to halt program execution when an error is detected, the value –1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value –1 or 1 is used it is essential to test the value of IFAIL on exit.**
- On exit:* IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or –1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry,  $N \leq 0$ ,  
 or  $LDG < N$ ,  
 or  $LDX < N$ .  
 or  $OPT \neq 'A', 'W' \text{ or } 'B'$ .  
 or  $ALPHA \leq 0.0$  or  $ALPHA \geq 1.0$ .  
 or  $W(i) \leq 0$  for at least one  $i = 1, 2, \dots, n$ .

IFAIL = 2

The routine fails to converge in MAXIT iterations. Increase MAXIT or check the call to the routine.

IFAIL = 3

*machine precision* is limiting convergence. In this instance the returned value of X may be useful.

IFAIL = 4

An internal eigenproblem could not be solved. This should not occur. Please contact NAG with details of your call.

IFAIL = –999

Internal memory allocation failed.

## 7 Accuracy

The returned accuracy is controlled by ERRTOL and limited by *machine precision*.

## 8 Further Comments

Arrays are internally allocated by G02ABF. The total size of these arrays is  $12 \times N + 3 \times N \times N + \max(2 \times N \times N + 6 \times N + 1, 120 + 9 \times N)$  real elements and  $5 \times N + 3$  integer elements. All allocated memory is freed before return of G02ABF.

## 9 Example

This example finds the nearest correlation matrix to:

$$G = \begin{pmatrix} 2 & -1 & 0 & 0 \\ -1 & 2 & -1 & 0 \\ 0 & -1 & 2 & -1 \\ 0 & 0 & -1 & 2 \end{pmatrix}$$

weighted by  $W^{\frac{1}{2}} = \text{diag}(100, 20, 20, 20)$  with minimum eigenvalue 0.02.

### 9.1 Program Text

```

Program g02abfe

!      G02ABF Example Program Text

!      Mark 24 Release. NAG Copyright 2012.

!      .. Use Statements ..
      Use nag_library, Only: dsyev, g02abf, nag_wp, x04caf
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)         :: alpha, errtol, nrmgrd
      Integer                    :: feval, i, ifail, iter, ldg, ldx,      &
                                lwork, maxit, maxits, n
      Character (1)              :: opt
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: eig(:), g(:,,:), w(:), work(:), x(:,,:)
!      .. Executable Statements ..
      Write (nout,*) 'G02ABF Example Program Results'
      Write (nout,*)
      Flush (nout)

!      Skip heading in data file
      Read (nin,*)

!      Read in the problem size, opt and alpha
      Read (nin,*) n, opt, alpha

      ldg = n
      ldx = n
      lwork = 66*n
      Allocate (g(ldg,n),w(n),x(ldx,n),eig(n),work(lwork))

!      Read in the matrix G
      Read (nin,*)(g(i,1:n),i=1,n)

!      Read in the vector W
      Read (nin,*) w(1:n)

!      Use the defaults for ERRTOL, MAXITS and MAXIT
      errtol = 0.0E0_nag_wp
      maxits = 0
      maxit = 0

!      Calculate nearest correlation matrix
      ifail = 0

```

```

      Call g02abf(g,ldg,n,opt,alpha,w,errtol,maxits,maxit,x,ldx,iter,feval, &
        nrmgrd,ifail)

!      Display results
      ifail = 0
      Call x04caf('General',' ',n,n,x,ldx,'Nearest Correlation Matrix X', &
        ifail)
      Write (nout,*)
      Write (nout,99999) 'Number of Newton steps taken:', iter
      Write (nout,99998) 'Number of function evaluations:', feval

      Write (nout,*)
      Write (nout,99997) 'ALPHA: ', alpha

      ifail = 0
!      The NAG name equivalent of dsyev is f08faf
      Call dsyev('N','U',n,x,ldx,eig,work,lwork,ifail)
      Write (nout,*)
      Flush (nout)
      Call x04caf('General',' ',1,n,eig,1,'Eigenvalues of X',ifail)

99999 Format (1X,A,I11)
99998 Format (1X,A,I9)
99997 Format (1X,A,F37.3)

      End Program g02abfe

```

## 9.2 Program Data

```

G02ABF Example Program Data
4 'B' 0.02          :: N, OPT, ALPHA
  2.0   -1.0    0.0    0.0
 -1.0    2.0   -1.0    0.0
  0.0   -1.0    2.0   -1.0
  0.0    0.0   -1.0    2.0  :: End of G
100.0  20.0   20.0   20.0  :: W

```

## 9.3 Program Results

G02ABF Example Program Results

```

Nearest Correlation Matrix X
      1      2      3      4
1  1.0000 -0.9187  0.0257  0.0086
2 -0.9187  1.0000 -0.3008  0.2270
3  0.0257 -0.3008  1.0000 -0.8859
4  0.0086  0.2270 -0.8859  1.0000

```

```

Number of Newton steps taken:      5
Number of function evaluations:    6

```

```

ALPHA:                             0.020

```

```

Eigenvalues of X
      1      2      3      4
1  0.0392  0.1183  1.6515  2.1910

```

---