

# NAG Library Routine Document

## G02BWF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

G02BWF calculates a matrix of Pearson product-moment correlation coefficients from sums of squares and cross-products of deviations about the mean.

### 2 Specification

```
SUBROUTINE G02BWF (M, R, IFAIL)
```

```
INTEGER M, IFAIL
```

```
REAL (KIND=nag_wp) R((M*M+M)/2)
```

### 3 Description

G02BWF calculates a matrix of Pearson product-moment correlation coefficients from sums of squares and cross-products about the mean for observations on  $m$  variables which can be computed by a single call to G02BUF or a series of calls to G02BTF. The sums of squares and cross-products are stored in an array packed by column and are overwritten by the correlation coefficients.

Let  $c_{jk}$  be the cross-product of deviations from the mean, for  $j = 1, 2, \dots, m$  and  $k = j, \dots, m$ , then the product-moment correlation coefficient,  $r_{jk}$  is given by

$$r_{jk} = \frac{c_{jk}}{\sqrt{c_{jj}c_{kk}}}.$$

### 4 References

None.

### 5 Parameters

1: M – INTEGER *Input*

*On entry:*  $m$ , the number of variables.

*Constraint:*  $M \geq 1$ .

2: R((M × M + M)/2) – REAL (KIND=nag\_wp) array *Input/Output*

*On entry:* contains the upper triangular part of the sums of squares and cross-products matrix of deviations from the mean. These are stored packed by column, i.e., the cross-product between variable  $j$  and  $k$ ,  $k \geq j$ , is stored in R(( $k \times (k - 1)/2 + j$ )).

*On exit:* Pearson product-moment correlation coefficients.

These are stored packed by column corresponding to the input cross-products.

3: IFAIL – INTEGER *Input/Output*

*On entry:* IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then

the value 1 is recommended. Otherwise, because for this routine the values of the output parameters may be useful even if  $IFAIL \neq 0$  on exit, the recommended value is  $-1$ . **When the value  $-1$  or  $1$  is used it is essential to test the value of  $IFAIL$  on exit.**

*On exit:*  $IFAIL = 0$  unless the routine detects an error or a warning has been flagged (see Section 6).

## 6 Error Indicators and Warnings

If on entry  $IFAIL = 0$  or  $-1$ , explanatory error messages are output on the current error message unit (as defined by X04AAF).

**Note:** G02BWF may return useful information for one or more of the following detected errors or warnings.

Errors or warnings detected by the routine:

$IFAIL = 1$

On entry,  $M < 1$ .

$IFAIL = 2$

A variable has a zero variance. All correlations involving the variable with zero variance will be returned as zero.

## 7 Accuracy

The accuracy of G02BWF is entirely dependent upon the accuracy of the elements of array R.

## 8 Further Comments

G02BWF may also be used to calculate the correlations between parameter estimates from the variance-covariance matrix of the parameter estimates as is given by several routines in this chapter.

## 9 Example

A program to calculate the correlation matrix from raw data. The sum of squares and cross-products about the mean are calculated from the raw data by a call to G02BUF. The correlation matrix is then calculated from these values.

### 9.1 Program Text

```

Program g02bwfe
!      G02BWF Example Program Text
!
!      Mark 24 Release. NAG Copyright 2012.
!
!      .. Use Statements ..
Use nag_library, Only: g02buf, g02bwf, nag_wp, x04ccf
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: sw
Integer                    :: i, ifail, ldx, lr, lwt, m, n
Logical                    :: zero_var
Character (1)              :: mean, weight
!      .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: r(:), wmean(:), wt(:), x(:, :)
!      .. Executable Statements ..
Write (nout,*) 'G02BWF Example Program Results'
```

```

        Write (nout,*)
        Flush (nout)

!      Skip heading in data file
        Read (nin,*)

!      Read in the problem size
        Read (nin,*) mean, weight, m, n

        If (weight=='W' .Or. weight=='w') Then
            lwt = n
        Else
            lwt = 0
        End If
        ldx = n
        lr = (m*m+m)/2
        Allocate (r(lr),wmean(m),wt(lwt),x(ldx,m))

!      Read in data
        Read (nin,*) wt(1:n)
        Read (nin,*)(x(i,1:m),i=1,n)

!      Calculate the sums of squares and cross-products matrix
        ifail = 0
        Call g02buf(mean,weight,n,m,x,ldx,wt,sw,wmean,r,ifail)

!      Calculate the correlation matrix
        ifail = -1
        Call g02bwf(m,r,ifail)
        If (ifail/=0) Then
            If (ifail==2) Then
                zero_var = .True.
            Else
                Go To 100
            End If
        Else
            zero_var = .False.
        End If

!      Display the results
        ifail = 0
        Call x04ccf('Upper','Non-unit',m,r,'Correlation matrix',ifail)
        If (zero_var) Then
            Write (nout,*) ' NOTE: some variances are zero'
        End If

100    Continue

        End Program g02bwfe

```

## 9.2 Program Data

G02BWF Example Program Data

'M'	'W'	3	3
0.1300	1.3070	0.3700	
9.1231	3.7011	4.5230	
0.9310	0.0900	0.8870	
0.0009	0.0099	0.0999	

## 9.3 Program Results

G02BWF Example Program Results

Correlation matrix

	1	2	3
1	1.0000	0.9908	0.9903
2		1.0000	0.9624
3			1.0000