

## NAG Library Function Document

### nag\_pde\_bs\_1d\_means (d03nec)

## 1 Purpose

nag\_pde\_bs\_1d\_means (d03nec) computes average values of a continuous function of time over the remaining life of an option. It is used together with nag\_pde\_bs\_1d\_analytic (d03ndc) to value options with time-dependent arguments.

## 2 Specification

```
#include <nag.h>
#include <nagd03.h>
void nag_pde_bs_1d_means (double t0, double tmat, Integer ntd,
                           const double td[], const double phid[], double phiav[], NagError *fail)
```

## 3 Description

nag\_pde\_bs\_1d\_means (d03nec) computes the quantities

$$\phi(t_0), \quad \hat{\phi} = \frac{1}{T-t_0} \int_{t_0}^T \phi(\zeta) d\zeta, \quad \bar{\phi} = \left( \frac{1}{T-t_0} \int_{t_0}^T \phi^2(\zeta) d\zeta \right)^{1/2}$$

from a given set of values **phid** of a continuous time-dependent function  $\phi(t)$  at a set of discrete points **td**, where  $t_0$  is the current time and  $T$  is the maturity time. Thus  $\hat{\phi}$  and  $\bar{\phi}$  are first and second order averages of  $\phi$  over the remaining life of an option.

The function may be used in conjunction with nag\_pde\_bs\_1d\_analytic (d03ndc) in order to value an option in the case where the risk-free interest rate  $r$ , the continuous dividend  $q$ , or the stock volatility  $\sigma$  is time-dependent and is described by values at a set of discrete times (see Section 9.2). This is illustrated in Section 10.

## 4 References

None.

## 5 Arguments

- |    |   |              |
|----|---|--------------|
| 1: | <b>t0</b> – double  | <i>Input</i> |
|    | <i>On entry</i> : the current time $t_0$ .  |              |
|    | <i>Constraint</i> : $\mathbf{td}[0] \leq \mathbf{t0} \leq \mathbf{td}[ntd - 1]$ .   |              |
| 2: | <b>tmat</b> – double  | <i>Input</i> |
|    | <i>On entry</i> : the maturity time $T$ .   |              |
|    | <i>Constraint</i> : $\mathbf{td}[0] \leq \mathbf{tmat} \leq \mathbf{td}[ntd - 1]$ . |              |
| 3: | <b>ntd</b> – Integer  | <i>Input</i> |
|    | <i>On entry</i> : the number of discrete times at which $\phi$ is given.            |              |
|    | <i>Constraint</i> : $ntd \geq 2$ .  |              |

4:	<b>td[ntd]</b> – const double	<i>Input</i>
<i>On entry:</i> the discrete times at which $\phi$ is specified.		
<i>Constraint:</i> $\mathbf{td}[0] < \mathbf{td}[1] < \dots < \mathbf{td}[\mathbf{ntd} - 1]$ .		
5:	<b>phid[ntd]</b> – const double	<i>Input</i>
<i>On entry:</i> $\mathbf{phid}[i - 1]$ must contain the value of $\phi$ at time $\mathbf{td}[i - 1]$ , for $i = 1, 2, \dots, \mathbf{ntd}$ .		
6:	<b>phiav[3]</b> – double	<i>Output</i>
<i>On exit:</i> $\mathbf{phiav}[0]$ contains the value of $\phi$ interpolated to $t_0$ , $\mathbf{phiav}[1]$ contains the first-order average $\hat{\phi}$ and $\mathbf{phiav}[2]$ contains the second-order average $\bar{\phi}$ , where:		
$\hat{\phi} = \frac{1}{T-t_0} \int_{t_0}^T \phi(\zeta) d\zeta, \quad \bar{\phi} = \left( \frac{1}{T-t_0} \int_{t_0}^T \phi^2(\zeta) d\zeta \right)^{1/2}.$		
7:	<b>fail</b> – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 3.6 in the Essential Introduction).		

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry,  $\mathbf{ntd} = \langle value \rangle$ .

Constraint:  $\mathbf{ntd} \geq 2$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

Unexpected failure in internal call to spline function.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

### NE\_NOT\_STRICTLY\_INCREASING

On entry,  $\mathbf{td}[I] \leq \mathbf{td}[I - 1]$ , for  $I = \langle value \rangle$ .

### NE\_REAL\_3

On entry,  $\mathbf{t0}$  lies outside the range  $[\mathbf{td}[0], \mathbf{td}[\mathbf{ntd} - 1]]$ :  $\mathbf{t0} = \langle value \rangle$ ,  $\mathbf{td}[0] = \langle value \rangle$  and  $\mathbf{td}[\mathbf{ntd} - 1] = \langle value \rangle$ .

On entry,  $\mathbf{tmat}$  lies outside the range  $[\mathbf{td}[0], \mathbf{td}[\mathbf{ntd} - 1]]$ :  $\mathbf{tmat} = \langle value \rangle$ ,  $\mathbf{td}[0] = \langle value \rangle$  and  $\mathbf{td}[\mathbf{ntd} - 1] = \langle value \rangle$ .

## 7 Accuracy

If  $\phi \in C^4[t_0, T]$  then the error in the approximation of  $\phi(t_0)$  and  $\hat{\phi}$  is  $O(H^4)$ , where  $H = \max_i(T(i+1) - T(i))$ , for  $i = 1, 2, \dots, \mathbf{ntd} - 1$ . The approximation is exact for polynomials of degree up to 3.

The third quantity  $\bar{\phi}$  is  $O(H^2)$ , and exact for linear functions.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

### 9.1 Timing

The time taken is proportional to **ntd**.

### 9.2 Use with nag\_pde\_bs\_1d\_analytic (d03ndc)

Suppose you wish to evaluate the analytic solution of the Black–Scholes equation in the case when the risk-free interest rate  $r$  is a known function of time, and is represented as a set of values at discrete times. A call to nag\_pde\_bs\_1d\_means (d03nec) providing these values in **phid** produces an output array **phiv** suitable for use as the argument **r** in a subsequent call to nag\_pde\_bs\_1d\_analytic (d03ndc).

Time-dependent values of the continuous dividend  $Q$  and the volatility  $\sigma$  may be handled in the same way.

### 9.3 Algorithmic Details

The **ntd** data points are fitted with a cubic B-spline using the function nag\_1d\_spline\_interpolant (e01bac). Evaluation is then performed using nag\_1d\_spline\_evaluate (e02bbc), and the definite integrals are computed using direct integration of the cubic splines in each interval. The special case of  $T = t_o$  is handled by interpolating  $\phi$  at that point.

## 10 Example

This example demonstrates the use of the function in conjunction with nag\_pde\_bs\_1d\_analytic (d03ndc) to solve the Black–Scholes equation for valuation of a 5-month American call option on a non-dividend-paying stock with an exercise price of \$50. The risk-free interest rate varies linearly with time and the stock volatility has a quadratic variation. Since these functions are integrated exactly by nag\_pde\_bs\_1d\_means (d03nec) the solution of the Black–Scholes equation by nag\_pde\_bs\_1d\_analytic (d03ndc) is also exact.

The option is valued at a range of times and stock prices.

### 10.1 Program Text

```
/* nag_pde_bs_1d_means (d03nec) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 7, 2001.
*/
#include <stdio.h>
#include <string.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagd03.h>
```

```

#define F(I, J)      f[ns*((J)-1)+(I)-1]
#define THETA(I, J) theta[ns*((J)-1)+(I)-1]
#define DELTA(I, J) delta[ns*((J)-1)+(I)-1]
#define GAMMA(I, J) gamma[ns*((J)-1)+(I)-1]
#define LAMBDA(I, J) lambda[ns*((J)-1)+(I)-1]
#define RHO(I, J)    rho[ns*((J)-1)+(I)-1]

int main(void)
{
    double      ds, dt, tmat, x;
    Integer     i, igreek, j, ns, nt, ntd, exit_status = 0;
    double      *delta = 0, *f = 0, *gamma = 0, *lambda = 0, q[3], ra[3],
                *rho = 0, *s = 0;
    double      siga[3], *t = 0, *theta = 0, *td = 0, *rd = 0, *sigd = 0,
                smin, smax, tmin, tmax;
    Nag_Boolean gprnt[5] = { Nag_TRUE, Nag_TRUE, Nag_TRUE, Nag_TRUE, Nag_TRUE };
    Nag_Boolean tdpars[3];
    const char  *gname[5] = { "Theta", "Delta", "Gamma", "Lambda", "Rho" };
    NagError    fail;

    INIT_FAIL(fail);

    printf("nag_pde_bs_1d_means (d03nec) Example Program Results\n\n");

    /* Skip heading in data file */
    #ifdef _WIN32
        scanf_s("%*[^\n] ");
    #else
        scanf("%*[^\n] ");
    #endif

    /* Read problem parameters */
    #ifdef _WIN32
        scanf_s("%lf", &x);
    #else
        scanf("%lf", &x);
    #endif
    #ifdef _WIN32
        scanf_s("%lf", &tmat);
    #else
        scanf("%lf", &tmat);
    #endif
    #ifdef _WIN32
        scanf_s("%"NAG_IFMT%"NAG_IFMT", &ns, &nt);
    #else
        scanf("%"NAG_IFMT%"NAG_IFMT", &ns, &nt);
    #endif
    #ifdef _WIN32
        scanf_s("%lf%lf", &smin, &smax);
    #else
        scanf("%lf%lf", &smin, &smax);
    #endif
    #ifdef _WIN32
        scanf_s("%lf%lf", &tmin, &tmax);
    #else
        scanf("%lf%lf", &tmin, &tmax);
    #endif
    #ifdef _WIN32
        scanf_s("%"NAG_IFMT "", &ntd);
    #else
        scanf("%"NAG_IFMT "", &ntd);
    #endif

    /* Allocate memory */
    if (!(s = NAG_ALLOC(ns, double)) ||
        !(t = NAG_ALLOC(nt, double)) ||
        !(f = NAG_ALLOC(ns*nt, double)) ||
        !(theta = NAG_ALLOC(ns*nt, double)) ||
        !(delta = NAG_ALLOC(ns*nt, double)) ||
        !(gamma = NAG_ALLOC(ns*nt, double)) ||
        !(lambda = NAG_ALLOC(ns*nt, double)) ||
        !(rho = NAG_ALLOC(ns*nt, double)) ||
        !(q = NAG_ALLOC(3, double)) ||
        !(ra = NAG_ALLOC(3, double)))
    {
        fail = Nag_Error;
    }
}

```

```

!(rho = NAG_ALLOC(ns*nt, double)) ||
!(td = NAG_ALLOC(ntd, double)) ||
!(rd = NAG_ALLOC(ntd, double)) ||
!(sigd = NAG_ALLOC(ntd, double)))
{
    printf("Allocation failure\n");
    exit_status = 1;
    goto END;
}

/* Read discrete times and data values for r and sigma */

#ifndef _WIN32
    for (i = 0; i < ntd; i++) scanf_s("%lf", &td[i]);
#else
    for (i = 0; i < ntd; i++) scanf("%lf", &td[i]);
#endif
#ifndef _WINDEF
    for (i = 0; i < ntd; i++) scanf_s("%lf", &rd[i]);
#else
    for (i = 0; i < ntd; i++) scanf("%lf", &rd[i]);
#endif
#ifndef _WIN32
    for (i = 0; i < ntd; i++) scanf_s("%lf", &sigd[i]);
#else
    for (i = 0; i < ntd; i++) scanf("%lf", &sigd[i]);
#endif

/* Set up input parameters for nag_pde_bs_1d_analytic (d03ndc) */

s[0] = smin;
s[ns-1] = smax;
t[0] = tmin;
t[nt-1] = tmax;
tdpar[0] = Nag_TRUE;
tdpar[1] = Nag_FALSE;
tdpar[2] = Nag_TRUE;
q[0] = 0.0;

ds = (s[ns-1]-s[0])/(ns-1.0);
dt = (t[nt-1]-t[0])/(nt-1.0);

/* Loop over times */

for (j = 1; j <= nt; j++)
{
    t[j-1] = t[0] + (j-1)*dt;

    /* Find average values of r and sigma */

    /* nag_pde_bs_1d_means (d03nec).
     * Compute average values for nag_pde_bs_1d_analytic
     * (d03ndc)
     */
    nag_pde_bs_1d_means(t[j-1], tmat, ntd, td, rd, ra, &fail);

    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_pde_bs_1d_means (d03nec).\n%s\n",
               fail.message);
        exit_status = 1;
        goto END;
    }

    /* nag_pde_bs_1d_means (d03nec), see above. */
    nag_pde_bs_1d_means(t[j-1], tmat, ntd, td, sigd, siga, &fail);

    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_pde_bs_1d_means (d03nec).\n%s\n",
               fail.message);
    }
}

```

```

    exit_status = 1;
    goto END;
}

/* Loop over stock prices */

for (i = 1; i <= ns; i++)
{
    s[i-1] = s[0] + (i-1)*ds;

    /* Evaluate analytic solution of Black-Scholes equation */

    /* nag_pde_bs_1d_analytic (d03ndc).
     * Analytic solution of the Black-Scholes equations
     */
    nag_pde_bs_1d_analytic(Nag_AmericanCall, x, s[i-1], t[j-1], tmat,
                           tdpars, ra, q, siga, &F(i, j), &THETA(i, j),
                           &DELTA(i, j), &GAMMA(i, j), &LAMBDA(i, j),
                           &RHO(i, j), &fail);

    if (fail.code != NE_NOERROR)
    {
        printf(
            "Error from nag_pde_bs_1d_analytic (d03ndc).\n%s\n",
            fail.message);
        exit_status = 1;
        goto END;
    }
}

/* Output option values */

printf("\n");
printf("Option Values\n");
printf("-----\n");
printf("%14s | %s\n", "Stock Price", "Time to Maturity (months)");
printf("%14s | "", "");
for (i = 0; i < nt; i++) printf(" %13.4e", 12.0*(tmat-t[i]));
printf("\n");
for (i = 0; i < 74; i++) printf("-");
printf("\n");
for (i = 1; i <= ns; i++)
{
    printf(" %13.4e | ", s[i-1]);
    for (j = 1; j <= nt; j++) printf(" %13.4e", F(i, j));
    printf("\n");
}

for (igreek = 0; igreek < 5; igreek++)
{
    if (!gprnt[igreek]) continue;

    printf("\n");
    printf("%s\n", gname[igreek]);
    for (i = 0; i < (Integer) strlen(gname[igreek]); i++) printf("-");
    printf("\n");
    printf("%14s | %s\n", "Stock Price",
           "Time to Maturity (months)");
    printf("%14s | "", ");
    for (i = 0; i < nt; i++) printf(" %13.4e", 12.0*(tmat-t[i]));
    printf("\n");
    for (i = 0; i < 74; i++) printf("-");
    printf("\n");

    for (i = 1; i <= ns; i++)
    {
        printf(" %13.4e | ", s[i-1]);
        switch (igreek)
        {
            case 0:

```

```

        for (j = 1; j <= nt; j++) printf(" %13.4e", THETA(i, j));
        break;
    case 1:
        for (j = 1; j <= nt; j++) printf(" %13.4e", DELTA(i, j));
        break;
    case 2:
        for (j = 1; j <= nt; j++) printf(" %13.4e", GAMMA(i, j));
        break;
    case 3:
        for (j = 1; j <= nt; j++) printf(" %13.4e", LAMBDA(i, j));
        break;
    case 4:
        for (j = 1; j <= nt; j++) printf(" %13.4e", RHO(i, j));
        break;
    default:
        break;
    }
    printf("\n");
}
}

END:
NAG_FREE(s);
NAG_FREE(t);
NAG_FREE(f);
NAG_FREE(theta);
NAG_FREE(delta);
NAG_FREE(gamma);
NAG_FREE(lambda);
NAG_FREE(rho);
NAG_FREE(td);
NAG_FREE(rd);
NAG_FREE(sigd);

return exit_status;
}

```

## 10.2 Program Data

```
nag_pde_bs_1d_means (d03nec) Example Program Data
50.
0.4166667
21 4
0.0 100.
0.0 0.125
6
0.00 0.10 0.20
0.30 0.40 0.50
0.10 0.11 0.12
0.13 0.14 0.15
0.30 0.46 0.54
0.54 0.46 0.30
```

## 10.3 Program Results

```
nag_pde_bs_1d_means (d03nec) Example Program Results
```

Option Values

Stock Price		Time to Maturity (months)			
		5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00
0.0000e+00		0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00
5.0000e+00		3.3671e-13	7.7404e-14	7.3210e-15	2.0179e-16
1.0000e+01		5.2088e-07	2.4281e-07	7.2216e-08	1.1540e-08
1.5000e+01		2.6607e-04	1.6753e-04	8.0943e-05	2.7179e-05
2.0000e+01		8.9697e-03	6.6505e-03	4.1780e-03	2.0942e-03
2.5000e+01		8.3647e-02	6.8467e-02	5.0375e-02	3.2105e-02
3.0000e+01		3.8221e-01	3.3331e-01	2.7117e-01	2.0119e-01

3.5000e+01		1.1298e+00	1.0275e+00	8.9292e-01	7.3146e-01
4.0000e+01		2.5164e+00	2.3541e+00	2.1380e+00	1.8699e+00
4.5000e+01		4.6249e+00	4.4110e+00	4.1267e+00	3.7700e+00
5.0000e+01		7.4287e+00	7.1797e+00	6.8531e+00	6.4449e+00
5.5000e+01		1.0830e+01	1.0564e+01	1.0221e+01	9.7996e+00
6.0000e+01		1.4707e+01	1.4436e+01	1.4097e+01	1.3689e+01
6.5000e+01		1.8937e+01	1.8671e+01	1.8348e+01	1.7968e+01
7.0000e+01		2.3421e+01	2.3164e+01	2.2860e+01	2.2514e+01
7.5000e+01		2.8080e+01	2.7833e+01	2.7550e+01	2.7234e+01
8.0000e+01		3.2857e+01	3.2620e+01	3.2354e+01	3.2064e+01
8.5000e+01		3.7713e+01	3.7484e+01	3.7233e+01	3.6963e+01
9.0000e+01		4.2620e+01	4.2398e+01	4.2158e+01	4.1904e+01
9.5000e+01		4.7561e+01	4.7344e+01	4.7112e+01	4.6868e+01
1.0000e+02		5.2523e+01	5.2310e+01	5.2084e+01	5.1848e+01

## Theta

-----

Stock Price		Time to Maturity (months)			
		5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00
0.0000e+00		0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00
5.0000e+00		-8.9082e-12	-3.4507e-12	-5.0884e-13	-2.1236e-14
1.0000e+01		-7.2097e-06	-5.5915e-06	-2.5721e-06	-6.1830e-07
1.5000e+01		-2.2499e-03	-2.3259e-03	-1.7227e-03	-8.6349e-04
2.0000e+01		-4.9483e-02	-5.9355e-02	-5.6562e-02	-4.1921e-02
2.5000e+01		-3.1200e-01	-4.0620e-01	-4.4765e-01	-4.1683e-01
3.0000e+01		-9.8578e-01	-1.3408e+00	-1.6092e+00	-1.7186e+00
3.5000e+01		-2.0479e+00	-2.8395e+00	-3.5745e+00	-4.1390e+00
4.0000e+01		-3.2501e+00	-4.5165e+00	-5.8147e+00	-7.0323e+00
4.5000e+01		-4.3144e+00	-5.9349e+00	-7.6762e+00	-9.4488e+00
5.0000e+01		-5.0802e+00	-6.8543e+00	-8.7919e+00	-1.0815e+01
5.5000e+01		-5.5225e+00	-7.2603e+00	-9.1500e+00	-1.1104e+01
6.0000e+01		-5.7006e+00	-7.2722e+00	-8.9491e+00	-1.0625e+01
6.5000e+01		-5.7014e+00	-7.0446e+00	-8.4366e+00	-9.7565e+00
7.0000e+01		-5.6037e+00	-6.7093e+00	-7.8142e+00	-8.7951e+00
7.5000e+01		-5.4653e+00	-6.3555e+00	-7.2107e+00	-7.9170e+00
8.0000e+01		-5.3218e+00	-6.0329e+00	-6.6903e+00	-7.1974e+00
8.5000e+01		-5.1920e+00	-5.7627e+00	-6.2736e+00	-6.6481e+00
9.0000e+01		-5.0833e+00	-5.5487e+00	-5.9563e+00	-6.2492e+00
9.5000e+01		-4.9969e+00	-5.3857e+00	-5.7234e+00	-5.9700e+00
1.0000e+02		-4.9306e+00	-5.2651e+00	-5.5570e+00	-5.7797e+00

## Delta

-----

Stock Price		Time to Maturity (months)			
		5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00
0.0000e+00		0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00
5.0000e+00		1.6086e-12	3.8832e-13	3.9572e-14	1.2111e-15
1.0000e+01		8.9933e-07	4.3972e-07	1.4063e-07	2.4884e-08
1.5000e+01		2.3975e-04	1.5810e-04	8.1943e-05	3.0366e-05
2.0000e+01		4.9150e-03	3.8095e-03	2.5596e-03	1.4100e-03
2.5000e+01		3.0345e-02	2.5906e-02	2.0311e-02	1.4153e-02
3.0000e+01		9.6991e-02	8.7980e-02	7.5946e-02	6.1231e-02
3.5000e+01		2.0863e-01	1.9675e-01	1.8053e-01	1.5957e-01
4.0000e+01		3.4875e-01	3.3719e-01	3.2158e-01	3.0109e-01
4.5000e+01		4.9361e-01	4.8480e-01	4.7356e-01	4.5924e-01
5.0000e+01		6.2450e-01	6.1931e-01	6.1363e-01	6.0735e-01
5.5000e+01		7.3200e-01	7.3000e-01	7.2907e-01	7.2954e-01
6.0000e+01		8.1439e-01	8.1462e-01	8.1681e-01	8.2145e-01
6.5000e+01		8.7440e-01	8.7589e-01	8.7961e-01	8.8602e-01
7.0000e+01		9.1650e-01	9.1850e-01	9.2260e-01	9.2911e-01
7.5000e+01		9.4522e-01	9.4726e-01	9.5107e-01	9.5679e-01
8.0000e+01		9.6441e-01	9.6624e-01	9.6946e-01	9.7406e-01
8.5000e+01		9.7704e-01	9.7856e-01	9.8111e-01	9.8461e-01
9.0000e+01		9.8526e-01	9.8646e-01	9.8839e-01	9.9094e-01
9.5000e+01		9.9057e-01	9.9148e-01	9.9290e-01	9.9470e-01
1.0000e+02		9.9397e-01	9.9464e-01	9.9567e-01	9.9691e-01

## Gamma

-----

Stock Price	Time to Maturity (months)				
	5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00	
0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	
5.0000e+00	7.2334e-12	1.8390e-12	2.0276e-13	6.9267e-15	
1.0000e+01	1.4139e-06	7.2829e-07	2.5205e-07	4.9786e-08	
1.5000e+01	1.8932e-04	1.3153e-04	7.3756e-05	3.0494e-05	
2.0000e+01	2.2528e-03	1.8392e-03	1.3360e-03	8.2017e-04	
2.5000e+01	8.6933e-03	7.8126e-03	6.6135e-03	5.1251e-03	
3.0000e+01	1.8099e-02	1.7264e-02	1.6056e-02	1.4350e-02	
3.5000e+01	2.5953e-02	2.5691e-02	2.5315e-02	2.4683e-02	
4.0000e+01	2.9260e-02	2.9618e-02	3.0194e-02	3.0968e-02	
4.5000e+01	2.8046e-02	2.8736e-02	2.9814e-02	3.1368e-02	
5.0000e+01	2.4005e-02	2.4715e-02	2.5793e-02	2.7346e-02	
5.5000e+01	1.8950e-02	1.9500e-02	2.0296e-02	2.1401e-02	
6.0000e+01	1.4105e-02	1.4449e-02	1.4903e-02	1.5476e-02	
6.5000e+01	1.0054e-02	1.0221e-02	1.0396e-02	1.0555e-02	
7.0000e+01	6.9401e-03	6.9861e-03	6.9806e-03	6.8890e-03	
7.5000e+01	4.6779e-03	4.6538e-03	4.5552e-03	4.3505e-03	
8.0000e+01	3.0978e-03	3.0414e-03	2.9096e-03	2.6800e-03	
8.5000e+01	2.0250e-03	1.9598e-03	1.8291e-03	1.6205e-03	
9.0000e+01	1.3114e-03	1.2499e-03	1.1365e-03	9.6637e-04	
9.5000e+01	8.4362e-04	7.9138e-04	7.0024e-04	5.7052e-04	
1.0000e+02	5.4033e-04	4.9856e-04	4.2893e-04	3.3442e-04	

Lambda

Stock Price	Time to Maturity (months)				
	5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00	
0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	
5.0000e+00	3.6558e-11	8.6441e-12	8.6672e-13	2.6259e-14	
1.0000e+01	2.8583e-05	1.3693e-05	4.3098e-06	7.5495e-07	
1.5000e+01	8.6115e-03	5.5645e-03	2.8375e-03	1.0404e-03	
2.0000e+01	1.8217e-01	1.3832e-01	9.1376e-02	4.9748e-02	
2.5000e+01	1.0984e+00	9.1808e-01	7.0676e-01	4.8574e-01	
3.0000e+01	3.2931e+00	2.9214e+00	2.4708e+00	1.9584e+00	
3.5000e+01	6.4272e+00	5.9173e+00	5.3025e+00	4.5851e+00	
4.0000e+01	9.4643e+00	8.9101e+00	8.2604e+00	7.5135e+00	
4.5000e+01	1.1481e+01	1.0941e+01	1.0323e+01	9.6323e+00	
5.0000e+01	1.2132e+01	1.1617e+01	1.1026e+01	1.0367e+01	
5.5000e+01	1.1588e+01	1.1091e+01	1.0498e+01	9.8169e+00	
6.0000e+01	1.0265e+01	9.7801e+00	9.1734e+00	8.4486e+00	
6.5000e+01	8.5872e+00	8.1198e+00	7.5104e+00	6.7621e+00	
7.0000e+01	6.8747e+00	6.4363e+00	5.8487e+00	5.1188e+00	
7.5000e+01	5.3194e+00	4.9219e+00	4.3812e+00	3.7109e+00	
8.0000e+01	4.0081e+00	3.6599e+00	3.1840e+00	2.6009e+00	
8.5000e+01	2.9578e+00	2.6623e+00	2.2597e+00	1.7754e+00	
9.0000e+01	2.1474e+00	1.9036e+00	1.5741e+00	1.1870e+00	
9.5000e+01	1.5392e+00	1.3429e+00	1.0806e+00	7.8078e-01	
1.0000e+02	1.0923e+00	9.3740e-01	7.3341e-01	5.0711e-01	

Rho

Stock Price	Time to Maturity (months)				
	5.0000e+00	4.5000e+00	4.0000e+00	3.5000e+00	
0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	0.0000e+00	
5.0000e+00	3.2110e-12	6.9908e-13	6.3513e-14	1.7073e-15	
1.0000e+01	3.5302e-06	1.5579e-06	4.4470e-07	6.9214e-08	
1.5000e+01	1.3876e-03	8.2648e-04	3.8273e-04	1.2492e-04	
2.0000e+01	3.7221e-02	2.6077e-02	1.5671e-02	7.6142e-03	
2.5000e+01	2.8124e-01	2.1719e-01	1.5247e-01	9.3836e-02	
3.0000e+01	1.0531e+00	8.6478e-01	6.6907e-01	4.7709e-01	
3.5000e+01	2.5718e+00	2.1971e+00	1.8086e+00	1.4156e+00	
4.0000e+01	4.7641e+00	4.1750e+00	3.5750e+00	2.9673e+00	
4.5000e+01	7.3281e+00	6.5270e+00	5.7279e+00	4.9280e+00	
5.0000e+01	9.9152e+00	8.9196e+00	7.9427e+00	6.9774e+00	
5.5000e+01	1.2262e+01	1.1095e+01	9.9592e+00	8.8448e+00	
6.0000e+01	1.4232e+01	1.2915e+01	1.1637e+01	1.0383e+01	
6.5000e+01	1.5791e+01	1.4348e+01	1.2942e+01	1.1557e+01	

7.0000e+01		1.6973e+01	1.5424e+01	1.3907e+01	1.2403e+01
7.5000e+01		1.7838e+01	1.6204e+01	1.4594e+01	1.2987e+01
8.0000e+01		1.8457e+01	1.6755e+01	1.5067e+01	1.3376e+01
8.5000e+01		1.8890e+01	1.7135e+01	1.5387e+01	1.3629e+01
9.0000e+01		1.9189e+01	1.7393e+01	1.5599e+01	1.3790e+01
9.5000e+01		1.9393e+01	1.7567e+01	1.5738e+01	1.3891e+01
1.0000e+02		1.9531e+01	1.7683e+01	1.5827e+01	1.3954e+01

**Example Program 1**  
Option Values and Derivatives at 5 Months to Maturity



