

NAG Library Function Document

nag_3d_shep_interp (e01tgc)

1 Purpose

nag_3d_shep_interp (e01tgc) generates a three-dimensional interpolant to a set of scattered data points, using a modified Shepard method.

2 Specification

```
#include <nag.h>
#include <nage01.h>

void nag_3d_shep_interp (Integer m, const double x[], const double y[],
    const double z[], const double f[], Integer nw, Integer nq,
    Integer iq[], double rq[], NagError *fail)
```

3 Description

nag_3d_shep_interp (e01tgc) constructs a smooth function $Q(x, y, z)$ which interpolates a set of m scattered data points (x_r, y_r, z_r, f_r) , for $r = 1, 2, \dots, m$, using a modification of Shepard's method. The surface is continuous and has continuous first partial derivatives.

The basic Shepard method, which is a generalization of the two-dimensional method described in Shepard (1968), interpolates the input data with the weighted mean

$$Q(x, y, z) = \frac{\sum_{r=1}^m w_r(x, y, z) q_r}{\sum_{r=1}^m w_r(x, y, z)},$$

where

$$q_r = f_r \text{ and } w_r(x, y, z) = \frac{1}{d_r^2} \text{ and } d_r^2 = (x - x_r)^2 + (y - y_r)^2 + (z - z_r)^2.$$

The basic method is global in that the interpolated value at any point depends on all the data, but this function uses a modification (see Franke and Nielson (1980) and Renka (1988a)), whereby the method becomes local by adjusting each $w_r(x, y, z)$ to be zero outside a sphere with centre (x_r, y_r, z_r) and some radius R_w . Also, to improve the performance of the basic method, each q_r above is replaced by a function $q_r(x, y, z)$, which is a quadratic fitted by weighted least squares to data local to (x_r, y_r, z_r) and forced to interpolate (x_r, y_r, z_r, f_r) . In this context, a point (x, y, z) is defined to be local to another point if it lies within some distance R_q of it. Computation of these quadratics constitutes the main work done by this function.

The efficiency of the function is further enhanced by using a cell method for nearest neighbour searching due to Bentley and Friedman (1979).

The radii R_w and R_q are chosen to be just large enough to include N_w and N_q data points, respectively, for user-supplied constants N_w and N_q . Default values of these arguments are provided by the function, and advice on alternatives is given in Section 9.2.

This function is derived from the function QSHEP3 described by Renka (1988b).

Values of the interpolant $Q(x, y, z)$ generated by this function, and its first partial derivatives, can subsequently be evaluated for points in the domain of the data by a call to nag_3d_shep_eval (e01thc).

4 References

- Bentley J L and Friedman J H (1979) Data structures for range searching *ACM Comput. Surv.* **11** 397–409
- Franke R and Nielson G (1980) Smooth interpolation of large sets of scattered data *Internat. J. Num. Methods Engrg.* **15** 1691–1704
- Renka R J (1988a) Multivariate interpolation of large sets of scattered data *ACM Trans. Math. Software* **14** 139–148
- Renka R J (1988b) Algorithm 661: QSHEP3D: Quadratic Shepard method for trivariate interpolation of scattered data *ACM Trans. Math. Software* **14** 151–152
- Shepard D (1968) A two-dimensional interpolation function for irregularly spaced data *Proc. 23rd Nat. Conf. ACM* 517–523 Brandon/Systems Press Inc., Princeton

5 Arguments

- 1: **m** – Integer *Input*
On entry: m , the number of data points.
Constraint: $\mathbf{m} \geq 10$.
- 2: **x[m]** – const double *Input*
 3: **y[m]** – const double *Input*
 4: **z[m]** – const double *Input*
On entry: $\mathbf{x}[r-1]$, $\mathbf{y}[r-1]$, $\mathbf{z}[r-1]$ must be set to the Cartesian coordinates of the data point (x_r, y_r, z_r) , for $r = 1, 2, \dots, m$.
Constraint: these coordinates must be distinct, and must not all be coplanar.
- 5: **f[m]** – const double *Input*
On entry: $\mathbf{f}[r-1]$ must be set to the data value f_r , for $r = 1, 2, \dots, m$.
- 6: **nw** – Integer *Input*
On entry: the number N_w of data points that determines each radius of influence R_w , appearing in the definition of each of the weights w_r , for $r = 1, 2, \dots, m$ (see Section 3). Note that R_w is different for each weight. If $\mathbf{nw} \leq 0$ the default value $\mathbf{nw} = \min(32, \mathbf{m} - 1)$ is used instead.
Constraint: $\mathbf{nw} \leq \min(40, \mathbf{m} - 1)$.
- 7: **nq** – Integer *Input*
On entry: the number N_q of data points to be used in the least squares fit for coefficients defining the nodal functions $q_r(x, y, z)$ (see Section 3). If $\mathbf{nq} \leq 0$ the default value $\mathbf{nq} = \min(17, \mathbf{m} - 1)$ is used instead.
Constraint: $\mathbf{nq} \leq 0$ or $9 \leq \mathbf{nq} \leq \min(40, \mathbf{m} - 1)$.
- 8: **iq[(2 × m + 1)]** – Integer *Output*
On exit: integer data defining the interpolant $Q(x, y, z)$.
- 9: **rq[(10 × m + 7)]** – double *Output*
On exit: real data defining the interpolant $Q(x, y, z)$.
- 10: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.
See Section 3.2.1.2 in the Essential Introduction for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_DATA_COPLANAR

All nodes are coplanar. There is no unique solution.

NE_DUPLICATE_NODE

There are duplicate nodes in the dataset.
 $(\mathbf{x}[I-1], \mathbf{y}[I-1], \mathbf{z}[I-1]) = (\mathbf{x}[J-1], \mathbf{y}[J-1], \mathbf{z}[J-1])$ for: $I = \langle value \rangle$ and $J = \langle value \rangle$. The interpolant cannot be derived.

NE_INT

On entry, $\mathbf{m} = \langle value \rangle$.
Constraint: $\mathbf{m} \geq 10$.

On entry, $\mathbf{nq} = \langle value \rangle$.
Constraint: $\mathbf{nq} \leq 0$ or $\mathbf{nq} \geq 9$.

NE_INT_2

On entry, $\mathbf{nq} = \langle value \rangle$ and $\mathbf{m} = \langle value \rangle$.
Constraint: $\mathbf{nq} \leq \min(40, \mathbf{m} - 1)$.

On entry, $\mathbf{nw} = \langle value \rangle$ and $\mathbf{m} = \langle value \rangle$.
Constraint: $\mathbf{nw} \leq \min(40, \mathbf{m} - 1)$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.
See Section 3.6.6 in the Essential Introduction for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.
See Section 3.6.5 in the Essential Introduction for further information.

7 Accuracy

On successful exit, the function generated interpolates the input data exactly and has quadratic accuracy.

8 Parallelism and Performance

nag_3d_shep_interp (e01tgc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag_3d_shep_interp (e01tgc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

9.1 Timing

The time taken for a call to `nag_3d_shep_interp` (e01tgc) will depend in general on the distribution of the data points. If \mathbf{x} , \mathbf{y} and \mathbf{z} are uniformly randomly distributed, then the time taken should be $O(\mathbf{m})$. At worst $O(\mathbf{m}^2)$ time will be required.

9.2 Choice of N_w and N_q

Default values of the arguments N_w and N_q may be selected by calling `nag_3d_shep_interp` (e01tgc) with `nw` ≤ 0 and `nq` ≤ 0 . These default values may well be satisfactory for many applications.

If non-default values are required they must be supplied to `nag_3d_shep_interp` (e01tgc) through positive values of `nw` and `nq`. Increasing these arguments makes the method less local. This may increase the accuracy of the resulting interpolant at the expense of increased computational cost. The default values `nw` = $\min(32, \mathbf{m} - 1)$ and `nq` = $\min(17, \mathbf{m} - 1)$ have been chosen on the basis of experimental results reported in Renka (1988a). In these experiments the error norm was found to vary smoothly with N_w and N_q , generally increasing monotonically and slowly with distance from the optimal pair. The method is not therefore thought to be particularly sensitive to the argument values. For further advice on the choice of these arguments see Renka (1988a).

10 Example

This program reads in a set of 30 data points and calls `nag_3d_shep_interp` (e01tgc) to construct an interpolating function $Q(x, y, z)$. It then calls `nag_3d_shep_eval` (e01thc) to evaluate the interpolant at a set of points.

Note that this example is not typical of a realistic problem: the number of data points would normally be larger.

10.1 Program Text

```
/* nag_3d_shep_interp (e01tgc) Example Program.
 *
 * Copyright 2014 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nage01.h>

int main(void)
{
    /* Scalars */
    Integer exit_status, i, m, n, nq, nw, liq, lrq;
    NagError fail;

    /* Arrays */
    double *f = 0, *q = 0, *qx = 0, *qy = 0, *qz = 0, *rq = 0,
           *u = 0, *v = 0, *w = 0, *x = 0, *y = 0, *z = 0;
    Integer *iq = 0;

    exit_status = 0;

    INIT_FAIL(fail);
```

```

printf("nag_3d_shep_interp (e01tgc) Example Program Results\n");

/* Skip heading in data file */
#ifdef _WIN32
scanf_s("%*[\n] ");
#else
scanf("%*[\n] ");
#endif

/* Input the number of nodes. */
#ifdef _WIN32
scanf_s("%"NAG_IFMT"%*[\n] ", &m);
#else
scanf("%"NAG_IFMT"%*[\n] ", &m);
#endif

if (m > 0)
{
/* Allocate memory */
lrq = 10 * m + 7;
liq = 2 * m + 1;
if (!(f = NAG_ALLOC(m, double)) ||
!(x = NAG_ALLOC(m, double)) ||
!(y = NAG_ALLOC(m, double)) ||
!(z = NAG_ALLOC(m, double)) ||
!(rq = NAG_ALLOC(lrq, double)) ||
!(iq = NAG_ALLOC(liq, Integer)))
{
printf("Allocation failure\n");
exit_status = -1;
goto END;
}

/* Input the data points X,Y,Z and F. */
for (i = 0; i < m; ++i)
#ifdef _WIN32
scanf_s("%lf%lf%lf%lf%*[\n] ", &x[i], &y[i], &z[i], &f[i]);
#else
scanf("%lf%lf%lf%lf%*[\n] ", &x[i], &y[i], &z[i], &f[i]);
#endif

/* Generate the interpolant. */
nq = 0;
nw = 0;

/* nag_3d_shep_interp (e01tgc).
* Interpolating functions, modified Shepard's method, three
* variables
*/
nag_3d_shep_interp(m, x, y, z, f, nw, nq, iq, rq, &fail);
if (fail.code != NE_NOERROR)
{
printf("Error from nag_3d_shep_interp (e01tgc).\n%s\n",
fail.message);
exit_status = 1;
goto END;
}

/* Input the number of evaluation points. */
#ifdef _WIN32
scanf_s("%"NAG_IFMT"%*[\n] ", &n);
#else
scanf("%"NAG_IFMT"%*[\n] ", &n);
#endif

/* Allocate memory for nag_3d_shep_eval (e01thc) */
if (!(q = NAG_ALLOC(n, double)) ||
!(qx = NAG_ALLOC(n, double)) ||
!(qy = NAG_ALLOC(n, double)) ||
!(qz = NAG_ALLOC(n, double)) ||
!(u = NAG_ALLOC(n, double)) ||

```

```

        !(v = NAG_ALLOC(n, double)) ||
        !(w = NAG_ALLOC(n, double))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* Input the evaluation points. */
    for (i = 0; i < n; ++i)
#ifdef _WIN32
        scanf_s("%lf%lf%lf%*[\n] ", &u[i], &v[i], &w[i]);
#else
        scanf("%lf%lf%lf%*[\n] ", &u[i], &v[i], &w[i]);
#endif

    /* Evaluate the interpolant using nag_3d_shep_eval (e01thc). */
    fail.print = Nag_TRUE;
    /* nag_3d_shep_eval (e01thc).
     * Interpolated values, evaluate interpolant computed by
     * nag_3d_shep_interp (e01tgc), function and first
     * derivatives, three variables
     */
    nag_3d_shep_eval(m, x, y, z, f, iq, rq, n, u, v, w, q, qx, qy, qz, &fail);

    printf("\n");
    printf("      i      u(i)      v(i)      w(i)      Q(i)\n");
    for (i = 0; i < n; ++i)
        printf("%6"NAG_IFMT"%10.4f%10.4f%10.4f%10.4f\n", i, u[i], v[i], w[i],
              q[i]);
    }

END:
    NAG_FREE(f);
    NAG_FREE(q);
    NAG_FREE(qx);
    NAG_FREE(qy);
    NAG_FREE(qz);
    NAG_FREE(rq);
    NAG_FREE(u);
    NAG_FREE(v);
    NAG_FREE(w);
    NAG_FREE(x);
    NAG_FREE(y);
    NAG_FREE(z);
    NAG_FREE(iq);

    return exit_status;
}

```

10.2 Program Data

```

nag_3d_shep_interp (e01tgc) Example Program Data
30          M, the number of data points
0.80 0.23 0.37 0.51 X, Y, Z, F data point definition
0.23 0.88 0.05 1.80
0.18 0.43 0.04 0.11
0.58 0.95 0.62 2.65
0.64 0.69 0.20 0.93
0.88 0.35 0.49 0.72
0.30 0.10 0.78 -0.11
0.87 0.09 0.05 0.67
0.04 0.02 0.40 0.00
0.62 0.90 0.43 2.20
0.87 0.96 0.24 3.17
0.62 0.64 0.45 0.74
0.86 0.13 0.47 0.64
0.87 0.60 0.46 1.07
0.49 0.43 0.13 0.22
0.12 0.61 0.00 0.41

```

```

0.02  0.71  0.82  0.58
0.62  0.93  0.44  2.48
0.49  0.54  0.04  0.37
0.36  0.56  0.39  0.35
0.62  0.42  0.97 -0.20
0.01  0.72  0.45  0.78
0.41  0.36  0.52  0.11
0.17  0.99  0.65  2.82
0.51  0.29  0.59  0.14
0.85  0.05  0.04  0.61
0.20  0.20  0.87 -0.25
0.04  0.67  0.04  0.59
0.31  0.63  0.18  0.50
0.88  0.27  0.07  0.71  End of data points
6                                     N, the number of evaluation points
0.10  0.10  0.10                 U, V, W evaluation point definition
0.20  0.20  0.20
0.30  0.30  0.30
0.40  0.40  0.40
0.50  0.50  0.50
0.60  0.60  0.60                 End of evaluation points

```

10.3 Program Results

nag_3d_shep_interp (e01tgc) Example Program Results

i	u(i)	v(i)	w(i)	Q(i)
0	0.1000	0.1000	0.1000	0.2630
1	0.2000	0.2000	0.2000	0.1182
2	0.3000	0.3000	0.3000	0.0811
3	0.4000	0.4000	0.4000	0.1552
4	0.5000	0.5000	0.5000	0.3019
5	0.6000	0.6000	0.6000	0.5712
