

## NAG Library Function Document

### **nag\_glopt\_bnd\_mcs\_optget\_int (e05jkc)**

## 1 Purpose

`nag_glopt_bnd_mcs_optget_int (e05jkc)` is used to get the value of an integer `nag_glopt_bnd_mcs_solve` (e05jbc) optional argument. `nag_glopt_bnd_mcs_optget_int (e05jkc)` can be used before or after calling `nag_glopt_bnd_mcs_solve` (e05jbc), but the initialization function `nag_glopt_bnd_mcs_init` (e05jac) **must** have been called before calling `nag_glopt_bnd_mcs_optget_int (e05jkc)`.

## 2 Specification

```
#include <nag.h>
#include <nage05.h>
void nag_glopt_bnd_mcs_optget_int (const char *optstr, Integer *ivalue,
Nag_E05State *state, NagError *fail)
```

## 3 Description

`nag_glopt_bnd_mcs_optget_int (e05jkc)` obtains the current value of an integer-valued optional argument. For example

```
e05jkc ('Local Searches Limit', &loclim, &state, &fail);
```

will result in the value of the optional argument **Local Searches Limit** being output in `loclim`.

The default values of the optional arguments **Function Evaluations Limit**, **Splits Limit** and **Static Limit** depend on the problem parameter  $n_r$  (the number of non-fixed variables). A default value for each of these optional arguments will be set in the first call to the solver `nag_glopt_bnd_mcs_solve` (e05jbc): before that time, getting the value of any of these optional arguments using `nag_glopt_bnd_mcs_optget_int (e05jkc)` will not return a meaningful result.

A complete list of optional arguments, their symbolic names and default values is given in Section 12 in `nag_glopt_bnd_mcs_solve` (e05jbc).

## 4 References

None.

## 5 Arguments

- |    |   |                                |
|----|---|--------------------------------|
| 1: | <b>optstr</b> – const char *  | <i>Input</i>                   |
|    | <i>On entry:</i> a string identifying an integer-valued optional argument (as described in Section 12 in <code>nag_glopt_bnd_mcs_solve</code> (e05jbc)).    |                                |
| 2: | <b>ivalue</b> – Integer *   | <i>Output</i>                  |
|    | <i>On exit:</i> if <b>fail.code</b> = NE_NOERROR on exit, <b>ivalue</b> contains the integer value associated with the optional argument in <b>optstr</b> . |                                |
| 3: | <b>state</b> – Nag_E05State *   | <i>Communication Structure</i> |
|    | <b>state</b> contains information required by other functions in this suite. You must not modify it directly in any way.                                    |                                |

4:     **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

### NE\_NOT\_INIT

Initialization function nag\_glopt\_bnd\_mcs\_init (e05jac) has not been called.

### NE\_OPT\_NOT\_READ

The supplied optional argument is invalid. A keyword or keyword combination was not recognized.

## 7 Accuracy

Not applicable.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

None.

## 10 Example

See Section 10 in nag\_glopt\_bnd\_mcs\_optset\_file (e05jcc).

---