

NAG Library Function Document

nag_dtpttf (f01vjc)

1 Purpose

nag_dtpttf (f01vjc) copies a real triangular matrix, stored in a standard packed format array, to a Rectangular Full Packed (RFP) format array.

2 Specification

```
#include <nag.h>
#include <nagf01.h>

void nag_dtpttf (Nag_OrderType order, Nag_RFP_Store transr,
                Nag_UploType uplo, Integer n, const double ap[], double ar[],
                NagError *fail)
```

3 Description

nag_dtpttf (f01vjc) copies a real n by n triangular matrix, A , stored in packed format, to RFP format. This function is intended for possible use in conjunction with functions from Chapters f06, f07 and f16 where some functions that use triangular matrices store them in RFP format. The RFP storage format is described in Section 3.3.3 in the f07 Chapter Introduction and the packed storage format is described in Section 3.3.2 in the f07 Chapter Introduction.

4 References

Gustavson F G, Waśniewski J, Dongarra J J and Langou J (2010) Rectangular full packed format for Cholesky's algorithm: factorization, solution, and inversion *ACM Trans. Math. Software* **37**, 2

5 Arguments

- 1: **order** – Nag_OrderType *Input*
On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.
Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

- 2: **transr** – Nag_RFP_Store *Input*
On entry: specifies whether the normal RFP representation of A or its transpose is stored.
transr = Nag_RFP_Normal
The RFP representation of the matrix A is stored.
transr = Nag_RFP_Trans
The transpose of the RFP representation of the matrix A is stored.
Constraint: **transr** = Nag_RFP_Normal or Nag_RFP_Trans.

- 3: **uplo** – Nag_UploType *Input*
On entry: specifies whether A is upper or lower triangular.
uplo = Nag_Upper
 A is upper triangular.

uplo = Nag_Lower
A is lower triangular.

Constraint: **uplo** = Nag_Upper or Nag_Lower.

4: **n** – Integer *Input*

On entry: *n*, the order of the matrix *A*.

Constraint: **n** ≥ 0.

5: **ap**[*dim*] – const double *Input*

Note: the dimension, *dim*, of the array **ap** must be at least $\mathbf{n} \times (\mathbf{n} + 1)/2$.

On entry: the *n* by *n* triangular matrix *A*, packed by rows or columns depending on **order**.

The storage of elements A_{ij} depends on the **order** and **uplo** arguments as follows:

if **order** = Nag_ColMajor and **uplo** = Nag_Upper,
 A_{ij} is stored in **ap**[(*j* – 1) × *j*/2 + *i* – 1], for $i \leq j$;
 if **order** = Nag_ColMajor and **uplo** = Nag_Lower,
 A_{ij} is stored in **ap**[(2*n* – *j*) × (*j* – 1)/2 + *i* – 1], for $i \geq j$;
 if **order** = Nag_RowMajor and **uplo** = Nag_Upper,
 A_{ij} is stored in **ap**[(2*n* – *i*) × (*i* – 1)/2 + *j* – 1], for $i \leq j$;
 if **order** = Nag_RowMajor and **uplo** = Nag_Lower,
 A_{ij} is stored in **ap**[(*i* – 1) × *i*/2 + *j* – 1], for $i \geq j$.

6: **ar**[$\mathbf{n} \times (\mathbf{n} + 1)/2$] – double *Output*

On exit: the upper or lower *n* by *n* triangular matrix *A* (as specified by **uplo**) in either normal or transposed RFP format (as specified by **transr**). The storage format is described in Section 3.3.3 in the f07 Chapter Introduction.

7: **fail** – NagError * *Input/Output*

The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

NE_BAD_PARAM

On entry, argument *<value>* had an illegal value.

NE_INT

On entry, **n** = *<value>*.

Constraint: **n** ≥ 0.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.
See Section 3.6.5 in the Essential Introduction for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example reads in a triangular matrix in packed format and copies it to RFP format.

10.1 Program Text

```

/* nag_dtpttf (f01vjc) Example Program.
 *
 * Copyright 2014 Numerical Algorithms Group.
 *
 * Mark 25, 2014.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf01.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer      exit_status = 0, indent = 0, ncols = 80, incl = 1;
    Integer      i, j, k, lar1, lar2, lenap, lenar, mx, n, nx, pdar, q;
    /* Arrays */
    double       *ap = 0, *ar = 0;
    char         nag_enum_transr[40], nag_enum_uplo[40], form[] = "%5.2f";
    /* Nag Types */
    Nag_OrderType order;
    Nag_RFP_Store transr;
    Nag_UploType  uplo;
    NagError      fail;

#ifdef NAG_COLUMN_MAJOR
    order = Nag_ColMajor;
#define KU(I,J,N) (I + J*(J+1)/2)
#define KL(I,J,N) (J*(N-1) - J*(J-1)/2 + I)
#else
    order = Nag_RowMajor;
#define KL(I,J,N) (J + I*(I+1)/2)
#define KU(I,J,N) (I*(N-1) - I*(I-1)/2 + J)
#endif

    INIT_FAIL(fail);

    printf("nag_dtpttf (f01vjc) Example Program Results\n\n");
    /* Skip heading in data file*/
#ifdef _WIN32

```

```

scanf_s("%*[\n] ");
scanf_s("%" NAG_IFMT "%*[\n] ", &n);
scanf_s("%39s ", nag_enum_transr, _countof(nag_enum_transr));
scanf_s("%39s  %*[\n] ", nag_enum_uplo, _countof(nag_enum_uplo));
#else
scanf("%*[\n] ");
scanf("%" NAG_IFMT "%*[\n] ", &n);
scanf("%39s ", nag_enum_transr);
scanf("%39s  %*[\n] ", nag_enum_uplo);
#endif
lenap = (n * (n + 1))/2;
lenar = lenap;
if (!(ap = NAG_ALLOC(lenap, double)) || !(ar = NAG_ALLOC(lenar, double))) {
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}
transr = (Nag_RFP_Store) nag_enum_name_to_value(nag_enum_transr);
uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_uplo);

/* Read the packed vector ap using macros KL or KU. */
for (i = 0; i < n; i++) {
    if (uplo==Nag_Upper) {
#ifdef _WIN32
        for (j = i; j < n; j++) scanf_s("%lf ", &ap[KU(i,j,n)]);
#else
        for (j = i; j < n; j++) scanf("%lf ", &ap[KU(i,j,n)]);
#endif
    } else {
#ifdef _WIN32
        for (j = 0; j <= i; j++) scanf_s("%lf ", &ap[KL(i,j,n)]);
#else
        for (j = 0; j <= i; j++) scanf("%lf ", &ap[KL(i,j,n)]);
#endif
    }
}

if (order==Nag_RowMajor) {
    mx = incl;
    nx = lenap;
} else {
    mx = lenap;
    nx = incl;
}
/* Print the packed vector */
nag_gen_real_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, mx, nx,
    ap, lenap, form, "Packed Matrix AP:",
    Nag_IntegerLabels, NULL, Nag_NoLabels, NULL,
    ncols, indent, NULL, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_real_mat_print_comp (x04cbc).\n%s\n",
        fail.message);
    exit_status = 1;
}
printf("\n");

/* Convert real triangular matrix from packed to Rectangular Full Packed
 * form using nag_dtpttf (f01vjc).
 */
nag_dtpttf(order, transr, uplo, n, ap, ar, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_dtpttf (f01vjc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print the Rectangular Full Packed vector */
if (order==Nag_RowMajor) {
    mx = incl;
    nx = lenar;
} else {

```

```

    mx = lenar;
    nx = incl;
}
nag_gen_real_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, mx, nx,
                           ar, lenar, form, "RFP Packed Array AR:",
                           Nag_IntegerLabels, NULL, Nag_NoLabels, NULL,
                           ncols, indent, NULL, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_real_mat_print_comp (x04cbc).\n%s\n",
          fail.message);
    exit_status = 1;
}
printf("\n");

/* Print the Rectangular Full Packed array
 * showing how the elements are arranged.
 */
k = n/2;
q = n - k;
if (transr==Nag_RFP_Normal) {
    lar1 = 2*k+1;
    lar2 = q;
} else {
    lar1 = q;
    lar2 = 2*k+1;
}
if (order==Nag_RowMajor) {
    pdar = lar2;
} else {
    pdar = lar1;
}
/* nag_gen_real_mat_print_comp (x04cbc).
 * Print real general matrix (comprehensive).
 */
nag_gen_real_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, lar1,
                           lar2, ar, pdar, form,
                           "RFP Packed Array AR "
                           "(structural representation):",
                           Nag_IntegerLabels, NULL, Nag_IntegerLabels, NULL,
                           ncols, indent, NULL, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_real_mat_print_comp (x04cbc).\n%s\n",
          fail.message);
    exit_status = 1;
}
}

END:
NAG_FREE(ap);
NAG_FREE(ar);
return exit_status;
}

```

10.2 Program Data

```

nag_dtpttf (f01vjc) Example Program Data
4 : n
Nag_RFP_Normal Nag_Upper : transr, uplo

1.1 1.2 1.3 1.4
    2.2 2.3 2.4
        3.3 3.4
            4.4 : ap[]

```

10.3 Program Results

nag_dtpttf (f01vjc) Example Program Results

Packed Matrix AP:

```
1  1.10  1.20  1.30  1.40  2.20  2.30  2.40  3.30  3.40  4.40
```

RFP Packed Array AR:

```
1  1.30  1.40  2.30  2.40  3.30  3.40  1.10  4.40  1.20  2.20
```

RFP Packed Array AR (structural representation):

```
      1      2
1  1.30  1.40
2  2.30  2.40
3  3.30  3.40
4  1.10  4.40
5  1.20  2.20
```
