

NAG Library Function Document

nag_dgbequ (f07bfc)

1 Purpose

nag_dgbequ (f07bfc) computes diagonal scaling matrices D_R and D_C intended to equilibrate a real m by n band matrix A of band width $(k_l + k_u + 1)$, and reduce its condition number.

2 Specification

```
#include <nag.h>
#include <nagf07.h>
void nag_dgbequ (Nag_OrderType order, Integer m, Integer n, Integer kl,
                 Integer ku, const double ab[], Integer pdab, double r[], double c[],
                 double *rowcnd, double *colcnd, double *amax, NagError *fail)
```

3 Description

nag_dgbequ (f07bfc) computes the diagonal scaling matrices. The diagonal scaling matrices are chosen to try to make the elements of largest absolute value in each row and column of the matrix B given by

$$B = D_R A D_C$$

have absolute value 1. The diagonal elements of D_R and D_C are restricted to lie in the safe range $(\delta, 1/\delta)$, where δ is the value returned by function nag_real_safe_small_number (X02AMC). Use of these scaling factors is not guaranteed to reduce the condition number of A but works well in practice.

4 References

None.

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **m** – Integer *Input*

On entry: m , the number of rows of the matrix A .

Constraint: $m \geq 0$.

3: **n** – Integer *Input*

On entry: n , the number of columns of the matrix A .

Constraint: $n \geq 0$.

4: **kl** – Integer *Input*

On entry: k_l , the number of subdiagonals of the matrix A .

Constraint: $kl \geq 0$.

5:	ku – Integer	<i>Input</i>
<i>On entry:</i> k_u , the number of superdiagonals of the matrix A .		
<i>Constraint:</i> $\mathbf{ku} \geq 0$.		
6:	ab [<i>dim</i>] – const double	<i>Input</i>
Note: the dimension, <i>dim</i> , of the array ab must be at least		
$\max(1, \mathbf{pdab} \times \mathbf{n})$ when order = Nag_ColMajor;		
$\max(1, \mathbf{m} \times \mathbf{pdab})$ when order = Nag_RowMajor.		
<i>On entry:</i> the m by n band matrix A whose scaling factors are to be computed.		
This is stored as a notional two-dimensional array with row elements or column elements stored contiguously. The storage of elements A_{ij} , for row $i = 1, \dots, m$ and column $j = \max(1, i - k_l), \dots, \min(n, i + k_u)$, depends on the order argument as follows:		
if order = Nag_ColMajor, A_{ij} is stored as ab [(<i>j</i> – 1) × pdab + ku + <i>i</i> – <i>j</i>];		
if order = Nag_RowMajor, A_{ij} is stored as ab [(<i>i</i> – 1) × pdab + kl + <i>j</i> – <i>i</i>].		
See Section 9 in nag_dgbsv (f07bac) for further details.		
7:	pdab – Integer	<i>Input</i>
<i>On entry:</i> the stride separating row or column elements (depending on the value of order) of the matrix A in the array ab .		
<i>Constraint:</i> pdab $\geq \mathbf{kl} + \mathbf{ku} + 1$.		
8:	r [m] – double	<i>Output</i>
<i>On exit:</i> if fail.code = NE_NOERROR or fail.code = NE_MAT_COL_ZERO, r contains the row scale factors, the diagonal elements of D_R . The elements of r will be positive.		
9:	c [n] – double	<i>Output</i>
<i>On exit:</i> if fail.code = NE_NOERROR, c contains the column scale factors, the diagonal elements of D_C . The elements of c will be positive.		
10:	rowend – double *	<i>Output</i>
<i>On exit:</i> if fail.code = NE_NOERROR or fail.code = NE_MAT_COL_ZERO, rowend contains the ratio of the smallest value of r [<i>i</i> – 1] to the largest value of r [<i>i</i> – 1]. If rowend ≥ 0.1 and amax is neither too large nor too small, it is not worth scaling by D_R .		
11:	colend – double *	<i>Output</i>
<i>On exit:</i> if fail.code = NE_NOERROR, colend contains the ratio of the smallest value of c [<i>i</i> – 1] to the largest value of c [<i>i</i> – 1].		
If colend ≥ 0.1 , it is not worth scaling by D_C .		
12:	amax – double *	<i>Output</i>
<i>On exit:</i> $\max a_{ij} $. If amax is very close to overflow or underflow, the matrix A should be scaled.		
13:	fail – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 3.6 in the Essential Introduction).		

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, $\mathbf{kl} = \langle value \rangle$.

Constraint: $\mathbf{kl} \geq 0$.

On entry, $\mathbf{ku} = \langle value \rangle$.

Constraint: $\mathbf{ku} \geq 0$.

On entry, $\mathbf{m} = \langle value \rangle$.

Constraint: $\mathbf{m} \geq 0$.

On entry, $\mathbf{n} = \langle value \rangle$.

Constraint: $\mathbf{n} \geq 0$.

On entry, $\mathbf{pdab} = \langle value \rangle$.

Constraint: $\mathbf{pdab} > 0$.

NE_INT_3

On entry, $\mathbf{pdab} = \langle value \rangle$, $\mathbf{kl} = \langle value \rangle$ and $\mathbf{ku} = \langle value \rangle$.

Constraint: $\mathbf{pdab} \geq \mathbf{kl} + \mathbf{ku} + 1$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

NE_MAT_COL_ZERO

Column $\langle value \rangle$ of A is exactly zero.

NE_MAT_ROW_ZERO

Row $\langle value \rangle$ of A is exactly zero.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

7 Accuracy

The computed scale factors will be close to the exact scale factors.

8 Parallelism and Performance

Not applicable.

9 Further Comments

The complex analogue of this function is nag_zgbequ (f07btc).

10 Example

This example equilibrates the band matrix A given by

$$A = \begin{pmatrix} -0.23 & 2.54 & -3.66 \times 10^{-10} & 0 \\ -6.98 \times 10^{10} & 2.46 \times 10^{10} & -2.73 & -2.13 \times 10^{10} \\ 0 & 2.56 & 2.46 \times 10^{-10} & 4.07 \\ 0 & 0 & -4.78 \times 10^{-10} & -3.82 \end{pmatrix}.$$

Details of the scaling factors, and the scaled matrix are output.

10.1 Program Text

```
/* nag_dgbequ (f07bfc) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 23, 2011.
*/
#include <stdio.h>
#include <nag.h>
#include <nagx04.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagx02.h>

int main(void)
{
    /* Scalars */
    double      amax, big, colcnd, rowcnd, small;
    Integer     exit_status = 0, i, j, kl, ku, n, pdab;

    /* Arrays */
    double      *ab = 0, *c = 0, *r = 0;

    /* Nag Types */
    NagError    fail;
    Nag_OrderType order;
    Nag_Boolean  scaled = Nag_FALSE;

#ifdef NAG_COLUMN_MAJOR
#define AB(I, J) ab[(J-1)*pdab + ku + I - J]
    order = Nag_ColMajor;
#else
#define AB(I, J) ab[(I-1)*pdab + kl + J - I]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_dgbequ (f07bfc) Example Program Results\n\n");
    fflush(stdout);

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n]");
#else
    scanf("%*[^\n]");
#endif

#ifdef _WIN32
    scanf_s("%"NAG_IFMT%"NAG_IFMT%"NAG_IFMT%"*[^\\n] ", &n, &kl, &ku);

```

```

#else
    scanf("%"NAG_IFMT%"NAG_IFMT%"NAG_IFMT%"*[^\\n] ", &n, &kl, &ku);
#endif
if (n < 0 || kl < 0 || ku < 0)
{
    printf("Invalid n or kl or ku\\n");
    exit_status = 1;
    goto END;
}
/* Allocate arrays */
pdab = kl+ku+1;
if (!(ab = NAG_ALLOC(pdab * n, double)) ||
    !(c = NAG_ALLOC(n, double)) ||
    !(r = NAG_ALLOC(n, double)))
{
    printf("Allocation failure\\n");
    exit_status = -1;
    goto END;
}

/* Read the band matrix A from data file */
for (i = 1; i <= n; ++i)
    for (j = MAX(i - kl, 1); j <= MIN(i + ku, n); ++j)
#ifdef _WIN32
    scanf_s("%lf", &AB(i, j));
#else
    scanf("%lf", &AB(i, j));
#endif
#ifdef _WIN32
    scanf_s("%*[^\n]");
#else
    scanf("%*[^\n]");
#endif

/* Print the matrix A using nag_band_real_mat_print (x04cec). */
fflush(stdout);
nag_band_real_mat_print(order, n, n, kl, ku, ab, pdab, "Matrix A", 0, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_band_real_mat_print (x04cec).\\n%s\\n",
           fail.message);
    exit_status = 1;
    goto END;
}

printf("\\n");
/* Compute row and column scaling factors using nag_dgbequ (f07bfc). */
nag_dgbequ(order, n, n, kl, ku, ab, pdab, r, c, &rowcnd, &colcnd, &amax,
            &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_dgbequ (f07bfc).\\n%s\\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print rowcnd, colcnd, amax and the scale factors */
printf("rowcnd = %10.1e, colcnd = %10.1e, amax = %10.1e\\n\\n", rowcnd,
       colcnd, amax);
printf("Row scale factors\\n");
for (i = 1; i <= n; ++i) printf("%11.2e%s", r[i-1], i%7 == 0?"\\n": " ");

printf("\\n\\nColumn scale factors\\n");
for (i = 1; i <= n; ++i) printf("%11.2e%s", c[i-1], i%7 == 0?"\\n": " ");

/* Compute values close to underflow and overflow using
 * nag_real_safe_small_number (x02amc), nag_machine_precision (x02ajc) and
 * nag_real_base (x02bhc)
 */
small = nag_real_safe_small_number / nag_machine_precision * nag_real_base;
big = 1.0 / small;

```

```

if (colcnd < 0.1)
{
    scaled = Nag_TRUE;
    /* column scale A */
    for (j = 1; j <= n; ++j)
        for (i = MAX(1, j - ku); i <= MIN(n, j + kl); ++i)
            AB(i, j) *= c[j - 1];
}
if (rowcnd < 0.1 || amax < small || amax > big)
{
    /* row scale A */
    scaled = Nag_TRUE;
    for (j = 1; j <= n; ++j)
        for (i = MAX(1, j - ku); i <= MIN(n, j + kl); ++i)
            AB(i, j) *= r[i-1];
}
if (scaled)
{
    /* Print the row and column scaled matrix using
     * nag_band_real_mat_print (x04cec).
     */
    printf("\n\n");
    fflush(stdout);
    nag_band_real_mat_print(order, n, n, kl, ku, ab, pdab, "Scaled matrix",
                            0, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_band_real_mat_print (x04cec).\\n%s\\n",
               fail.message);
        exit_status = 1;
        goto END;
    }
}
END:
NAG_FREE(ab);
NAG_FREE(c);
NAG_FREE(r);

return exit_status;
}

```

10.2 Program Data

```

nag_dgbequ (f07bfc) Example Program Data
 4          1          2                      : n, kl and ku
-2.30e-01  2.54e+00 -3.66e-10
-6.98e+10  2.46e+10 -2.73e+00 -2.13e+10
           2.56e+00  2.46e-10  4.07e+00
           -4.78e-10 -3.82e+00      : matrix A

```

10.3 Program Results

```

nag_dgbequ (f07bfc) Example Program Results

Matrix A
      1          2          3          4
1  -2.3000e-01  2.5400e+00 -3.6600e-10
2  -6.9800e+10  2.4600e+10 -2.7300e+00 -2.1300e+10
3           2.5600e+00  2.4600e-10  4.0700e+00
4           -4.7800e-10 -3.8200e+00

rowcnd =   3.6e-11, colcnd =   1.4e-10, amax =   7.0e+10

Row scale factors
 3.94e-01   1.43e-11   2.46e-01   2.62e-01

Column scale factors
 1.00e+00   1.00e+00   6.94e+09   1.00e+00

```

Scaled matrix

	1	2	3	4
1	-0.0906	1.0000	-1.0000	
2	-1.0000	0.3524	-0.2714	-0.3052
3		0.6290	0.4195	1.0000
4			-0.8684	-1.0000
