

NAG Library Function Document

nag_dsysv (f07mac)

1 Purpose

nag_dsysv (f07mac) computes the solution to a real system of linear equations

$$AX = B,$$

where A is an n by n symmetric matrix and X and B are n by r matrices.

2 Specification

```
#include <nag.h>
#include <nagf07.h>

void nag_dsysv (Nag_OrderType order, Nag_UploType uplo, Integer n,
               Integer nrhs, double a[], Integer pda, Integer ipiv[], double b[],
               Integer pdb, NagError *fail)
```

3 Description

nag_dsysv (f07mac) uses the diagonal pivoting method to factor A as

	order	uplo	A
	Nag_ColMajor	Nag_Upper	UDU^T
	Nag_ColMajor	Nag_Lower	LDL^T
	Nag_RowMajor	Nag_Upper	$U^T DU$
	Nag_RowMajor	Nag_Lower	$L^T DL$

where U (or L) is a product of permutation and unit upper (lower) triangular matrices, and D is symmetric and block diagonal with 1 by 1 and 2 by 2 diagonal blocks. The factored form of A is then used to solve the system of equations $AX = B$.

Note that, in general, different permutations (pivot sequences) and diagonal block structures are obtained for **uplo** = Nag_Upper or Nag_Lower

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

- 2: **uplo** – Nag_UploType Input
On entry: if **uplo** = Nag_Upper, the upper triangle of A is stored.
 If **uplo** = Nag_Lower, the lower triangle of A is stored.
Constraint: **uplo** = Nag_Upper or Nag_Lower.
- 3: **n** – Integer Input
On entry: n , the number of linear equations, i.e., the order of the matrix A .
Constraint: $n \geq 0$.
- 4: **nrhs** – Integer Input
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrix B .
Constraint: **nrhs** ≥ 0 .
- 5: **a**[*dim*] – double Input/Output
Note: the dimension, *dim*, of the array **a** must be at least $\max(1, \mathbf{pda} \times \mathbf{n})$.
On entry: the n by n symmetric matrix A .
 If **order** = Nag_ColMajor, A_{ij} is stored in **a**[($j - 1$) \times **pda** + $i - 1$].
 If **order** = Nag_RowMajor, A_{ij} is stored in **a**[($i - 1$) \times **pda** + $j - 1$].
 If **uplo** = Nag_Upper, the upper triangular part of A must be stored and the elements of the array below the diagonal are not referenced.
 If **uplo** = Nag_Lower, the lower triangular part of A must be stored and the elements of the array above the diagonal are not referenced.
On exit: if **fail.code** = NE_NOERROR, the block diagonal matrix D and the multipliers used to obtain the factor U or L from the factorization $A = UDU^T$, $A = LDL^T$, $A = U^T D U$ or $A = L^T D L$ as computed by nag_dsytrf (f07mdc).
- 6: **pda** – Integer Input
On entry: the stride separating row or column elements (depending on the value of **order**) of the matrix A in the array **a**.
Constraint: **pda** $\geq \max(1, \mathbf{n})$.
- 7: **ipiv**[*dim*] – Integer Output
Note: the dimension, *dim*, of the array **ipiv** must be at least $\max(1, \mathbf{n})$.
On exit: details of the interchanges and the block structure of D . More precisely,
 if **ipiv**[$i - 1$] = $k > 0$, d_{ii} is a 1 by 1 pivot block and the i th row and column of A were interchanged with the k th row and column;
 if **uplo** = Nag_Upper and **ipiv**[$i - 2$] = **ipiv**[$i - 1$] = $-l < 0$, $\begin{pmatrix} d_{i-1,i-1} & \bar{d}_{i,i-1} \\ \bar{d}_{i,i-1} & d_{ii} \end{pmatrix}$ is a 2 by 2 pivot block and the ($i - 1$)th row and column of A were interchanged with the l th row and column;
 if **uplo** = Nag_Lower and **ipiv**[$i - 1$] = **ipiv**[i] = $-m < 0$, $\begin{pmatrix} d_{ii} & d_{i+1,i} \\ d_{i+1,i} & d_{i+1,i+1} \end{pmatrix}$ is a 2 by 2 pivot block and the ($i + 1$)th row and column of A were interchanged with the m th row and column.

8: **b**[*dim*] – double

Input/Output

Note: the dimension, *dim*, of the array **b** must be at least

$\max(1, \mathbf{pdb} \times \mathbf{nrhs})$ when **order** = Nag_ColMajor;
 $\max(1, \mathbf{n} \times \mathbf{pdb})$ when **order** = Nag_RowMajor.

The (*i*, *j*)th element of the matrix *B* is stored in

b[(*j* – 1) × **pdb** + *i* – 1] when **order** = Nag_ColMajor;
b[(*i* – 1) × **pdb** + *j* – 1] when **order** = Nag_RowMajor.

On entry: the *n* by *r* right-hand side matrix *B*.

On exit: if **fail.code** = NE_NOERROR, the *n* by *r* solution matrix *X*.

9: **pdb** – Integer

Input

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **b**.

Constraints:

if **order** = Nag_ColMajor, **pdb** ≥ max(1, **n**);
 if **order** = Nag_RowMajor, **pdb** ≥ max(1, **nrhs**).

10: **fail** – NagError *

Input/Output

The NAG error argument (see Section 3.6 in the Essential Introduction).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

NE_BAD_PARAM

On entry, argument *⟨value⟩* had an illegal value.

NE_INT

On entry, **n** = *⟨value⟩*.

Constraint: **n** ≥ 0.

On entry, **nrhs** = *⟨value⟩*.

Constraint: **nrhs** ≥ 0.

On entry, **pda** = *⟨value⟩*.

Constraint: **pda** > 0.

On entry, **pdb** = *⟨value⟩*.

Constraint: **pdb** > 0.

NE_INT_2

On entry, **pda** = *⟨value⟩* and **n** = *⟨value⟩*.

Constraint: **pda** ≥ max(1, **n**).

On entry, **pdb** = *⟨value⟩* and **n** = *⟨value⟩*.

Constraint: **pdb** ≥ max(1, **n**).

On entry, **pdb** = *⟨value⟩* and **nrhs** = *⟨value⟩*.

Constraint: **pdb** ≥ max(1, **nrhs**).

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.
See Section 3.6.6 in the Essential Introduction for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.
See Section 3.6.5 in the Essential Introduction for further information.

NE_SINGULAR

Element $\langle value \rangle$ of the diagonal is exactly zero. The factorization has been completed, but the block diagonal matrix D is exactly singular, so the solution could not be computed.

7 Accuracy

The computed solution for a single right-hand side, \hat{x} , satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and ϵ is the *machine precision*. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$, the condition number of A with respect to the solution of the linear equations. See Section 4.4 of Anderson *et al.* (1999) for further details.

nag_dsylvx (f07mbc) is a comprehensive LAPACK driver that returns forward and backward error bounds and an estimate of the condition number. Alternatively, nag_real_sym_lin_solve (f04bhc) solves $Ax = b$ and returns a forward error bound and condition estimate. nag_real_sym_lin_solve (f04bhc) calls nag_dsylv (f07mac) to solve the equations.

8 Parallelism and Performance

nag_dsylv (f07mac) is not threaded by NAG in any implementation.

nag_dsylv (f07mac) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The total number of floating-point operations is approximately $\frac{1}{3}n^3 + 2n^2r$, where r is the number of right-hand sides.

The complex analogues of nag_dsylv (f07mac) are nag_zhesv (f07mnc) for Hermitian matrices, and nag_zsylv (f07nnc) for symmetric matrices.

10 Example

This example solves the equations

$$Ax = b,$$

where A is the symmetric matrix

$$A = \begin{pmatrix} -1.81 & 2.06 & 0.63 & -1.15 \\ 2.06 & 1.15 & 1.87 & 4.20 \\ 0.63 & 1.87 & -0.21 & 3.87 \\ -1.15 & 4.20 & 3.87 & 2.07 \end{pmatrix} \quad \text{and} \quad b = \begin{pmatrix} 0.96 \\ 6.07 \\ 8.38 \\ 9.50 \end{pmatrix}.$$

Details of the factorization of A are also output.

10.1 Program Text

```

/* nag_dsysv (f07mac) Example Program.
 *
 * Copyright 2014 Numerical Algorithms Group.
 *
 * Mark 23, 2011.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>

int main(void)
{
    /* Scalars */
    Integer      exit_status = 0, i, j, n, nrhs, pda, pdb;

    /* Arrays */
    double       *a = 0, *b = 0;
    Integer      *ipiv = 0;
    char         nag_enum_arg[40];

    /* Nag Types */
    NagError     fail;
    Nag_UploType uplo;
    Nag_OrderType order;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
#define B(I, J) b[(J-1)*pdb + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
#define B(I, J) b[(I-1)*pdb + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_dsysv (f07mac) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif

#ifdef _WIN32
    scanf_s("%"NAG_IFMT%"NAG_IFMT"%*[\n]", &n, &nrhs);
#else
    scanf("%"NAG_IFMT%"NAG_IFMT"%*[\n]", &n, &nrhs);
#endif
}

```

```

scanf("%NAG_IFMT%"NAG_IFMT"%*[\n]", &n, &nrhs);
#endif
if (n < 0 || nrhs < 0)
{
printf("Invalid n or nrhs\n");
exit_status = 1;
goto END;
}
#ifdef _WIN32
scanf_s("%39s%*[\n]", nag_enum_arg, _countof(nag_enum_arg));
#else
scanf("%39s%*[\n]", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
* Converts NAG enum member name to value
*/
uplo = (Nag_UploType) nag_enum_name_to_value(nag_enum_arg);

/* Allocate memory */
if (!(a = NAG_ALLOC(n * n, double)) ||
!(b = NAG_ALLOC(n*nrhs, double)) ||
!(ipiv = NAG_ALLOC(n, Integer)))
{
printf("Allocation failure\n");
exit_status = -1;
goto END;
}

pda = n;
#ifdef NAG_COLUMN_MAJOR
pdb = n;
#else
pdb = nrhs;
#endif

/* Read the triangular part of the matrix A from data file */
if (uplo == Nag_Upper)
for (i = 1; i <= n; ++i)
#ifdef _WIN32
for (j = i; j <= n; ++j) scanf_s("%lf", &A(i, j));
#else
for (j = i; j <= n; ++j) scanf("%lf", &A(i, j));
#endif
else
for (i = 1; i <= n; ++i)
#ifdef _WIN32
for (j = 1; j <= i; ++j) scanf_s("%lf", &A(i, j));
#else
for (j = 1; j <= i; ++j) scanf("%lf", &A(i, j));
#endif
#ifdef _WIN32
scanf_s("%*[\n]");
#else
scanf("%*[\n]");
#endif

/* Read b from data file */
for (i = 1; i <= n; ++i)
#ifdef _WIN32
for (j = 1; j <= nrhs; ++j) scanf_s("%lf", &B(i, j));
#else
for (j = 1; j <= nrhs; ++j) scanf("%lf", &B(i, j));
#endif
#ifdef _WIN32
scanf_s("%*[\n]");
#else
scanf("%*[\n]");
#endif

/* Solve the equations Ax = b for x using nag_dsysv (f07mac). */
nag_dsysv(order, uplo, n, nrhs, a, pda, ipiv, b, pdb, &fail);

```

```

if (fail.code != NE_NOERROR)
{
    printf("Error from nag_dsysv (f07mac).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print solution */
printf("  Solution\n");
for (i = 1; i <= n; ++i)
{
    for (j = 1; j <= nrhs; ++j)
        printf(" %10.4f%s", B(i, j), j%7 == 0?"\n":""");
    printf("\n");
}

END:
NAG_FREE(a);
NAG_FREE(b);
NAG_FREE(ipiv);

return exit_status;
}
#undef A
#undef B

```

10.2 Program Data

```

nag_dsysv (f07mac) Example Program Data
  4      1          : n, nrhs
  Nag_Lower          : uplo
-1.81
  2.06   1.15
  0.63   1.87  -0.21
-1.15   4.20   3.87   2.07 : matrix A
  0.96   6.07   8.38   9.50 : vector b

```

10.3 Program Results

```

nag_dsysv (f07mac) Example Program Results

Solution
-5.0000
-2.0000
 1.0000
 4.0000

```
