

## NAG Library Function Document

### nag\_dtptri (f07ujc)

## 1 Purpose

nag\_dtptri (f07ujc) computes the inverse of a real triangular matrix, using packed storage.

## 2 Specification

```
#include <nag.h>
#include <nagf07.h>
void nag_dtptri (Nag_OrderType order, Nag_UptoType uplo, Nag_DiagType diag,
                 Integer n, double ap[], NagError *fail)
```

## 3 Description

nag\_dtptri (f07ujc) forms the inverse of a real triangular matrix  $A$ , using packed storage. Note that the inverse of an upper (lower) triangular matrix is also upper (lower) triangular.

## 4 References

Du Croz J J and Higham N J (1992) Stability of methods for matrix inversion *IMA J. Numer. Anal.* **12** 1–19

## 5 Arguments

1: **order** – Nag\_OrderType *Input*

*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.

2: **uplo** – Nag\_UptoType *Input*

*On entry:* specifies whether  $A$  is upper or lower triangular.

**uplo** = Nag\_Upper

$A$  is upper triangular.

**uplo** = Nag\_Lower

$A$  is lower triangular.

*Constraint:* **uplo** = Nag\_Upper or Nag\_Lower.

3: **diag** – Nag\_DiagType *Input*

*On entry:* indicates whether  $A$  is a nonunit or unit triangular matrix.

**diag** = Nag\_NonUnitDiag

$A$  is a nonunit triangular matrix.

**diag** = Nag\_UnitDiag

$A$  is a unit triangular matrix; the diagonal elements are not referenced and are assumed to be 1.

*Constraint:* **diag** = Nag\_NonUnitDiag or Nag\_UnitDiag.

4:	<b>n</b> – Integer	<i>Input</i>
<i>On entry:</i> $n$ , the order of the matrix $A$ .		
<i>Constraint:</i> $n \geq 0$ .		
5:	<b>ap</b> [ <i>dim</i> ] – double	<i>Input/Output</i>
<b>Note:</b> the dimension, <i>dim</i> , of the array <b>ap</b> must be at least $\max(1, n \times (n + 1)/2)$ .		
<i>On entry:</i> the $n$ by $n$ triangular matrix $A$ , packed by rows or columns.		
The storage of elements $A_{ij}$ depends on the <b>order</b> and <b>uplo</b> arguments as follows:		
if <b>order</b> = Nag_ColMajor and <b>uplo</b> = Nag_Upper, $A_{ij}$ is stored in <b>ap</b> [( $j - 1$ ) $\times$ $j/2 + i - 1$ ], for $i \leq j$ ; if <b>order</b> = Nag_ColMajor and <b>uplo</b> = Nag_Lower, $A_{ij}$ is stored in <b>ap</b> [( $2n - j$ ) $\times$ ( $j - 1$ )/2 + $i - 1$ ], for $i \geq j$ ; if <b>order</b> = Nag_RowMajor and <b>uplo</b> = Nag_Upper, $A_{ij}$ is stored in <b>ap</b> [( $2n - i$ ) $\times$ ( $i - 1$ )/2 + $j - 1$ ], for $i \leq j$ ; if <b>order</b> = Nag_RowMajor and <b>uplo</b> = Nag_Lower, $A_{ij}$ is stored in <b>ap</b> [( $i - 1$ ) $\times$ $i/2 + j - 1$ ], for $i \geq j$ .		
If <b>diag</b> = Nag_UnitDiag, the diagonal elements of AP are assumed to be 1, and are not referenced; the same storage scheme is used whether <b>diag</b> = Nag_NonUnitDiag or <b>diag</b> = Nag_UnitDiag.		
<i>On exit:</i> $A$ is overwritten by $A^{-1}$ , using the same storage format as described above.		
6:	<b>fail</b> – NagError *	<i>Input/Output</i>

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry, **n** =  $\langle value \rangle$ .

Constraint:  $n \geq 0$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

### NE\_SINGULAR

Element  $\langle value \rangle$  of the diagonal is exactly zero.  $A$  is singular its inverse cannot be computed.

## 7 Accuracy

The computed inverse  $X$  satisfies

$$|XA - I| \leq c(n)\epsilon|X||A|,$$

where  $c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the **machine precision**.

Note that a similar bound for  $|AX - I|$  cannot be guaranteed, although it is almost always satisfied.

The computed inverse satisfies the forward error bound

$$|X - A^{-1}| \leq c(n)\epsilon|A^{-1}||A||X|.$$

See Du Croz and Higham (1992).

## 8 Parallelism and Performance

`nag_dtptri` (f07ujc) is not threaded by NAG in any implementation.

`nag_dtptri` (f07ujc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The total number of floating-point operations is approximately  $\frac{1}{3}n^3$ .

The complex analogue of this function is `nag_ztptri` (f07uwc).

## 10 Example

This example computes the inverse of the matrix  $A$ , where

$$A = \begin{pmatrix} 4.30 & 0.00 & 0.00 & 0.00 \\ -3.96 & -4.87 & 0.00 & 0.00 \\ 0.40 & 0.31 & -8.02 & 0.00 \\ -0.27 & 0.07 & -5.95 & 0.12 \end{pmatrix},$$

using packed storage.

### 10.1 Program Text

```
/* nag_dtptri (f07ujc) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 7, 2001.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    Integer ap_len, i, j, n;
    Integer exit_status = 0;
    NagError fail;
```

```

Nag_UptoType  uplo;
Nag_OrderType order;
/* Arrays */
char          nag_enum_arg[40];
double        *ap = 0;

#ifndef NAG_LOAD_FP
/* The following line is needed to force the Microsoft linker
   to load floating point support */
float         force_loading_of_ms_float_support = 0;
#endif /* NAG_LOAD_FP */

#ifndef NAG_COLUMN_MAJOR
#define A_UPPER(I, J) ap[J*(J-1)/2 + I - 1]
#define A_LOWER(I, J) ap[(2*n-J)*(J-1)/2 + I - 1]
order = Nag_ColMajor;
#else
#define A_LOWER(I, J) ap[I*(I-1)/2 + J - 1]
#define A_UPPER(I, J) ap[(2*n-I)*(I-1)/2 + J - 1]
order = Nag_RowMajor;
#endif

INIT_FAIL(fail);

printf("nag_dtptri (f07ujc) Example Program Results\n\n");
/* Skip heading in data file */
#ifndef _WIN32
scanf_s("%*[^\n] ");
#else
scanf("%*[^\n] ");
#endif
#ifndef _WIN32
scanf_s("%"NAG_IFMT"%*[^\n] ", &n);
#else
scanf("%"NAG_IFMT"%*[^\n] ", &n);
#endif
ap_len = n * (n + 1)/2;

/* Allocate memory */
if (!(ap = NAG_ALLOC(ap_len, double)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

/* Read A from data file */
#ifndef _WIN32
scanf_s(" %39s%*[^\n] ", nag_enum_arg, _countof(nag_enum_arg));
#else
scanf(" %39s%*[^\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
uplo = (Nag_UptoType) nag_enum_name_to_value(nag_enum_arg);

if (uplo == Nag_Upper)
{
    for (i = 1; i <= n; ++i)
    {
        for (j = i; j <= n; ++j)
#ifndef _WIN32
            scanf_s("%lf", &A_UPPER(i, j));
#else
            scanf("%lf", &A_UPPER(i, j));
#endif
    }
#ifndef _WIN32
    scanf_s("%*[^\n] ");
#else

```

```

        scanf("%*[^\n] ");
#endif
    }
    else
    {
        for (i = 1; i <= n; ++i)
        {
            for (j = 1; j <= i; ++j)
#ifdef _WIN32
            scanf_s("%lf", &A_LOWER(i, j));
#else
            scanf("%lf", &A_LOWER(i, j));
#endif
        }
#ifdef _WIN32
        scanf_s("%*[^\n] ");
#else
        scanf("%*[^\n] ");
#endif
    }
}

/* Compute inverse of A */
/* nag_dtptri (f07ujc).
 * Inverse of real triangular matrix, packed storage
 */
nag_dtptri(order, uplo, Nag_NonUnitDiag, n, ap, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_dtptri (f07ujc).\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print inverse */
/* nag_pack_real_mat_print (x04ccc).
 * Print real packed triangular matrix (easy-to-use)
 */
fflush(stdout);
nag_pack_real_mat_print(order, uplo, Nag_NonUnitDiag, n, ap,
                        "Inverse", 0, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_pack_real_mat_print (x04ccc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}
END:
NAG_FREE(ap);

return exit_status;
}

```

## 10.2 Program Data

```

nag_dtptri (f07ujc) Example Program Data
 4                               :Value of n
Nag_Lower                         :Value of uplo
 4.30
-3.96  -4.87
 0.40   0.31  -8.02
-0.27   0.07  -5.95   0.12  :End of matrix A

```

### 10.3 Program Results

nag\_dtptri (f07ujc) Example Program Results

Inverse	1	2	3	4
1	0.2326			
2	-0.1891	-0.2053		
3	0.0043	-0.0079	-0.1247	
4	0.8463	-0.2738	-6.1825	8.3333

---