

## NAG Library Function Document

### nag\_zgeqrf (f08asc)

#### 1 Purpose

nag\_zgeqrf (f08asc) computes the  $QR$  factorization of a complex  $m$  by  $n$  matrix.

#### 2 Specification

```
#include <nag.h>
#include <nagf08.h>
void nag_zgeqrf (Nag_OrderType order, Integer m, Integer n, Complex a[],
                Integer pda, Complex tau[], NagError *fail)
```

#### 3 Description

nag\_zgeqrf (f08asc) forms the  $QR$  factorization of an arbitrary rectangular complex  $m$  by  $n$  matrix. No pivoting is performed.

If  $m \geq n$ , the factorization is given by:

$$A = Q \begin{pmatrix} R \\ 0 \end{pmatrix},$$

where  $R$  is an  $n$  by  $n$  upper triangular matrix (with real diagonal elements) and  $Q$  is an  $m$  by  $m$  unitary matrix. It is sometimes more convenient to write the factorization as

$$A = (Q_1 \quad Q_2) \begin{pmatrix} R \\ 0 \end{pmatrix},$$

which reduces to

$$A = Q_1 R,$$

where  $Q_1$  consists of the first  $n$  columns of  $Q$ , and  $Q_2$  the remaining  $m - n$  columns.

If  $m < n$ ,  $R$  is trapezoidal, and the factorization can be written

$$A = Q (R_1 \quad R_2),$$

where  $R_1$  is upper triangular and  $R_2$  is rectangular.

The matrix  $Q$  is not formed explicitly but is represented as a product of  $\min(m, n)$  elementary reflectors (see the f08 Chapter Introduction for details). Functions are provided to work with  $Q$  in this representation (see Section 9).

Note also that for any  $k < n$ , the information returned in the first  $k$  columns of the array **a** represents a  $QR$  factorization of the first  $k$  columns of the original matrix  $A$ .

#### 4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

## 5 Arguments

- 1: **order** – Nag\_OrderType *Input*  
*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.  
*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.
- 2: **m** – Integer *Input*  
*On entry:*  $m$ , the number of rows of the matrix  $A$ .  
*Constraint:*  $m \geq 0$ .
- 3: **n** – Integer *Input*  
*On entry:*  $n$ , the number of columns of the matrix  $A$ .  
*Constraint:*  $n \geq 0$ .
- 4: **a**[*dim*] – Complex *Input/Output*  
**Note:** the dimension, *dim*, of the array **a** must be at least  
 $\max(1, \mathbf{pda} \times \mathbf{n})$  when **order** = Nag\_ColMajor;  
 $\max(1, \mathbf{m} \times \mathbf{pda})$  when **order** = Nag\_RowMajor.  
The ( $i, j$ )th element of the matrix  $A$  is stored in  
 $\mathbf{a}[(j-1) \times \mathbf{pda} + i - 1]$  when **order** = Nag\_ColMajor;  
 $\mathbf{a}[(i-1) \times \mathbf{pda} + j - 1]$  when **order** = Nag\_RowMajor.  
*On entry:* the  $m$  by  $n$  matrix  $A$ .  
*On exit:* if  $m \geq n$ , the elements below the diagonal are overwritten by details of the unitary matrix  $Q$  and the upper triangle is overwritten by the corresponding elements of the  $n$  by  $n$  upper triangular matrix  $R$ .  
If  $m < n$ , the strictly lower triangular part is overwritten by details of the unitary matrix  $Q$  and the remaining elements are overwritten by the corresponding elements of the  $m$  by  $n$  upper trapezoidal matrix  $R$ .  
The diagonal elements of  $R$  are real.
- 5: **pda** – Integer *Input*  
*On entry:* the stride separating row or column elements (depending on the value of **order**) in the array **a**.  
*Constraints:*  
if **order** = Nag\_ColMajor,  $\mathbf{pda} \geq \max(1, \mathbf{m})$ ;  
if **order** = Nag\_RowMajor,  $\mathbf{pda} \geq \max(1, \mathbf{n})$ .
- 6: **tau**[*dim*] – Complex *Output*  
**Note:** the dimension, *dim*, of the array **tau** must be at least  $\max(1, \min(\mathbf{m}, \mathbf{n}))$ .  
*On exit:* further details of the unitary matrix  $Q$ .
- 7: **fail** – NagError \* *Input/Output*  
The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.  
See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_INT

On entry,  $\mathbf{m} = \langle value \rangle$ .  
Constraint:  $\mathbf{m} \geq 0$ .

On entry,  $\mathbf{n} = \langle value \rangle$ .  
Constraint:  $\mathbf{n} \geq 0$ .

On entry,  $\mathbf{pda} = \langle value \rangle$ .  
Constraint:  $\mathbf{pda} > 0$ .

### NE\_INT\_2

On entry,  $\mathbf{pda} = \langle value \rangle$  and  $\mathbf{m} = \langle value \rangle$ .  
Constraint:  $\mathbf{pda} \geq \max(1, \mathbf{m})$ .

On entry,  $\mathbf{pda} = \langle value \rangle$  and  $\mathbf{n} = \langle value \rangle$ .  
Constraint:  $\mathbf{pda} \geq \max(1, \mathbf{n})$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.  
See Section 3.6.6 in the Essential Introduction for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.  
See Section 3.6.5 in the Essential Introduction for further information.

## 7 Accuracy

The computed factorization is the exact factorization of a nearby matrix  $(A + E)$ , where

$$\|E\|_2 = O(\epsilon)\|A\|_2,$$

and  $\epsilon$  is the *machine precision*.

## 8 Parallelism and Performance

nag\_zgeqrf (f08asc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

nag\_zgeqrf (f08asc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The total number of real floating-point operations is approximately  $\frac{8}{3}n^2(3m-n)$  if  $m \geq n$  or  $\frac{8}{3}m^2(3n-m)$  if  $m < n$ .

To form the unitary matrix  $Q$  `nag_zgeqrf` (f08asc) may be followed by a call to `nag_zungqr` (f08atc):

```
nag_zungqr(order,m,m,MIN(m,n),&a,pda,tau,&fail)
```

but note that the second dimension of the array **a** must be at least **m**, which may be larger than was required by `nag_zgeqrf` (f08asc).

When  $m \geq n$ , it is often only the first  $n$  columns of  $Q$  that are required, and they may be formed by the call:

```
nag_zungqr(order,m,n,n,&a,pda,tau,&fail)
```

To apply  $Q$  to an arbitrary complex rectangular matrix  $C$ , `nag_zgeqrf` (f08asc) may be followed by a call to `nag_zunmqr` (f08auc). For example,

```
nag_zunmqr(order,Nag_LeftSide,Nag_ConjTrans,m,p,MIN(m,n),&a,pda,
tau,&c,pdc,&fail)
```

forms  $C = Q^H C$ , where  $C$  is  $m$  by  $p$ .

To compute a  $QR$  factorization with column pivoting, use `nag_zgeqpf` (f08bsc).

The real analogue of this function is `nag_dgeqrf` (f08aec).

## 10 Example

This example solves the linear least squares problems

$$\text{minimize } \|Ax_i - b_i\|_2, \quad i = 1, 2$$

where  $b_1$  and  $b_2$  are the columns of the matrix  $B$ ,

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & -0.91 + 2.06i & -0.05 + 0.41i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & -0.81 + 0.56i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ -0.37 + 0.38i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.83 + 0.51i & 0.20 + 0.01i & -0.17 - 0.46i & 1.47 + 1.59i \\ 1.08 - 0.28i & 0.20 - 0.12i & -0.07 + 1.23i & 0.26 + 0.26i \end{pmatrix}$$

and

$$B = \begin{pmatrix} -1.54 + 0.76i & 3.17 - 2.09i \\ 0.12 - 1.92i & -6.53 + 4.18i \\ -9.08 - 4.31i & 7.28 + 0.73i \\ 7.49 + 3.65i & 0.91 - 3.97i \\ -5.63 - 2.12i & -5.46 - 1.64i \\ 2.37 + 8.03i & -2.84 - 5.86i \end{pmatrix}.$$

### 10.1 Program Text

```
/* nag_zgeqrf (f08asc) Example Program.
 *
 * Copyright 2014 Numerical Algorithms Group.
 *
 * Mark 7, 2001.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf07.h>
#include <nagf08.h>
#include <nagx04.h>
```

```

int main(void)
{
    /* Scalars */
    Integer      i, j, m, n, nrhs, pda, pdb, tau_len;
    Integer      exit_status = 0;
    NagError     fail;
    Nag_OrderType order;
    /* Arrays */
    Complex      *a = 0, *b = 0, *tau = 0;
#ifdef NAG_LOAD_FP
    /* The following line is needed to force the Microsoft linker
       to load floating point support */
    float        force_loading_of_ms_float_support = 0;
#endif /* NAG_LOAD_FP */

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J - 1) * pda + I - 1]
#define B(I, J) b[(J - 1) * pdb + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I - 1) * pda + J - 1]
#define B(I, J) b[(I - 1) * pdb + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_zgeqrf (f08asc) Example Program Results\n");
    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif
#ifdef _WIN32
    scanf_s("%"NAG_IFMT%"NAG_IFMT%"NAG_IFMT"%*[\n] ", &m, &n, &nrhs);
#else
    scanf("%"NAG_IFMT%"NAG_IFMT%"NAG_IFMT"%*[\n] ", &m, &n, &nrhs);
#endif
#ifdef NAG_COLUMN_MAJOR
    pda = m;
    pdb = m;
#else
    pda = n;
    pdb = nrhs;
#endif
    tau_len = MIN(m, n);

    /* Allocate memory */
    if (!(a = NAG_ALLOC(m * n, Complex)) ||
        !(b = NAG_ALLOC(m * nrhs, Complex)) ||
        !(tau = NAG_ALLOC(tau_len, Complex)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
    /* Read A and B from data file */
    for (i = 1; i <= m; ++i)
    {
        for (j = 1; j <= n; ++j)
#ifdef _WIN32
            scanf_s(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
#else
            scanf(" ( %lf , %lf )", &A(i, j).re, &A(i, j).im);
#endif
    }
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");

```

```

#endif
    for (i = 1; i <= m; ++i)
    {
        for (j = 1; j <= nrhs; ++j)
#ifdef _WIN32
            scanf_s(" ( %lf , %lf )", &B(i, j).re, &B(i, j).im);
#else
            scanf(" ( %lf , %lf )", &B(i, j).re, &B(i, j).im);
#endif
    }
#ifdef _WIN32
    scanf_s("%*[\n] ");
#else
    scanf("%*[\n] ");
#endif

    /* Compute the QR factorization of A */
    /* nag_zgeqrf (f08asc).
     * QR factorization of complex general rectangular matrix
     */
    nag_zgeqrf(order, m, n, a, pda, tau, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_zgeqrf (f08asc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* Compute C = (Q**H)*B, storing the result in B */
    /* nag_zunmqr (f08auc).
     * Apply unitary transformation determined by nag_zgeqrf (f08asc)
     * or nag_zgeqpf (f08bsc)
     */
    nag_zunmqr(order, Nag_LeftSide, Nag_ConjTrans, m, nrhs, n, a, pda,
               tau, b, pdb, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_zunmqr (f08auc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* Compute least-squares solution by backsubstitution in R*X = C */
    /* nag_ztrtrs (f07tsc).
     * Solution of complex triangular system of linear
     * equations, multiple right-hand sides
     */
    nag_ztrtrs(order, Nag_Upper, Nag_NoTrans, Nag_NonUnitDiag, n, nrhs,
               a, pda, b, pdb, &fail);

    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_ztrtrs (f07tsc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* Print least-squares solution(s) */
    printf("\n");
    /* nag_gen_complx_mat_print_comp (x04dbc).
     * Print complex general matrix (comprehensive)
     */
    fflush(stdout);
    nag_gen_complx_mat_print_comp(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n,
                                  nrhs, b, pdb, Nag_BracketForm, "%7.4f",
                                  "Least-squares solution(s)",
                                  Nag_IntegerLabels, 0, Nag_IntegerLabels, 0, 80,
                                  0, 0, &fail);

    if (fail.code != NE_NOERROR)
    {
        printf(
            "Error from nag_gen_complx_mat_print_comp (x04dbc).\n%s\n",

```

```

        fail.message);
    exit_status = 1;
    goto END;
}
END:
    NAG_FREE(a);
    NAG_FREE(b);
    NAG_FREE(tau);
    return exit_status;
}

```

## 10.2 Program Data

```

nag_zgeqrf (f08asc) Example Program Data
  6  4  2                               :Values of M, N and NRHS
( 0.96,-0.81) (-0.03, 0.96) (-0.91, 2.06) (-0.05, 0.41)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42) (-0.81, 0.56)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
(-0.37, 0.38) ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
( 0.83, 0.51) ( 0.20, 0.01) (-0.17,-0.46) ( 1.47, 1.59)
( 1.08,-0.28) ( 0.20,-0.12) (-0.07, 1.23) ( 0.26, 0.26)      :End of matrix A
(-1.54, 0.76) ( 3.17,-2.09)
( 0.12,-1.92) (-6.53, 4.18)
(-9.08,-4.31) ( 7.28, 0.73)
( 7.49, 3.65) ( 0.91,-3.97)
(-5.63,-2.12) (-5.46,-1.64)
( 2.37, 8.03) (-2.84,-5.86)                                :End of matrix B

```

## 10.3 Program Results

nag\_zgeqrf (f08asc) Example Program Results

```

Least-squares solution(s)
           1           2
1  (-0.4936,-1.1993) ( 0.7535, 1.4404)
2  (-2.4708, 2.8373) ( 5.1726,-3.6235)
3  ( 1.5060,-2.1830) (-2.6609, 2.1334)
4  ( 0.4459, 2.6848) (-2.6966, 0.2711)

```

---