

NAG Library Function Document

nag_dsymv (f16pcc)

1 Purpose

nag_dsymv (f16pcc) performs matrix-vector multiplication for a real symmetric matrix.

2 Specification

```
#include <nag.h>
#include <nagf16.h>
void nag_dsymv (Nag_OrderType order, Nag_UptoType uplo, Integer n,
                double alpha, const double a[], Integer pda, const double x[],
                Integer incx, double beta, double y[], Integer incy, NagError *fail)
```

3 Description

nag_dsymv (f16pcc) performs the matrix-vector operation

$$y \leftarrow \alpha Ax + \beta y,$$

where A is an n by n real symmetric matrix, x and y are n -element real vectors, and α and β are real scalars.

4 References

Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001) *Basic Linear Algebra Subprograms Technical (BLAST) Forum Standard* University of Tennessee, Knoxville, Tennessee <http://www.netlib.org/blas/blast-forum/blas-report.pdf>

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 3.2.1.3 in the Essential Introduction for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **uplo** – Nag_UptoType *Input*

On entry: specifies whether the upper or lower triangular part of A is stored.

uplo = Nag_Upper

The upper triangular part of A is stored.

uplo = Nag_Lower

The lower triangular part of A is stored.

Constraint: **uplo** = Nag_Upper or Nag_Lower.

3: **n** – Integer *Input*

On entry: n , the order of the matrix A .

Constraint: **n** ≥ 0 .

4:	alpha – double	<i>Input</i>
<i>On entry:</i> the scalar α .		
5:	a [<i>dim</i>] – const double	<i>Input</i>
Note: the dimension, <i>dim</i> , of the array a must be at least $\max(1, \mathbf{pda} \times \mathbf{n})$.		
<i>On entry:</i> the <i>n</i> by <i>n</i> symmetric matrix <i>A</i> .		
If order = Nag_ColMajor, A_{ij} is stored in a [(<i>j</i> – 1) × pda + <i>i</i> – 1].		
If order = Nag_RowMajor, A_{ij} is stored in a [(<i>i</i> – 1) × pda + <i>j</i> – 1].		
If uplo = Nag_Upper, the upper triangular part of <i>A</i> must be stored and the elements of the array below the diagonal are not referenced.		
If uplo = Nag_Lower, the lower triangular part of <i>A</i> must be stored and the elements of the array above the diagonal are not referenced.		
6:	pda – Integer	<i>Input</i>
<i>On entry:</i> the stride separating row or column elements (depending on the value of order) of the matrix <i>A</i> in the array a .		
<i>Constraint:</i> pda ≥ $\max(1, \mathbf{n})$.		
7:	x [<i>dim</i>] – const double	<i>Input</i>
Note: the dimension, <i>dim</i> , of the array x must be at least $\max(1, 1 + (\mathbf{n} - 1) \mathbf{incx})$.		
<i>On entry:</i> the vector <i>x</i> .		
8:	incx – Integer	<i>Input</i>
<i>On entry:</i> the increment in the subscripts of x between successive elements of <i>x</i> .		
<i>Constraint:</i> incx ≠ 0.		
9:	beta – double	<i>Input</i>
<i>On entry:</i> the scalar β .		
10:	y [<i>dim</i>] – double	<i>Input/Output</i>
Note: the dimension, <i>dim</i> , of the array y must be at least $\max(1, 1 + (\mathbf{n} - 1) \mathbf{incy})$.		
<i>On entry:</i> the vector <i>y</i> .		
If beta = 0, y need not be set.		
<i>On exit:</i> the updated vector <i>y</i> .		
11:	incy – Integer	<i>Input</i>
<i>On entry:</i> the increment in the subscripts of y between successive elements of <i>y</i> .		
<i>Constraint:</i> incy ≠ 0.		
12:	fail – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 3.6 in the Essential Introduction).		

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, $\mathbf{incx} = \langle value \rangle$.

Constraint: $\mathbf{incx} \neq 0$.

On entry, $\mathbf{incy} = \langle value \rangle$.

Constraint: $\mathbf{incy} \neq 0$.

On entry, $\mathbf{n} = \langle value \rangle$.

Constraint: $\mathbf{n} \geq 0$.

NE_INT_2

On entry, $\mathbf{pda} = \langle value \rangle$, $\mathbf{n} = \langle value \rangle$.

Constraint: $\mathbf{pda} \geq \max(1, \mathbf{n})$.

NE_INTERNAL_ERROR

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

7 Accuracy

The BLAS standard requires accurate implementations which avoid unnecessary over/underflow (see Section 2.7 of Basic Linear Algebra Subprograms Technical (BLAST) Forum (2001)).

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

This example computes the matrix-vector product

$$y = \alpha Ax + \beta y$$

where

$$A = \begin{pmatrix} 1.0 & 2.0 & 3.0 \\ 2.0 & 4.0 & 5.0 \\ 3.0 & 5.0 & 6.0 \end{pmatrix},$$

$$x = \begin{pmatrix} -1.0 \\ 2.0 \\ -3.0 \end{pmatrix},$$

$$y = \begin{pmatrix} 1.0 \\ 2.0 \\ 3.0 \end{pmatrix},$$

$$\alpha = 1.5 \quad \text{and} \quad \beta = 1.0.$$

10.1 Program Text

```
/* nag_dsymv (f16pcc) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 8, 2005.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf16.h>

int main(void)
{
    /* Scalars */
    double      alpha, beta;
    Integer     exit_status, i, incx, incy, j, n, pda, xlen, ylen;
    /* Arrays */
    double      *a = 0, *x = 0, *y = 0;
    char        nag_enum_arg[40];

    /* Nag Types */
    NagError      fail;
    Nag_OrderType order;
    Nag_UptoType  uplo;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I - 1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J - 1]
    order = Nag_RowMajor;
#endif

    exit_status = 0;
    INIT_FAIL(fail);

    printf("nag_dsymv (f16pcc) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif

    /* Read the problem dimension */
#ifdef _WIN32
    scanf_s("%"NAG_IFMT"%*[^\n] ", &n);

```

```

#else
    scanf("%"NAG_IFMT"%*[^\n] ", &n);
#endif

/* Read uplo */
#ifndef _WIN32
    scanf_s("%39s%*[^\n] ", nag_enum_arg, _countof(nag_enum_arg));
#else
    scanf("%39s%*[^\n] ", nag_enum_arg);
#endif
/* nag_enum_name_to_value (x04nac).
 * Converts NAG enum member name to value
 */
uplo = (Nag_UptoType) nag_enum_name_to_value(nag_enum_arg);
/* Read scalar parameters */
#ifndef _WIN32
    scanf_s("%lf%lf%*[^\n] ", &alpha, &beta);
#else
    scanf("%lf%lf%*[^\n] ", &alpha, &beta);
#endif
/* Read increment parameters */
#ifndef _WIN32
    scanf_s("%"NAG_IFMT%"NAG_IFMT"%*[^\n] ", &incx, &incy);
#else
    scanf("%"NAG_IFMT%"NAG_IFMT"%*[^\n] ", &incx, &incy);
#endif

pda = n;
xlen = MAX(1, 1 + (n - 1)*ABS(incx));
ylen = MAX(1, 1 + (n - 1)*ABS(incy));

if (n > 0)
{
    /* Allocate memory */
    if (!(a = NAG_ALLOC(n*pda, double)) ||
        !(x = NAG_ALLOC(xlen, double)) ||
        !(y = NAG_ALLOC(ylen, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
}
else
{
    printf("Invalid n\n");
    exit_status = 1;
    return exit_status;
}

/* Input the matrix A and vectors x and y */

if (uplo == Nag_Upper)
{
    for (i = 1; i <= n; ++i)
    {
        for (j = i; j <= n; ++j)
#ifndef _WIN32
            scanf_s("%lf", &A(i, j));
#else
            scanf("%lf", &A(i, j));
#endif
#ifndef _WIN32
            scanf_s("%*[^\n] ");
#else
            scanf("%*[^\n] ");
#endif
    }
}
else
{

```

```

    for (i = 1; i <= n; ++i)
    {
        for (j = 1; j <= i; ++j)
#ifdef _WIN32
        scanf_s("%lf", &A(i, j));
#else
        scanf("%lf", &A(i, j));
#endif
#ifdef _WIN32
        scanf_s("%*[^\n] ");
#else
        scanf("%*[^\n] ");
#endif
    }
    for (i = 1; i <= maxlen; ++i)
#ifdef _WIN32
    scanf_s("%lf%*[^\n] ", &x[i - 1]);
#else
    scanf("%lf%*[^\n] ", &x[i - 1]);
#endif
    for (i = 1; i <= ylen; ++i)
#ifdef _WIN32
    scanf_s("%lf%*[^\n] ", &y[i - 1]);
#else
    scanf("%lf%*[^\n] ", &y[i - 1]);
#endif

/* nag_dsymv (f16pcc).
 * Symmetric matrix-vector multiply.
 */
nag_dsymv(order, uplo, n, alpha, a, pda, x, incx, beta,
          y, incy, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_dsymv.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print output vector y */
printf("%s\n", "y");
for (i = 1; i <= ylen; ++i)
{
    printf("%11f\n", y[i-1]);
}

END:
NAG_FREE(a);
NAG_FREE(x);
NAG_FREE(y);

return exit_status;
}

```

10.2 Program Data

```

nag_dsymv (f16pcc) Example Program Data
3                      : n the dimension of matrix A
Nag_Upper              : uplo
1.5 1.0                : alpha, beta
1 1                    : incx, incy
1.0 2.0 3.0
        4.0 5.0
        6.0            : the end of matrix A
-1.0

```

```
2.0
-3.0          : the end of vector x
1.0
2.0
3.0          : the end of vector y
```

10.3 Program Results

nag_dsymv (f16pcc) Example Program Results

```
Y
-8.000000
-11.500000
-13.500000
```
