

## NAG Library Function Document

### nag\_normal\_scores\_var (g01dcc)

## 1 Purpose

nag\_normal\_scores\_var (g01dcc) computes an approximation to the variance-covariance matrix of an ordered set of independent observations from a Normal distribution with mean 0.0 and standard deviation 1.0.

## 2 Specification

```
#include <nag.h>
#include <nagg01.h>
void nag_normal_scores_var (Integer n, double expl, double exp2,
                            double sumssq, double vec[], NagError *fail)
```

## 3 Description

nag\_normal\_scores\_var (g01dcc) is an adaptation of the Applied Statistics Algorithm AS 128, see Davis and Stephens (1978). An approximation to the variance-covariance matrix,  $V$ , using a Taylor series expansion of the Normal distribution function is discussed in David and Johnson (1954).

However, convergence is slow for extreme variances and covariances. The present function uses the David–Johnson approximation to provide an initial approximation and improves upon it by use of the following identities for the matrix.

For a sample of size  $n$ , let  $m_i$  be the expected value of the  $i$ th largest order statistic, then:

- (a) for any  $i = 1, 2, \dots, n$ ,  $\sum_{j=1}^n V_{ij} = 1$
- (b)  $V_{12} = V_{11} + m_n^2 - m_n m_{n-1} - 1$
- (c) the trace of  $V$  is  $tr(V) = n - \sum_{i=1}^n m_i^2$
- (d)  $V_{ij} = V_{ji} = V_{rs} = V_{sr}$  where  $r = n + 1 - i$ ,  $s = n + 1 - j$  and  $i, j = 1, 2, \dots, n$ . Note that only the upper triangle of the matrix is calculated and returned column-wise in vector form.

## 4 References

David F N and Johnson N L (1954) Statistical treatment of censored data, Part 1. Fundamental formulae *Biometrika* **41** 228–240

Davis C S and Stephens M A (1978) Algorithm AS 128: approximating the covariance matrix of Normal order statistics *Appl. Statist.* **27** 206–212

## 5 Arguments

- |   |              |
|---|--------------|
| 1: <b>n</b> – Integer                   | <i>Input</i> |
| <i>On entry:</i> $n$ , the sample size. |              |
| <i>Constraint:</i> $n > 0$ .            |              |

2:	<b>exp1</b> – double	<i>Input</i>
<i>On entry:</i> the expected value of the largest Normal order statistic, $m_n$ , from a sample of size $n$ .		
3:	<b>exp2</b> – double	<i>Input</i>
<i>On entry:</i> the expected value of the second largest Normal order statistic, $m_{n-1}$ , from a sample of size $n$ .		
4:	<b>sumssq</b> – double	<i>Input</i>
<i>On entry:</i> the sum of squares of the expected values of the Normal order statistics from a sample of size $n$ .		
5:	<b>vec[n × (n + 1)/2]</b> – double	<i>Output</i>
<i>On exit:</i> the upper triangle of the $n$ by $n$ variance-covariance matrix packed by column. Thus element $V_{ij}$ is stored in <b>vec</b> [ $i + j \times (j - 1)/2 - 1$ ], for $1 \leq i \leq j \leq n$ .		
6:	<b>fail</b> – NagError *	<i>Input/Output</i>

The NAG error argument (see Section 3.6 in the Essential Introduction).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in the Essential Introduction for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle\text{value}\rangle$  had an illegal value.

### NE\_INT

On entry,  $\mathbf{n} = \langle\text{value}\rangle$ .

Constraint:  $\mathbf{n} > 0$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 3.6.6 in the Essential Introduction for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 3.6.5 in the Essential Introduction for further information.

## 7 Accuracy

For  $n \leq 20$ , where comparison with the exact values can be made, the maximum error is less than 0.0001.

## 8 Parallelism and Performance

Not applicable.

## 9 Further Comments

The time taken by nag\_normal\_scores\_var (g01dcc) is approximately proportional to  $n^2$ .

The arguments **exp1** ( $= m_n$ ), **exp2** ( $= m_{n-1}$ ) and **sumssq** ( $= \sum_{j=1}^n m_j^2$ ) may be found from the expected values of the Normal order statistics obtained from nag\_normal\_scores\_exact (g01dac) .

## 10 Example

A program to compute the variance-covariance matrix for a sample of size 6. nag\_normal\_scores\_exact (g01dac) is called to provide values for **exp1**, **exp2** and **sumssq**.

### 10.1 Program Text

```
/* nag_normal_scores_var (g01dcc) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* Mark 7, 2001.
* Mark 7b revised, 2004.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdl�.h>
#include <nagg01.h>

int main(void)
{
    /* Scalars */
    double    errest, etol, expl, exp2, sumssq;
    Integer   exit_status, i, j, k, n, vec_elem;
    NagError fail;

    /* Arrays */
    double    *pp = 0, *vec = 0;

    INIT_FAIL(fail);

    printf("nag_normal_scores_var (g01dcc) Example Program Results\n");
    etol = 1e-4;
    exit_status = 0;
    n = 6;

    /* Allocate memory */
    if (!(pp = NAG_ALLOC(n, double)) ||
        !(vec = NAG_ALLOC(n*(n+1)/2, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* nag_normal_scores_exact (g01dac).
     * Normal scores, accurate values
     */
    nag_normal_scores_exact(n, pp, etol, &errest, &fail);
    if (fail.code != NE_NOERROR)
    {
        printf("Error from nag_normal_scores_exact (g01dac).\n%s\n",
               fail.message);
        exit_status = 1;
        goto END;
    }
}
```

```

exp1 = pp[5];
exp2 = pp[4];
sumssq = 0.0;
for (i = 1; i <= 6; ++i)
    sumssq += pp[i - 1] * pp[i - 1];

/* nag_normal_scores_var (g01dcc).
 * Normal scores, approximate variance-covariance matrix
 */
nag_normal_scores_var(n, exp1, exp2, sumssq, vec, &fail);
if (fail.code != NE_NOERROR)
{
    printf("Error from nag_normal_scores_exact (g01dac).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

printf("\nSample size = %2" NAG_IFMT "\n\n", n);
printf("Variance-covariance matrix\n");
k = 1;
for (j = 1; j <= n; ++j)
{
    vec_elem = 1;
    for (i = k; i <= k + j - 1; ++i)
    {
        printf("%8.4f%s", vec[i - 1], vec_elem%6 == 0?"\n":" ");
        vec_elem++;
    }
    printf("\n");
    k += j;
}
END:
NAG_FREE(pp);
NAG_FREE(vec);

return exit_status;
}

```

## 10.2 Program Data

None.

## 10.3 Program Results

```

nag_normal_scores_var (g01dcc) Example Program Results

Sample size = 6

Variance-covariance matrix
  0.4159
  0.2085  0.2796
  0.1394  0.1889  0.2462
  0.1025  0.1397  0.1834  0.2462
  0.0774  0.1060  0.1397  0.1889  0.2796
  0.0563  0.0774  0.1025  0.1394  0.2085  0.4159

```

---