

NAG Library Function Document

nag_bessel_k_nu (s18efc)

1 Purpose

nag_bessel_k_nu (s18efc) returns the value of the modified Bessel function $K_{\nu/4}(x)$ for real $x > 0$.

2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_bessel_k_nu (double x, Integer nu, NagError *fail)
```

3 Description

nag_bessel_k_nu (s18efc) evaluates an approximation to the modified Bessel function of the second kind $K_{\nu/4}(x)$, where the order $\nu = -3, -2, -1, 1, 2$ or 3 and x is real and positive. For negative orders the formula

$$K_{-\nu/4}(x) = K_{\nu/4}(x)$$

is used.

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

5 Arguments

1:	x – double	<i>Input</i>
	<i>On entry</i> : the argument x of the function.	
	<i>Constraint</i> : $x > 0.0$.	
2:	nu – Integer	<i>Input</i>
	<i>On entry</i> : the argument ν of the function.	
	<i>Constraint</i> : $1 \leq \text{abs}(\mathbf{nu}) \leq 3$.	
3:	fail – NagError *	<i>Input/Output</i>
	The NAG error argument (see Section 3.6 in the Essential Introduction).	

6 Error Indicators and Warnings

NE_INT

On entry, **nu** = $\langle \text{value} \rangle$.
Constraint: $1 \leq \text{abs}(\mathbf{nu}) \leq 3$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_OVERFLOW_LIKELY

The evaluation has been abandoned due to the likelihood of overflow. The result is returned as zero.

NE_REAL

On entry, $\mathbf{x} = \langle \text{value} \rangle$.

Constraint: $\mathbf{x} > 0.0$.

NE_TERMINATION_FAILURE

The evaluation has been abandoned due to failure to satisfy the termination condition. The result is returned as zero.

NE_TOTAL_PRECISION_LOSS

The evaluation has been abandoned due to total loss of precision. The result is returned as zero.

NW_SOME_PRECISION_LOSS

The evaluation has been completed but some precision has been lost.

7 Accuracy

All constants in the underlying function are specified to approximately 18 digits of precision. If t denotes the number of digits of precision in the floating-point arithmetic being used, then clearly the maximum number of correct digits in the results obtained is limited by $p = \min(t, 18)$. Because of errors in argument reduction when computing elementary functions inside the underlying function, the actual number of correct digits is limited, in general, by $p - s$, where $s \approx \max(1, |\log_{10} x|)$ represents the number of digits lost due to the argument reduction. Thus the larger the value of x , the less the precision in the result.

8 Parallelism and Performance

Not applicable.

9 Further Comments

None.

10 Example

The example program reads values of the arguments x and ν from a file, evaluates the function and prints the results.

10.1 Program Text

```
/* nag_bessel_k_nu (s18efc) Example Program.
*
* Copyright 2014 Numerical Algorithms Group.
*
* NAG C Library
*
* Mark 6, 2000.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
```

```

{
    Integer exit_status = 0, nu;
    NagError fail;
    double x, y;

    INIT_FAIL(fail);

    /* Skip heading in data file */
#ifndef _WIN32
    scanf_s("%*[^\n]");
#else
    scanf("%*[^\n]");
#endif
    printf("nag_bessel_k_nu (s18efc) Example Program Results\n");
    printf(" x      nu      y\n");
#ifndef _WIN32
    while (scanf_s("%lf %NAG_IFMT%*[^\n]", &x, &nu) != EOF)
#else
    while (scanf("%lf %NAG_IFMT%*[^\n]", &x, &nu) != EOF)
#endif
    {
        /* nag_bessel_k_nu (s18efc).
         * Modified Bessel function K_(nu/4)(x)
         */
        y = nag_bessel_k_nu(x, nu, &fail);
        if (fail.code != NE_NOERROR)
        {
            printf("Error from nag_bessel_k_nu (s18efc).\n%s\n",
                   fail.message);
            exit_status = 1;
            goto END;
        }
        printf("%4.1f %6"NAG_IFMT" %13.4e\n", x, nu, y);
    }
END:
    return exit_status;
}

```

10.2 Program Data

```
nag_bessel_k_nu (s18efc) Example Program Data
3.9  -3
1.4  -2
8.2  -1
6.7   1
0.5   2
2.3   3  : Values of x and nu
```

10.3 Program Results

```
nag_bessel_k_nu (s18efc) Example Program Results
 x      nu      y
 3.9    -3    1.3315e-02
 1.4    -2    2.6121e-01
 8.2    -1    1.1892e-04
 6.7     1    5.8826e-04
 0.5     2    1.0750e+00
 2.3     3    8.7724e-02
```
