

NAG Library Routine Document

G01KFF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G01KFF returns the value of the probability density function (PDF) for the gamma distribution with shape parameter α and scale parameter β at a point x .

2 Specification

```
FUNCTION G01KFF (X, A, B, IFAIL)
REAL (KIND=nag_wp) G01KFF
INTEGER           IFAIL
REAL (KIND=nag_wp) X, A, B
```

3 Description

The gamma distribution has PDF

$$f(x) = \frac{1}{\beta^\alpha \Gamma(\alpha)} x^{\alpha-1} e^{-x/\beta} \quad \text{if } x \geq 0; \quad \alpha, \beta > 0$$

$$f(x) = 0 \quad \text{otherwise.}$$

If $0.01 \leq x, \alpha, \beta \leq 100$ then an algorithm based directly on the gamma distribution's PDF is used. For values outside this range, the function is calculated via the Poisson distribution's PDF as described in Loader (2000) (see Section 9).

4 References

Loader C (2000) Fast and accurate computation of binomial probabilities (**not yet published**)

5 Parameters

- | | |
|--|--------------|
| 1: X – REAL (KIND=nag_wp) | <i>Input</i> |
| <i>On entry:</i> x , the value at which the PDF is to be evaluated. | |
| 2: A – REAL (KIND=nag_wp) | <i>Input</i> |
| <i>On entry:</i> α , the shape parameter of the gamma distribution. | |
| <i>Constraint:</i> $A > 0.0$. | |
| 3: B – REAL (KIND=nag_wp) | <i>Input</i> |
| <i>On entry:</i> β , the scale parameter of the gamma distribution. | |
| <i>Constraints:</i> | |
| $B > 0.0$; | |
| $\frac{X}{B} < \frac{1}{X02AMF()}$. | |

4: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

If IFAIL $\neq 0$, then G01KFF returns 0.0.

IFAIL = 1

On entry, A = $\langle\text{value}\rangle$.

Constraint: A > 0.0.

IFAIL = 2

On entry, B = $\langle\text{value}\rangle$.

Constraint: B > 0.0.

IFAIL = 3

Computation abandoned owing to overflow due to extreme parameter values.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.8 in the Essential Introduction for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.6 in the Essential Introduction for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

Not applicable.

9 Further Comments

Due to the lack of a stable link to Loader (2000) paper, we give a brief overview of the method, as applied to the Poisson distribution. The Poisson distribution has a continuous mass function given by,

$$p(x; \lambda) = \frac{\lambda^x}{x!} e^{-\lambda}. \quad (1)$$

The usual way of computing this quantity would be to take the logarithm and calculate,

$$\log(p(x; \lambda)) = x \log \lambda - \log(x!) - \lambda.$$

For large x and λ , $x \log \lambda$ and $\log(x!)$ are very large, of the same order of magnitude and when calculated have rounding errors. The subtraction of these two terms can therefore result in a number, many orders of magnitude smaller and hence we lose accuracy due to subtraction errors. For example for $x = 2 \times 10^6$ and $\lambda = 2 \times 10^6$, $\log(x!) \approx 2.7 \times 10^7$ and $\log(p(x; \lambda)) = -8.17326744645834$. But calculated with the method shown later we have $\log(p(x; \lambda)) = -8.1732674441334492$. The difference between these two results suggests a loss of about 7 significant figures of precision.

Loader introduces an alternative way of expressing (1) based on the saddle point expansion,

$$\log(p(x; \lambda)) = \log(p(x; x)) - D(x; \lambda), \quad (2)$$

where $D(x; \lambda)$, the deviance for the Poisson distribution is given by,

$$\begin{aligned} D(x; \lambda) &= \log(p(x; x)) - \log(p(x; \lambda)), \\ &= \lambda D_0\left(\frac{x}{\lambda}\right), \end{aligned} \quad (3)$$

and

$$D_0(\epsilon) = \epsilon \log \epsilon + 1 - \epsilon.$$

For ϵ close to 1, $D_0(\epsilon)$ can be evaluated through the series expansion

$$\lambda D_0\left(\frac{x}{\lambda}\right) = \frac{(x - \lambda)^2}{x + \lambda} + 2x \sum_{j=1}^{\infty} \frac{v^{2j+1}}{2j+1}, \quad \text{where } v = \frac{x - \lambda}{x + \lambda},$$

otherwise $D_0(\epsilon)$ can be evaluated directly. In addition, Loader suggests evaluating $\log(x!)$ using the Stirling–De Moivre series,

$$\log(x!) = \frac{1}{2} \log(2\pi x) + x \log(x) - x + \delta(x), \quad (4)$$

where the error $\delta(x)$ is given by

$$\delta(x) = \frac{1}{12x} - \frac{1}{360x^3} + \frac{1}{1260x^5} + \mathcal{O}(x^{-7}).$$

Finally $\log(p(x; \lambda))$ can be evaluated by combining equations (1)–(4) to get,

$$p(x; \lambda) = \frac{1}{\sqrt{2\pi x}} e^{-\delta(x) - \lambda D_0(x/\lambda)}.$$

10 Example

This example prints the value of the gamma distribution PDF at six different points X with differing A and B.

10.1 Program Text

```
Program g01kffe
!
!      GO1KFF Example Program Text
!
!      Mark 25 Release. NAG Copyright 2014.
!
!      .. Use Statements ..
```

```

      Use nag_library, Only: g01kff, nag_wp
!
!     .. Implicit None Statement ..
Implicit None
!
!     .. Parameters ..
Integer, Parameter :: nin = 5, nout = 6
!
!     .. Local Scalars ..
Real (Kind=nag_wp) :: a, b, f, x
Integer :: ifail
!
!     .. Executable Statements ..
Write (nout,*) 'G01KFF Example Program Results'
Write (nout,*)

!
!     Skip heading in data file
Read (nin,*)

!
!     Display titles
Write (nout,*) '          X           A           B           RESULT'
Write (nout,*)

d_lp: Do
    Read (nin,* ,Iostat=ifail) x, a, b
    If (ifail/=0) Then
        Exit d_lp
    End If

    ifail = 0
    f = g01kff(x,a,b,ifail)

!
!     Display results
    Write (nout,99999) x, a, b, f
End Do d_lp

99999 Format (1X,1P,4(1X,E12.4))
End Program g01kffe

```

10.2 Program Data

```

G01KFF Example Program Data
1.0E-1 3.0E0 2.0E0
3.0E0 1.0E1 1.1E1
6.0E0 5.0E0 1.0E0
4.0E0 1.0E1 1.0E-1
9.0E0 9.0E0 5.0E-1
1.6E1 3.5E0 2.5E0
                           : X, A, B

```

10.3 Program Results

G01KFF Example Program Results

X	A	B	RESULT
1.0000E-01	3.0000E+00	2.0000E+00	5.9452E-04
3.0000E+00	1.0000E+01	1.1000E+01	1.5921E-12
6.0000E+00	5.0000E+00	1.0000E+00	1.3385E-01
4.0000E+00	1.0000E+01	1.0000E-01	3.0690E-08
9.0000E+00	9.0000E+00	5.0000E-01	8.3251E-03
1.6000E+01	3.5000E+00	2.5000E+00	2.0723E-02

