

NAG Library Routine Document

G02BQF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

G02BQF computes Kendall and/or Spearman nonparametric rank correlation coefficients for a set of data; the data array is preserved, and the ranks of the observations are not available on exit from the routine.

2 Specification

SUBROUTINE G02BQF (N, M, X, LDX, ITYPE, RR, LDRR, KWORKA, KWORKB, WORK1, &
WORK2, IFAIL)

INTEGER N, M, LDX, ITYPE, LDRR, KWORKA(N), KWORKB(N), IFAIL
REAL (KIND=nag_wp) X(LDX,M), RR(LDRR,M), WORK1(N), WORK2(N)

3 Description

The input data consists of n observations for each of m variables, given as an array

$$[x_{ij}], \quad i = 1, 2, \dots, n (n \geq 2), j = 1, 2, \dots, m (m \geq 2),$$

where x_{ij} is the i th observation on the j th variable.

The observations are first ranked, as follows.

For a given variable, j say, each of the n observations, $x_{1j}, x_{2j}, \dots, x_{nj}$, has associated with it an additional number, the 'rank' of the observation, which indicates the magnitude of that observation relative to the magnitude of the other $n - 1$ observations on that same variable.

The smallest observation for variable j is assigned the rank 1, the second smallest observation for variable j the rank 2, the third smallest the rank 3, and so on until the largest observation for variable j is given the rank n .

If a number of cases all have the same value for the given variable, j , then they are each given an 'average' rank – e.g., if in attempting to assign the rank $h + 1$, k observations were found to have the same value, then instead of giving them the ranks

$$h + 1, h + 2, \dots, h + k,$$

all k observations would be assigned the rank

$$\frac{2h + k + 1}{2}$$

and the next value in ascending order would be assigned the rank

$$h + k + 1.$$

The process is repeated for each of the m variables.

Let y_{ij} be the rank assigned to the observation x_{ij} when the j th variable is being ranked.

The quantities calculated are:

(a) Kendall's tau rank correlation coefficients:

$$R_{jk} = \frac{\sum_{h=1}^n \sum_{i=1}^n \text{sign}(y_{hj} - y_{ij}) \text{sign}(y_{hk} - y_{ik})}{\sqrt{[n(n-1) - T_j][n(n-1) - T_k]}}, \quad j, k = 1, 2, \dots, m,$$

and $\text{sign } u = 1$ if $u > 0$

$\text{sign } u = 0$ if $u = 0$

$\text{sign } u = -1$ if $u < 0$

and $T_j = \sum t_j(t_j - 1)$, t_j being the number of ties of a particular value of variable j , and the summation being over all tied values of variable j .

(b) Spearman's rank correlation coefficients:

$$R_{jk}^* = \frac{n(n^2 - 1) - 6 \sum_{i=1}^n (y_{ij} - y_{ik})^2 - \frac{1}{2}(T_j^* + T_k^*)}{\sqrt{[n(n^2 - 1) - T_j^*][n(n^2 - 1) - T_k^*]}}, \quad j, k = 1, 2, \dots, m,$$

where $T_j^* = \sum t_j(t_j^2 - 1)$ where t_j is the number of ties of a particular value of variable j , and the summation is over all tied values of variable j .

4 References

Siegel S (1956) *Non-parametric Statistics for the Behavioral Sciences* McGraw-Hill

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the number of observations or cases.
Constraint: $N \geq 2$.
- 2: M – INTEGER *Input*
On entry: m , the number of variables.
Constraint: $M \geq 2$.
- 3: X(LDX, M) – REAL (KIND=nag_wp) array *Input*
On entry: $X(i, j)$ must be set to data value x_{ij} , the value of the i th observation on the j th variable, for $i = 1, 2, \dots, n$ and $j = 1, 2, \dots, m$.
- 4: LDX – INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which G02BQF is called.
Constraint: $LDX \geq N$.
- 5: ITYPE – INTEGER *Input*
On entry: the type of correlation coefficients which are to be calculated.
 ITYPE = -1
 Only Kendall's tau coefficients are calculated.

ITYPE = 0

Both Kendall's tau and Spearman's coefficients are calculated.

ITYPE = 1

Only Spearman's coefficients are calculated.

Constraint: ITYPE = -1, 0 or 1.

- 6: RR(LDRR, M) – REAL (KIND=nag_wp) array *Output*
On exit: the requested correlation coefficients.
 If only Kendall's tau coefficients are requested (ITYPE = -1), RR(j, k) contains Kendall's tau for the j th and k th variables.
 If only Spearman's coefficients are requested (ITYPE = 1), RR(j, k) contains Spearman's rank correlation coefficient for the j th and k th variables.
 If both Kendall's tau and Spearman's coefficients are requested (ITYPE = 0), the upper triangle of RR contains the Spearman coefficients and the lower triangle the Kendall coefficients. That is, for the j th and k th variables, where j is less than k , RR(j, k) contains the Spearman rank correlation coefficient, and RR(k, j) contains Kendall's tau, for $j = 1, 2, \dots, m$ and $k = 1, 2, \dots, m$.
 (Diagonal terms, RR(j, j), are unity for all three values of ITYPE.)
- 7: LDRR – INTEGER *Input*
On entry: the first dimension of the array RR as declared in the (sub)program from which G02BQF is called.
Constraint: LDRR \geq M.
- 8: KWORKA(N) – INTEGER array *Workspace*
 9: KWORKB(N) – INTEGER array *Workspace*
 10: WORK1(N) – REAL (KIND=nag_wp) array *Workspace*
 11: WORK2(N) – REAL (KIND=nag_wp) array *Workspace*
- 12: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Section 3.3 in the Essential Introduction for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $N < 2$.

IFAIL = 2

On entry, $M < 2$.

IFAIL = 3

On entry, LDX < N,
or LDRR < M.

IFAIL = 4

On entry, ITYPE < -1,
or ITYPE > 1.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.
See Section 3.8 in the Essential Introduction for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.
See Section 3.7 in the Essential Introduction for further information.

IFAIL = -999

Dynamic memory allocation failed.
See Section 3.6 in the Essential Introduction for further information.

7 Accuracy

The method used is believed to be stable.

8 Parallelism and Performance

G02BQF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The time taken by G02BQF depends on n and m .

10 Example

This example reads in a set of data consisting of nine observations on each of three variables. The program then calculates and prints both Kendall's tau and Spearman's rank correlation coefficients for all three variables.

10.1 Program Text

```

Program g02bqfe

!      G02BQF Example Program Text
!
!      Mark 25 Release. NAG Copyright 2014.
!
!      .. Use Statements ..
!      Use nag_library, Only: g02bqf, nag_wp
!      .. Implicit None Statement ..
!      Implicit None
!      .. Parameters ..

```

```

Integer, Parameter          :: nin = 5, nout = 6
! .. Local Scalars ..
Integer                    :: i, ifail, itype, ldr, ldx, m, n
! .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: rr(:,,:), work1(:), work2(:), x(:,,:)
Integer, Allocatable       :: kworka(:), kworkb(:)
! .. Executable Statements ..
Write (nout,*) 'G02BQF Example Program Results'
Write (nout,*)

! Skip heading in data file
Read (nin,*)

! Read in the problem size
Read (nin,*) n, m, itype

ldr = m
ldx = n
Allocate (rr(ldr,m),work1(n),work2(n),x(ldx,m),kworka(n),kworkb(n))

! Read in data
Read (nin,*)(x(i,1:m),i=1,n)

! Display data
Write (nout,99999) 'Number of variables (columns) =', m
Write (nout,99999) 'Number of cases (rows) =', n
Write (nout,*)
Write (nout,*) 'Data matrix is:-'
Write (nout,*)
Write (nout,99998)(i,i=1,m)
Write (nout,99997)(i,x(i,1:m),i=1,n)
Write (nout,*)

! Calculate correlation coefficients
ifail = 0
Call g02bqf(n,m,x,ldx,itype,rr,ldr,kworka,kworkb,work1,work2,ifail)

! Display results
Write (nout,*) 'Matrix of rank correlation coefficients:'
Write (nout,*) 'Upper triangle -- Spearman''s'
Write (nout,*) 'Lower triangle -- Kendall''s tau'
Write (nout,*)
Write (nout,99998)(i,i=1,m)
Write (nout,99997)(i,rr(i,1:m),i=1,m)

99999 Format (1X,A,I5)
99998 Format (1X,3I12)
99997 Format (1X,I3,3F12.4)
End Program g02bqfe

```

10.2 Program Data

```

G02BQF Example Program Data
9 3 0          :: N, M, ITYPE
1.70 1.00 0.50
2.80 4.00 3.00
0.60 6.00 2.50
1.80 9.00 6.00
0.99 4.00 2.50
1.40 2.00 5.50
1.80 9.00 7.50
2.50 7.00 0.00
0.99 5.00 3.00          :: End of X

```

10.3 Program Results

G02BQF Example Program Results

Number of variables (columns) = 3
Number of cases (rows) = 9

Data matrix is:-

	1	2	3
1	1.7000	1.0000	0.5000
2	2.8000	4.0000	3.0000
3	0.6000	6.0000	2.5000
4	1.8000	9.0000	6.0000
5	0.9900	4.0000	2.5000
6	1.4000	2.0000	5.5000
7	1.8000	9.0000	7.5000
8	2.5000	7.0000	0.0000
9	0.9900	5.0000	3.0000

Matrix of rank correlation coefficients:

Upper triangle -- Spearman's
Lower triangle -- Kendall's tau

	1	2	3
1	1.0000	0.2246	0.1186
2	0.0294	1.0000	0.3814
3	0.1176	0.2353	1.0000
