## **NAG Library Chapter Contents**

## **G13** – Time Series Analysis

## G13 Chapter Introduction

Routine Name	Mark of Introduction	Purpose
G13AAF	9	nagf_tsa_uni_diff
G13ABF	9	Univariate time series, seasonal and non-seasonal differencing nagf_tsa_uni_autocorr Univariate time series, sample autocorrelation function
G13ACF	9	nagf_tsa_uni_autocorr_part Univariate time series, partial autocorrelations from autocorrelations
G13ADF	9	nagf_tsa_uni_arima_prelim
G13AEF	9	Univariate time series, preliminary estimation, seasonal ARIMA model nagf_tsa_uni_arima_estim
G13AFF	9	Univariate time series, estimation, seasonal ARIMA model (comprehensive) nagf_tsa_uni_arima_estim_easy Univariate time series, estimation, seasonal ARIMA model (easy-to-use)
G13AGF	9	nagf_tsa_uni_arima_update Univariate time series, update state set for forecasting
G13AHF	9	nagf_tsa_uni_arima_forecast_state Univariate time series, forecasting from state set
G13AJF	10	nagf_tsa_uni_arima_forcecast Univariate time series, state set and forecasts, from fully specified seasonal ARIMA model
G13AMF	22	nagf_tsa_uni_smooth_exp Univariate time series, exponential smoothing
G13ASF	13	nagf_tsa_uni_arima_resid Univariate time series, diagnostic checking of residuals, following G13AEF or G13AFF
G13AUF	14	nagf_tsa_uni_means Computes quantities needed for range-mean or standard deviation-mean plot
G13AWF	25	nagf_tsa_uni_dickey_fuller_unit Computes (augmented) Dickey-Fuller unit root test statistic
G13BAF	10	nagf_tsa_multi_filter_arima Multivariate time series, filtering (pre-whitening) by an ARIMA model
G13BBF	11	nagf_tsa_multi_filter_transf Multivariate time series, filtering by a transfer function model
G13BCF	10	nagf_tsa_multi_xcorr Multivariate time series, cross-correlations
G13BDF	11	nagf_tsa_multi_transf_prelim Multivariate time series, preliminary estimation of transfer function model
G13BEF	11	nagf_tsa_multi_inputmod_estim Multivariate time series, estimation of multi-input model
G13BGF	11	nagf_tsa_multi_inputmod_update  Multivariate time series, update state set for forecasting from multi-input model
G13BHF	11	nagf_tsa_multi_inputmod_forecast_state Multivariate time series, forecasting from state set of multi-input model
G13BJF	11	nagf_tsa_multi_inputmod_forecast Multivariate time series, state set and forecasts from fully specified multi- input model

Mark 25 g13conts.1

Contents – G13 NAG Library Manual

G13CAF	10	nagf_tsa_uni_spectrum_lag Univariate time series, smoothed sample spectrum using rectangular, Bartlett,
G13CBF	10	Tukey or Parzen lag window nagf_tsa_uni_spectrum_daniell Univariate time series, smoothed sample spectrum using spectral smoothing
G13CCF	10	by the trapezium frequency (Daniell) window nagf_tsa_multi_spectrum_lag Multivariate time series, smoothed sample cross spectrum using rectangular,
G13CDF	10	Bartlett, Tukey or Parzen lag window nagf_tsa_multi_spectrum_daniell Multivariate time series, smoothed sample cross spectrum using spectral smoothing by the trapezium frequency (Daniell) window
G13CEF	10	nagf_tsa_multi_spectrum_bivar  Multivariate time series, cross amplitude spectrum, squared coherency, bounds, univariate and bivariate (cross) spectra
G13CFF	10	nagf_tsa_multi_gain_bivar  Multivariate time series, gain, phase, bounds, univariate and bivariate (cross) spectra
G13CGF	10	nagf_tsa_multi_noise_bivar Multivariate time series, noise spectrum, bounds, impulse response function and its standard error
G13DBF	11	nagf_tsa_multi_autocorr_part  Multivariate time series, multiple squared partial autocorrelations
G13DDF	22	nagf_tsa_multi_varma_estimate  Multivariate time series, estimation of VARMA model
G13DJF	15	nagf_tsa_multi_varma_forecast Multivariate time series, forecasts and their standard errors
G13DKF	15	nagf_tsa_multi_varma_update Multivariate time series, updates forecasts and their standard errors
G13DLF	15	nagf_tsa_multi_diff Multivariate time series, differences and/or transforms
G13DMF	15	nagf_tsa_multi_corrmat_cross Multivariate time series, sample cross-correlation or cross-covariance matrices
G13DNF	15	nagf_tsa_multi_corrmat_partlag Multivariate time series, sample partial lag correlation matrices, $\chi^2$ statistics and significance levels
G13DPF	16	nagf_tsa_multi_regmat_partial  Multivariate time series, partial autoregression matrices
G13DSF	13	nagf_tsa_multi_varma_diag Multivariate time series, diagnostic checking of residuals, following G13DDF
G13DXF	15	nagf_tsa_uni_arma_roots Calculates the zeros of a vector autoregressive (or moving average) operator
G13EAF	17	nagf_tsa_multi_kalman_sqrt_var Combined measurement and time update, one iteration of Kalman filter, time-varying, square root covariance filter
G13EBF	17	nagf_tsa_multi_kalman_sqrt_invar Combined measurement and time update, one iteration of Kalman filter, time-invariant, square root covariance filter
G13EJF	25	nagf_tsa_kalman_unscented_state_revcom Combined time and measurement update, one iteration of the Unscented Kalman Filter for a nonlinear state space model, with additive noise (reverse communication)
G13EKF	25	nagf_tsa_kalman_unscented_state Combined time and measurement update, one iteration of the Unscented Kalman Filter for a nonlinear state space model, with additive noise

g13conts.2 Mark 25

G13FAF	20	nagf_tsa_uni_garch_asym1_estim Univariate time series, parameter estimation for either a symmetric GARCH
G13FBF	20	process or a GARCH process with asymmetry of the form $(\epsilon_{t-1} + \gamma)^2$ nagf_tsa_uni_garch_asym1_forecast Univariate time series, forecast function for either a symmetric GARCH
G13FCF	20	process or a GARCH process with asymmetry of the form $(\epsilon_{t-1} + \gamma)^2$ nagf_tsa_uni_garch_asym2_estim Univariate time series, parameter estimation for a GARCH process with
G13FDF	20	asymmetry of the form $( \epsilon_{t-1}  + \gamma \epsilon_{t-1})^2$ nagf_tsa_uni_garch_asym2_forecast Univariate time series, forecast function for a GARCH process with
G13FEF	20	asymmetry of the form $( \epsilon_{t-1}  + \gamma \epsilon_{t-1})^2$ nagf_tsa_uni_garch_GJR_estim Univariate time series, parameter estimation for an asymmetric Glosten,
G13FFF	20	Jagannathan and Runkle (GJR) GARCH process nagf_tsa_uni_garch_GJR_forecast Univariate time series, forecast function for an asymmetric Glosten,
G13FGF	20	Jagannathan and Runkle (GJR) GARCH process nagf_tsa_uni_garch_exp_estim Univariate time series, parameter estimation for an exponential GARCH
G13FHF	20	(EGARCH) process nagf_tsa_uni_garch_exp_forecast Univariate time series, forecast function for an exponential GARCH
G13MEF	24	(EGARCH) process nagf_tsa_inhom_iema Computes the iterated exponential moving average for a univariate
G13MFF	24	inhomogeneous time series nagf_tsa_inhom_iema_all Computes the iterated exponential moving average for a univariate
G13MGF	24	inhomogeneous time series, intermediate results are also returned nagf_tsa_inhom_ma  Computes the exponential moving average for a univariate inhomogeneous
G13NAF	25	time series nagf_tsa_cp_pelt
G13NBF	25	Change point detection, using the PELT algorithm nagf_tsa_cp_pelt_user Change points detection using the PELT algorithm, user supplied cost
G13NDF	25	function nagf_tsa_cp_binary
G13NEF	25	Change point detection, using binary segmentation nagf_tsa_cp_binary_user Change point detection, using binary segmentation, user supplied cost function

Mark 25 g13conts.3 (last)