

NAG Library Function Document

nag_dtgexc (f08yfc)

1 Purpose

nag_dtgexc (f08yfc) reorders the generalized Schur factorization of a matrix pair in real generalized Schur form.

2 Specification

```
#include <nag.h>
#include <nagf08.h>

void nag_dtgexc (Nag_OrderType order, Nag_Boolean wantq, Nag_Boolean wantz,
                Integer n, double a[], Integer pda, double b[], Integer pdb, double q[],
                Integer pdq, double z[], Integer pdz, Integer *ifst, Integer *ilst,
                NagError *fail)
```

3 Description

nag_dtgexc (f08yfc) reorders the generalized real n by n matrix pair (S, T) in real generalized Schur form, so that the diagonal element or block of (S, T) with row index i_1 is moved to row i_2 , using an orthogonal equivalence transformation. That is, S and T are factorized as

$$S = \hat{Q}\hat{S}\hat{Z}^T, \quad T = \hat{Q}\hat{T}\hat{Z}^T,$$

where (\hat{S}, \hat{T}) are also in real generalized Schur form.

The pair (S, T) are in real generalized Schur form if S is block upper triangular with 1 by 1 and 2 by 2 diagonal blocks and T is upper triangular as returned, for example, by nag_dgges (f08xac), or nag_dhgeqz (f08xec) with **job** = Nag_Schur.

If S and T are the result of a generalized Schur factorization of a matrix pair (A, B)

$$A = QSZ^T, \quad B = QTZ^T$$

then, optionally, the matrices Q and Z can be updated as $Q\hat{Q}$ and $Z\hat{Z}$.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

- 2: **wantq** – Nag_Boolean *Input*
On entry: if **wantq** = Nag_TRUE, update the left transformation matrix Q .
 If **wantq** = Nag_FALSE, do not update Q .
- 3: **wantz** – Nag_Boolean *Input*
On entry: if **wantz** = Nag_TRUE, update the right transformation matrix Z .
 If **wantz** = Nag_FALSE, do not update Z .
- 4: **n** – Integer *Input*
On entry: n , the order of the matrices S and T .
Constraint: $n \geq 0$.
- 5: **a**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **a** must be at least $\max(1, \mathbf{pda} \times \mathbf{n})$.
 The (i, j)th element of the matrix A is stored in

$$\mathbf{a}[(j-1) \times \mathbf{pda} + i - 1] \text{ when } \mathbf{order} = \text{Nag_ColMajor};$$

$$\mathbf{a}[(i-1) \times \mathbf{pda} + j - 1] \text{ when } \mathbf{order} = \text{Nag_RowMajor}.$$
On entry: the matrix S in the pair (S, T) .
On exit: the updated matrix \hat{S} .
- 6: **pda** – Integer *Input*
On entry: the stride separating row or column elements (depending on the value of **order**) in the array **a**.
Constraint: $\mathbf{pda} \geq \max(1, \mathbf{n})$.
- 7: **b**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **b** must be at least $\max(1, \mathbf{pdb} \times \mathbf{n})$.
 The (i, j)th element of the matrix B is stored in

$$\mathbf{b}[(j-1) \times \mathbf{pdb} + i - 1] \text{ when } \mathbf{order} = \text{Nag_ColMajor};$$

$$\mathbf{b}[(i-1) \times \mathbf{pdb} + j - 1] \text{ when } \mathbf{order} = \text{Nag_RowMajor}.$$
On entry: the matrix T , in the pair (S, T) .
On exit: the updated matrix \hat{T} .
- 8: **pdb** – Integer *Input*
On entry: the stride separating row or column elements (depending on the value of **order**) in the array **b**.
Constraint: $\mathbf{pdb} \geq \max(1, \mathbf{n})$.
- 9: **q**[*dim*] – double *Input/Output*
Note: the dimension, *dim*, of the array **q** must be at least
 $\max(1, \mathbf{pdq} \times \mathbf{n})$ when **wantq** = Nag_TRUE;
 1 otherwise.
 The (i, j)th element of the matrix Q is stored in

$$\mathbf{q}[(j-1) \times \mathbf{pdq} + i - 1] \text{ when } \mathbf{order} = \text{Nag_ColMajor};$$

$$\mathbf{q}[(i-1) \times \mathbf{pdq} + j - 1] \text{ when } \mathbf{order} = \text{Nag_RowMajor}.$$

On entry: if **wantq** = Nag_TRUE, the orthogonal matrix Q .

On exit: if **wantq** = Nag_TRUE, the updated matrix $Q\hat{Q}$.

If **wantq** = Nag_FALSE, **q** is not referenced.

10: **pdq** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **q**.

Constraints:

if **wantq** = Nag_TRUE, **pdq** \geq max(1, **n**);
otherwise **pdq** \geq 1.

11: **z**[*dim*] – double *Input/Output*

Note: the dimension, *dim*, of the array **z** must be at least

max(1, **pdz** \times **n**) when **wantz** = Nag_TRUE;
1 otherwise.

The (*i*, *j*)th element of the matrix Z is stored in

z[(*j* – 1) \times **pdz** + *i* – 1] when **order** = Nag_ColMajor;
z[(*i* – 1) \times **pdz** + *j* – 1] when **order** = Nag_RowMajor.

On entry: if **wantz** = Nag_TRUE, the orthogonal matrix Z .

On exit: if **wantz** = Nag_TRUE, the updated matrix $Z\hat{Z}$.

If **wantz** = Nag_FALSE, **z** is not referenced.

12: **pdz** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **z**.

Constraints:

if **wantz** = Nag_TRUE, **pdz** \geq max(1, **n**);
otherwise **pdz** \geq 1.

13: **ifst** – Integer * *Input/Output*

14: **ilst** – Integer * *Input/Output*

On entry: the indices i_1 and i_2 that specify the reordering of the diagonal blocks of (S, T) . The block with row index **ifst** is moved to row **ilst**, by a sequence of swapping between adjacent blocks.

On exit: if **ifst** pointed on entry to the second row of a 2 by 2 block, it is changed to point to the first row; **ilst** always points to the first row of the block in its final position (which may differ from its input value by +1 or –1).

Constraint: $1 \leq \mathbf{ifst} \leq \mathbf{n}$ and $1 \leq \mathbf{ilst} \leq \mathbf{n}$.

15: **fail** – NagError * *Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_CONSTRAINT

On entry, **wantq** = $\langle value \rangle$, **pdq** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: if **wantq** = Nag_TRUE, **pdq** \geq max(1, **n**);
otherwise **pdq** \geq 1.

On entry, **wantz** = $\langle value \rangle$, **pdz** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: if **wantz** = Nag_TRUE, **pdz** \geq max(1, **n**);
otherwise **pdz** \geq 1.

NE_INT

On entry, **n** = $\langle value \rangle$.

Constraint: **n** \geq 0.

On entry, **pda** = $\langle value \rangle$.

Constraint: **pda** $>$ 0.

On entry, **pdb** = $\langle value \rangle$.

Constraint: **pdb** $>$ 0.

On entry, **pdq** = $\langle value \rangle$.

Constraint: **pdq** $>$ 0.

On entry, **pdz** = $\langle value \rangle$.

Constraint: **pdz** $>$ 0.

NE_INT_2

On entry, **pda** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: **pda** \geq max(1, **n**).

On entry, **pdb** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: **pdb** \geq max(1, **n**).

NE_INT_3

On entry, **ifst** = $\langle value \rangle$, **ilst** = $\langle value \rangle$ and **n** = $\langle value \rangle$.

Constraint: $1 \leq \mathbf{ifst} \leq \mathbf{n}$ and $1 \leq \mathbf{ilst} \leq \mathbf{n}$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_SCHUR

The transformed matrix pair would be too far from generalized Schur form; the problem is ill-conditioned. (S, T) may have been partially reordered, and `ilst` points to the first row of the current position of the block being moved.

7 Accuracy

The computed generalized Schur form is nearly the exact generalized Schur form for nearby matrices $(S + E)$ and $(T + F)$, where

$$\|E\|_2 = O\epsilon\|S\|_2 \quad \text{and} \quad \|F\|_2 = O\epsilon\|T\|_2,$$

and ϵ is the *machine precision*. See Section 4.11 of Anderson *et al.* (1999) for further details of error bounds for the generalized nonsymmetric eigenproblem.

8 Parallelism and Performance

`nag_dtgexc` (f08yfc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The complex analogue of this function is `nag_ztgexc` (f08ytc).

10 Example

This example exchanges blocks 2 and 1 of the matrix pair (S, T) , where

$$S = \begin{pmatrix} 4.0 & 1.0 & 1.0 & 2.0 \\ 0 & 3.0 & 4.0 & 1.0 \\ 0 & 1.0 & 3.0 & 1.0 \\ 0 & 0 & 0 & 6.0 \end{pmatrix} \quad \text{and} \quad T = \begin{pmatrix} 2.0 & 1.0 & 1.0 & 3.0 \\ 0 & 1.0 & 2.0 & 1.0 \\ 0 & 0 & 1.0 & 1.0 \\ 0 & 0 & 0 & 2.0 \end{pmatrix}.$$

10.1 Program Text

```

/* nag_dtgexc (f08yfc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */

#include <stdio.h>
#include <math.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagf08.h>
#include <nagf16.h>
#include <nagx02.h>
#include <nagx04.h>

int main(void)
{
    /* Scalars */
    double alpha, beta;
    Integer i, ifst, ilst, j, n, pdq, pds;

```

```

Integer pdt, pdz, exit_status = 0;
/* Arrays */
double *q = 0, *s = 0, *t = 0, *z = 0;
char nag_enum_arg[40];

/* Nag Types */
NagError fail;
Nag_OrderType order;
Nag_Boolean wantq, wantz;

#ifdef NAG_COLUMN_MAJOR
#define S(I, J) s[(J-1)*pds + I - 1]
#define T(I, J) t[(J-1)*pdt + I - 1]
    order = Nag_ColMajor;
#else
#define S(I, J) s[(I-1)*pds + J - 1]
#define T(I, J) t[(I-1)*pdt + J - 1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_dtgexc (f08yfc) Example Program Results\n\n");

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif
#ifdef _WIN32
    scanf_s("%" NAG_IFMT "%*[\n]", &n);
#else
    scanf("%" NAG_IFMT "%*[\n]", &n);
#endif
    if (n < 0) {
        printf("Invalid n\n");
        exit_status = 1;
        goto END;
    }
#ifdef _WIN32
    scanf_s(" %39s%*[\n]", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
    scanf(" %39s%*[\n]", nag_enum_arg);
#endif
    /* nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    wantq = (Nag_Boolean) nag_enum_name_to_value(nag_enum_arg);
#ifdef _WIN32
    scanf_s(" %39s%*[\n]", nag_enum_arg, (unsigned)_countof(nag_enum_arg));
#else
    scanf(" %39s%*[\n]", nag_enum_arg);
#endif
    wantz = (Nag_Boolean) nag_enum_name_to_value(nag_enum_arg);

    pds = n;
    pdt = n;

    pdq = (wantq ? n : 1);
    pdz = (wantz ? n : 1);

    /* Allocate memory */
    if (!(s = NAG_ALLOC(n * n, double)) ||
        !(t = NAG_ALLOC(n * n, double)) ||
        !(q = NAG_ALLOC(pdq * pdq, double)) ||
        !(z = NAG_ALLOC(pdz * pdz, double)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

```

```

    }

    /* Read S and T from data file */
    for (i = 1; i <= n; ++i)
#ifdef _WIN32
        for (j = 1; j <= n; ++j)
            scanf_s("%lf", &S(i, j));
#else
        for (j = 1; j <= n; ++j)
            scanf("%lf", &S(i, j));
#endif
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif
    for (i = 1; i <= n; ++i)
#ifdef _WIN32
        for (j = 1; j <= n; ++j)
            scanf_s("%lf", &T(i, j));
#else
        for (j = 1; j <= n; ++j)
            scanf("%lf", &T(i, j));
#endif
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif

    /* Initialize Q and Z to identity matrices using nag_dge_load (f16qhc). */
    alpha = 0.0;
    beta = 1.0;
    if (wantq)
        nag_dge_load(order, n, n, alpha, beta, q, pdq, &fail);
    if (wantz)
        nag_dge_load(order, n, n, alpha, beta, z, pdz, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_dge_load (f16qhc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* Read the row indices of diagonal elements or blocks to be swapped. */
#ifdef _WIN32
    scanf_s("%" NAG_IFMT "%" NAG_IFMT "%*[\n]", &ifst, &ilst);
#else
    scanf("%" NAG_IFMT "%" NAG_IFMT "%*[\n]", &ifst, &ilst);
#endif

    /* Reorder S and T */
    nag_dtgexc(order, wantq, wantz, n, s, pds, t, pdt, q, pdq, z, pdz, &ifst,
              &ilst, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_dtgexc (f08yfc).\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }

    /* normalize signs so that last column and diagonal of T is positive. */
    for (i = 1; i <= n; i++) {
        if (T(i, n) < 0.0) {
            for (j = i; j <= n; j++) {
                S(i, j) = -S(i, j);
                T(i, j) = -T(i, j);
            }
            if (i > 1 && fabs(S(i, i-1)) > 0.0) {
                S(i, i-1) = -S(i, i-1);
            }
        }
    }
}

```

```

for (j = 1; j<=n-1; j++) {
  if (T(j,j)<0.0) {
    for (i = 1; i<=j; i++) {
      S(i,j) = -S(i,j);
      T(i,j) = -T(i,j);
    }
    if (fabs(S(j+1,j))>0.0) {
      S(j+1,j) = -S(j+1,j);
    }
  }
}

/* nag_gen_real_mat_print (x04cac): Print reordered S and T. */
fflush(stdout);
nag_gen_real_mat_print(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n,
                       s, pds, "Reordered matrix S", 0, &fail);

printf("\n");
if (fail.code != NE_NOERROR)
  goto PRERR;
fflush(stdout);
nag_gen_real_mat_print(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n,
                       t, pdt, "Reordered matrix T", 0, &fail);

printf("\n");
PRERR:
if (fail.code != NE_NOERROR) {
  printf("Error from nag_gen_real_mat_print (x04cac).\n%s\n", fail.message);
  exit_status = 1;
  goto END;
}

END:
NAG_FREE(q);
NAG_FREE(s);
NAG_FREE(t);
NAG_FREE(z);

return exit_status;
}

```

10.2 Program Data

nag_dtgexc (f08yfc) Example Program Data

```

4                               : n

Nag_TRUE                        : wantp
Nag_TRUE                        : wantz

4.0  1.0  1.0  2.0
0.0  3.0  4.0  1.0
0.0  1.0  3.0  1.0
0.0  0.0  0.0  6.0   : matrix S

2.0  1.0  1.0  3.0
0.0  1.0  2.0  1.0
0.0  0.0  1.0  1.0
0.0  0.0  0.0  2.0   : matrix T

2  1                            : ifst and ilst

```

10.3 Program Results

nag_dtgexc (f08yfc) Example Program Results

```

Reordered matrix S
      1          2          3          4
1      4.1926    1.2591    2.5578    0.4520
2     -0.8712    0.8627    2.7912    1.1383
3      0.0000    0.0000    4.2426    2.1213
4      0.0000    0.0000    0.0000    6.0000

```


Reordered matrix T

	1	2	3	4
1	1.7439	0.0000	0.7533	0.0661
2	0.0000	0.5406	1.8972	1.7308
3	0.0000	0.0000	2.1213	2.8284
4	0.0000	0.0000	0.0000	2.0000
