

NAG Library Function Document

nag_gen_complex_mat_print (x04dac)

1 Purpose

nag_gen_complex_mat_print (x04dac) is an easy-to-use function to print a Complex matrix.

2 Specification

```
#include <nag.h>
#include <nagx04.h>

void nag_gen_complex_mat_print (Nag_OrderType order, Nag_MatrixType matrix,
    Nag_DiagType diag, Integer m, Integer n, const Complex a[], Integer pda,
    const char *title, const char *outfile, NagError *fail)
```

3 Description

nag_gen_complex_mat_print (x04dac) prints a Complex matrix. It is an easy-to-use driver for nag_gen_complex_mat_print_comp (x04dbc). The function uses default values for the format in which numbers are printed, for labelling the rows and columns, and for output record length.

nag_gen_complex_mat_print (x04dac) will choose a format code such that numbers will be printed with a %8.4f, a %11.4f or a %13.4e format. The %8.4f code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 1.0. The %11.4f code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 9999.9999. Otherwise the %13.4e code is chosen. The chosen code is used to print each complex element of the matrix with the real part above the imaginary part.

The matrix is printed with integer row and column labels, and with a maximum record length of 80.

The matrix is output to the file specified by **outfile** or, by default, to standard output.

4 References

None.

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **matrix** – Nag_MatrixType *Input*

On entry: indicates the part of the matrix to be printed.

matrix = Nag_GeneralMatrix
The whole of the rectangular matrix.

matrix = Nag_LowerMatrix
The lower triangle of the matrix, or the lower trapezium if the matrix has more rows than columns.

matrix = Nag_UpperMatrix

The upper triangle of the matrix, or the upper trapezium if the matrix has more columns than rows.

Constraint: **matrix** = Nag_GeneralMatrix, Nag_LowerMatrix or Nag_UpperMatrix.

3: **diag** – Nag_DiagType *Input*

On entry: indicates whether the diagonal elements of the matrix are to be printed.

diag = Nag_NonRefDiag

The diagonal elements of the matrix are not referenced and not printed.

diag = Nag_UnitDiag

The diagonal elements of the matrix are not referenced, but are assumed all to be unity, and are printed as such.

diag = Nag_NonUnitDiag

The diagonal elements of the matrix are referenced and printed.

If **matrix** = Nag_GeneralMatrix, then **diag** must be set to Nag_NonUnitDiag.

Constraints:

if **matrix** \neq Nag_GeneralMatrix, **diag** = Nag_NonRefDiag, Nag_UnitDiag or Nag_NonUnitDiag;

if **matrix** = Nag_GeneralMatrix, **diag** = Nag_NonUnitDiag.

4: **m** – Integer *Input*

5: **n** – Integer *Input*

On entry: the number of rows and columns of the matrix, respectively, to be printed.

If either **m** or **n** is less than 1, nag_gen_complex_mat_print (x04dac) will exit immediately after printing **title**; no row or column labels are printed.

6: **a**[*dim*] – const Complex *Input*

Note: the dimension, *dim*, of the array **a** must be at least

$\max(1, \mathbf{pda} \times \mathbf{n})$ when **order** = Nag_ColMajor;

$\max(1, \mathbf{m} \times \mathbf{pda})$ when **order** = Nag_RowMajor.

The (*i*, *j*)th element of the matrix *A* is stored in

a[(*j* – 1) \times **pda** + *i* – 1] when **order** = Nag_ColMajor;

a[(*i* – 1) \times **pda** + *j* – 1] when **order** = Nag_RowMajor.

On entry: the matrix to be printed. Only the elements that will be referred to, as specified by arguments **matrix** and **diag**, need be set.

7: **pda** – Integer *Input*

On entry: the stride separating row or column elements (depending on the value of **order**) in the array **a**.

Constraints:

if **order** = Nag_ColMajor, **pda** \geq $\max(1, \mathbf{m})$;

if **order** = Nag_RowMajor, **pda** \geq $\max(1, \mathbf{n})$.

8: **title** – const char * *Input*

On entry: a title to be printed above the matrix.

If **title** = NULL, no title (and no blank line) will be printed.

If **title** contains more than 80 characters, the contents of **title** will be wrapped onto more than one line, with the break after 80 characters.

Any trailing blank characters in **title** are ignored.

9: **outfile** – const char * *Input*

On entry: the name of a file to which output will be directed. If **outfile** is **NULL** the output will be directed to standard output.

10: **fail** – NagError * *Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, argument *<value>* had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

NE_NOT_APPEND_FILE

Cannot open file *<value>* for appending.

NE_NOT_CLOSE_FILE

Cannot close file *<value>*.

NE_NOT_WRITE_FILE

Cannot open file *<value>* for writing.

7 Accuracy

Not applicable.

8 Parallelism and Performance

nag_gen_complex_mat_print (x04dac) is not threaded in any implementation.

9 Further Comments

A call to nag_gen_complex_mat_print (x04dac) is equivalent to a call to nag_gen_complex_mat_print_comp (x04dbc) with the following argument values:

```
ncols = 80
indent = 0
labrow = Nag_IntegerLabels
labcol = Nag_IntegerLabels
form = 0
cmplxform = Nag_AboveForm
```

10 Example

This example program calls `nag_gen_complx_mat_print` (x04dac) twice, first to print a 4 by 3 rectangular matrix, and then to print a 4 by 4 lower triangular matrix.

10.1 Program Text

```

/* nag_gen_complx_mat_print (x04dac) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */

#include <nag.h>
#include <nag_stdlib.h>
#include <naga02.h>
#include <nagf01.h>
#include <nagx04.h>

int main(void)
{
    Integer          exit_status = 0, n = 5;
    Integer          i, j, pda;
    double           aa;
    Complex          *a = 0;
    /* Nag Types */
    Nag_OrderType    order;
    NagError         fail;

#ifdef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I-1]
    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J-1]
    order = Nag_RowMajor;
#endif

    INIT_FAIL(fail);

    printf("nag_gen_complx_mat_print (x04dac) Example Program Results\n\n");

    pda = n;
    if (!(a = NAG_ALLOC(pda * n, Complex))) {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* Generate a full-format symmetric array of data. */
    for (i = 1; i <= n; i++) {
        for (j = 1; j <= n; j++) {
            aa = (double) (10 * i + j);
            A(i, j) = nag_complex(aa, -aa);
        }
    }

    /* Print n by (n-1) rectangular matrix
     * using nag_geb_complx_mat_print (x04dac).
     */
    fflush(stdout);
    nag_gen_complx_mat_print(order, Nag_GeneralMatrix, Nag_NonUnitDiag, n, n - 1,
                            a, pda, "Example 1:", NULL, &fail);
    if (fail.code != NE_NOERROR) {
        printf("Error from nag_gen_complx_mat_print (x04dac).\n%s\n",
              fail.message);
        exit_status = 1;
    }
}

```

```

    goto END;
}
printf("\n");

/* Print the order-n upper-triangular matrix with Unit diagonal
 * using nag_gen_complx_mat_print (x04dac).
 */
fflush(stdout);
nag_gen_complx_mat_print(order, Nag_UpperMatrix, Nag_UnitDiag, n, n,
                        a, pda, "Example 2:", NULL, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_gen_complx_mat_print (x04dac).\n%s\n",
          fail.message);
    exit_status = 2;
    goto END;
}
printf("\n");

END:
    NAG_FREE(a);

    return exit_status;
}

```

10.2 Program Data

None.

10.3 Program Results

nag_gen_complx_mat_print (x04dac) Example Program Results

Example 1:

	1	2	3	4
1	11.0000 -11.0000	12.0000 -12.0000	13.0000 -13.0000	14.0000 -14.0000
2	21.0000 -21.0000	22.0000 -22.0000	23.0000 -23.0000	24.0000 -24.0000
3	31.0000 -31.0000	32.0000 -32.0000	33.0000 -33.0000	34.0000 -34.0000
4	41.0000 -41.0000	42.0000 -42.0000	43.0000 -43.0000	44.0000 -44.0000
5	51.0000 -51.0000	52.0000 -52.0000	53.0000 -53.0000	54.0000 -54.0000

Example 2:

	1	2	3	4	5
1	1.0000 0.0000	12.0000 -12.0000	13.0000 -13.0000	14.0000 -14.0000	15.0000 -15.0000
2		1.0000 0.0000	23.0000 -23.0000	24.0000 -24.0000	25.0000 -25.0000
3			1.0000 0.0000	34.0000 -34.0000	35.0000 -35.0000
4				1.0000 0.0000	45.0000 -45.0000
5					1.0000 0.0000