

NAG Library Routine Document

D03RZF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

D03RZF is designed to be used in conjunction with D03RBF. It can be called from the MONITR to obtain the number of grid points and their (x, y) coordinates on a solution grid.

2 Specification

```
SUBROUTINE D03RZF (LEVEL, NLEV, XMIN, YMIN, DXB, DYB, LGRID, ISTRUC,      &
                  NPTS, X, Y, LENXY, IFAIL)
INTEGER          LEVEL, NLEV, LGRID(*), ISTRUC(*), NPTS, LENXY, IFAIL
REAL (KIND=nag_wp) XMIN, YMIN, DXB, DYB, X(LenXY), Y(LenXY)
```

3 Description

D03RZF extracts the number of grid points and their (x, y) coordinates on a specific solution grid produced by D03RBF. It must be called only from within the MONITR. The arguments NLEV, XMIN, YMIN, DXB, DYB, LGRID and ISTRUC to MONITR must be passed unchanged to D03RZF.

4 References

None.

5 Arguments

- | | | |
|----|---|--------------|
| 1: | LEVEL – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the grid level at which the coordinates are required. | |
| | <i>Constraint:</i> $1 \leq \text{LEVEL} \leq \text{NLEV}$. | |
| 2: | NLEV – INTEGER | <i>Input</i> |
| 3: | XMIN – REAL (KIND=nag_wp) | <i>Input</i> |
| 4: | YMIN – REAL (KIND=nag_wp) | <i>Input</i> |
| 5: | DXB – REAL (KIND=nag_wp) | <i>Input</i> |
| 6: | DYB – REAL (KIND=nag_wp) | <i>Input</i> |
| | <i>On entry:</i> NLEV, XMIN, YMIN, DXB and DYB as supplied to MONITR must be passed unchanged to D03RZF. | |
| 7: | LGRID(*) – INTEGER array | <i>Input</i> |
| | Note: the dimension of the array LGRID must be at least NLEV. | |
| | <i>On entry:</i> LGRID as supplied to MONITR must be passed unchanged to D03RZF. | |
| 8: | ISTRUC(*) – INTEGER array | <i>Input</i> |
| | Note: the dimension of the array ISTRUC must be at least $\text{LGRID}(\text{NLEV}) + 2 \times \text{rows} + \text{NPTS} + 1$ where <i>rows</i> is stored in $\text{ISTRUC}(\text{LGRID}(\text{NLEV}))$ and is the number of rows in the grid at level NLEV. | |
| | <i>On entry:</i> ISTRUC as supplied to MONITR must be passed unchanged to D03RZF. | |

- 9: NPTS – INTEGER *Output*
On exit: the number of grid points in the grid level LEVEL.
- 10: X(LENXY) – REAL (KIND=nag_wp) array *Output*
 11: Y(LENXY) – REAL (KIND=nag_wp) array *Output*
On exit: X(*i*) and Y(*i*) contain the (*x*, *y*) coordinates respectively of the *i*th grid point, for *i* = 1, 2, ..., NPTS.
- 12: LENXY – INTEGER *Input*
On entry: the dimension of the arrays X and Y as declared in the (sub)program from which D03RZF is called.
Constraint: LENXY ≥ NPTS.
- 13: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, LEVEL < 1,
 or LEVEL > NLEV.

IFAIL = 2

The dimension of the arrays X and Y is too small for the requested grid level, i.e., LENXY < NPTS.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

D03RZF is not threaded in any implementation.

9 Further Comments

None.

10 Example

See Section 10 in D03RBF.
