

NAG Library Routine Document

F08AAF (DGELS)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F08AAF (DGELS) solves linear least squares problems of the form

$$\min_x \|b - Ax\|_2 \quad \text{or} \quad \min_x \|b - A^T x\|_2,$$

where A is an m by n real matrix of full rank, using a QR or LQ factorization of A .

2 Specification

```
SUBROUTINE F08AAF (TRANS, M, N, NRHS, A, LDA, B, LDB, WORK, LWORK, INFO)
INTEGER          M, N, NRHS, LDA, LDB, LWORK, INFO
REAL (KIND=nag_wp) A(LDA,*), B(LDB,*), WORK(max(1,LWORK))
CHARACTER(1)    TRANS
```

The routine may be called by its LAPACK name *dgels*.

3 Description

The following options are provided:

1. If TRANS = 'N' and $m \geq n$: find the least squares solution of an overdetermined system, i.e., solve the least squares problem

$$\min_x \|b - Ax\|_2.$$

2. If TRANS = 'N' and $m < n$: find the minimum norm solution of an underdetermined system $Ax = b$.
3. If TRANS = 'T' and $m \geq n$: find the minimum norm solution of an undetermined system $A^T x = b$.
4. If TRANS = 'T' and $m < n$: find the least squares solution of an overdetermined system, i.e., solve the least squares problem

$$\min_x \|b - A^T x\|_2.$$

Several right-hand side vectors b and solution vectors x can be handled in a single call; they are stored as the columns of the m by r right-hand side matrix B and the n by r solution matrix X .

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Arguments

1: TRANS – CHARACTER(1) *Input*

On entry: if TRANS = 'N', the linear system involves A .

If TRANS = 'T', the linear system involves A^T .

Constraint: TRANS = 'N' or 'T'.

- 2: M – INTEGER *Input*
On entry: m , the number of rows of the matrix A .
Constraint: $M \geq 0$.
- 3: N – INTEGER *Input*
On entry: n , the number of columns of the matrix A .
Constraint: $N \geq 0$.
- 4: NRHS – INTEGER *Input*
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrices B and X .
Constraint: NRHS ≥ 0 .
- 5: A(LDA,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the m by n matrix A .
On exit: if $M \geq N$, A is overwritten by details of its QR factorization, as returned by F08AEF (DGEQRF).
 If $M < N$, A is overwritten by details of its LQ factorization, as returned by F08AHF (DGELQF).
- 6: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08AAF (DGELS) is called.
Constraint: LDA $\geq \max(1, M)$.
- 7: B(LDB,*) – REAL (KIND=nag_wp) array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, \text{NRHS})$.
On entry: the matrix B of right-hand side vectors, stored in columns; B is m by r if TRANS = 'N', or n by r if TRANS = 'T'.
On exit: B is overwritten by the solution vectors, x , stored in columns:
 if TRANS = 'N' and $m \geq n$, or TRANS = 'T' and $m < n$, elements 1 to $\min(m, n)$ in each column of B contain the least squares solution vectors; the residual sum of squares for the solution is given by the sum of squares of the modulus of elements $(\min(m, n) + 1)$ to $\max(m, n)$ in that column;
 otherwise, elements 1 to $\max(m, n)$ in each column of B contain the minimum norm solution vectors.
- 8: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F08AAF (DGELS) is called.
Constraint: LDB $\geq \max(1, M, N)$.

- 9: WORK(max(1,LWORK)) – REAL (KIND=nag_wp) array Workspace
On exit: if INFO = 0, WORK(1) contains the minimum value of LWORK required for optimal performance.
- 10: LWORK – INTEGER Input
On entry: the dimension of the array WORK as declared in the (sub)program from which F08AAF (DGELS) is called.
 If LWORK = -1, a workspace query is assumed; the routine only calculates the optimal size of the WORK array, returns this value as the first entry of the WORK array, and no error message related to LWORK is issued.
Suggested value: for optimal performance, $LWORK \geq \min(M,N) + \max(1, M, N, NRHS) \times nb$, where *nb* is the optimal **block size**.
Constraint: $LWORK \geq \min(M,N) + \max(1, M, N, NRHS)$ or $LWORK = -1$.
- 11: INFO – INTEGER Output
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

INFO < 0

If INFO = -*i*, argument *i* had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

If INFO = *i*, diagonal element *i* of the triangular factor of *A* is zero, so that *A* does not have full rank; the least squares solution could not be computed.

7 Accuracy

See Section 4.5 of Anderson *et al.* (1999) for details of error bounds.

8 Parallelism and Performance

F08AAF (DGELS) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

F08AAF (DGELS) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The total number of floating-point operations required to factorize *A* is approximately $\frac{2}{3}n^2(3m - n)$ if $m \geq n$ and $\frac{2}{3}m^2(3n - m)$ otherwise. Following the factorization the solution for a single vector *x* requires $O(\min(m^2, n^2))$ operations.

The complex analogue of this routine is F08ANF (ZGELS).

10 Example

This example solves the linear least squares problem

$$\min_x \|b - Ax\|_2,$$

where

$$A = \begin{pmatrix} -0.57 & -1.28 & -0.39 & 0.25 \\ -1.93 & 1.08 & -0.31 & -2.14 \\ 2.30 & 0.24 & 0.40 & -0.35 \\ -1.93 & 0.64 & -0.66 & 0.08 \\ 0.15 & 0.30 & 0.15 & -2.13 \\ -0.02 & 1.03 & -1.43 & 0.50 \end{pmatrix} \quad \text{and} \quad b = \begin{pmatrix} -2.67 \\ -0.55 \\ 3.34 \\ -0.77 \\ 0.48 \\ 4.10 \end{pmatrix}.$$

The square root of the residual sum of squares is also output.

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

10.1 Program Text

```

Program f08aafe

!      F08AAF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
      Use nag_library, Only: dgels, dnrn2, nag_wp
!      .. Implicit None Statement ..
      Implicit None
!      .. Parameters ..
      Integer, Parameter          :: nb = 64, nin = 5, nout = 6
!      .. Local Scalars ..
      Real (Kind=nag_wp)          :: rnorm
      Integer                     :: i, info, lda, ldb, lwork, m, n, nrhs
!      .. Local Arrays ..
      Real (Kind=nag_wp), Allocatable :: a(:, :), b(:), work(:)
!      .. Executable Statements ..
      Write (nout,*) 'F08AAF Example Program Results'
      Write (nout,*)
!      Skip heading in data file
      Read (nin,*)
      Read (nin,*) m, n
      lda = m
      lwork = n + nb*m
      Allocate (a(lda,n),b(m),work(lwork))

!      Read A and B from data file

      Read (nin,*)(a(i,1:n),i=1,m)
      Read (nin,*) b(1:m)

!      Solve the least squares problem min( norm2(b - Ax) ) for x

      nrhs = 1
      ldb = m

!      The NAG name equivalent of dgels is f08aaf
      Call dgels('No transpose',m,n,nrhs,a,lda,b,ldb,work,lwork,info)

!      Print solution

      Write (nout,*) 'Least squares solution'
      Write (nout,99999) b(1:n)

!      Compute and print estimate of the square root of the residual
!      sum of squares

```

```

!      The NAG name equivalent of dnorm2 is f06ejf
      rnorm = dnorm2(m-n,b(n+1),1)
      Write (nout,*)
      Write (nout,*) 'Square root of the residual sum of squares'
      Write (nout,99998) rnorm

99999 Format (1X,7F11.4)
99998 Format (3X,1P,E11.2)
      End Program f08aafe

```

10.2 Program Data

F08AAF Example Program Data

```

      6          4          :Values of M and N

-0.57 -1.28 -0.39  0.25
-1.93  1.08 -0.31 -2.14
 2.30  0.24  0.40 -0.35
-1.93  0.64 -0.66  0.08
 0.15  0.30  0.15 -2.13
-0.02  1.03 -1.43  0.50 :End of matrix A

-2.67
-0.55
 3.34
-0.77
 0.48
 4.10          :End of vector b

```

10.3 Program Results

F08AAF Example Program Results

```

Least squares solution
 1.5339    1.8707   -1.5241    0.0392

Square root of the residual sum of squares
 2.22E-02

```
