

# NAG Library Routine Document

## G01RTF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

G01RTF returns the value of the derivative  $\phi'(\lambda)$  of the Landau density function, via the routine name.

### 2 Specification

```
FUNCTION G01RTF (X)
REAL (KIND=nag_wp) G01RTF
REAL (KIND=nag_wp) X
```

### 3 Description

G01RTF evaluates an approximation to the derivative  $\phi'(\lambda)$  of the Landau density function given by

$$\phi'(\lambda) = \frac{d\phi(\lambda)}{d\lambda},$$

where  $\phi(\lambda)$  is described in G01MTF, using piecewise approximation by rational functions. Further details can be found in K lbig and Schorr (1984).

To obtain the value of  $\phi(\lambda)$ , G01MTF can be used.

### 4 References

K lbig K S and Schorr B (1984) A program package for the Landau distribution *Comp. Phys. Comm.* **31** 97–111

### 5 Arguments

1: X – REAL (KIND=nag\_wp) *Input*  
*On entry:* the argument  $\lambda$  of the function.

### 6 Error Indicators and Warnings

None.

### 7 Accuracy

At least 7 significant digits are usually correct, but occasionally only 6. Such accuracy is normally considered to be adequate for applications in experimental physics.

Because of the asymptotic behaviour of  $\phi'(\lambda)$ , which is of the order of  $\exp[-\exp(-\lambda)]$ , underflow may occur on some machines when  $\lambda$  is moderately large and negative.

### 8 Parallelism and Performance

G01RTF is not threaded in any implementation.

## 9 Further Comments

None.

## 10 Example

This example evaluates  $\phi'(\lambda)$  at  $\lambda = 0.5$ , and prints the results.

### 10.1 Program Text

```

Program g01rtfe

!      G01RTF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
Use nag_library, Only: a00acf, g01rtf, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: x, y
Integer                     :: ifail
!      .. Executable Statements ..
Write (nout,*) 'G01RTF Example Program Results'
Write (nout,*)

!      Check for valid licence prior to calling G01RTF
If (.Not. a00acf()) Then
  Write (nout,*) ' ** A valid licence key was not found'

  Else
!      Skip heading in data file
  Read (nin,*)

!      Display title
  Write (nout,*) '  X          Y'
  Write (nout,*)

d_lp:  Do
  Read (nin,*,Iostat=ifail) x
  If (ifail/=0) Then
    Exit d_lp
  End If

!      Compute the value of the derivative of the Landau density function
  y = g01rtf(x)

!      Display results
  Write (nout,99999) x, y
End Do d_lp
End If

99999 Format (1X,F4.1,3X,1P,E12.4)
End Program g01rtfe

```

### 10.2 Program Data

```

G01RTF Example Program Data
0.5 : Value of X

```

### 10.3 Program Results

G01RTF Example Program Results

X	Y
0.5	-3.6034E-02

---