

## NAG Library Function Document

### nag\_pde\_interp\_1d\_fd (d03pzc)

#### 1 Purpose

nag\_pde\_interp\_1d\_fd (d03pzc) interpolates in the spatial coordinate the solution and derivative of a system of partial differential equations (PDEs). The solution must first be computed using one of the finite difference schemes nag\_pde\_parab\_1d\_fd (d03pcc), nag\_pde\_parab\_1d\_fd\_ode (d03phc) or nag\_pde\_parab\_1d\_fd\_ode\_remesh (d03ppc), or one of the Keller box schemes nag\_pde\_parab\_1d\_keller (d03pec), nag\_pde\_parab\_1d\_keller\_ode (d03pkc) or nag\_pde\_parab\_1d\_keller\_ode\_remesh (d03prc).

#### 2 Specification

```
#include <nag.h>
#include <nagd03.h>

void nag_pde_interp_1d_fd (Integer npde, Integer m, const double u[],
    Integer npts, const double x[], const double xp[], Integer intpts,
    Integer itype, double up[], NagError *fail)
```

#### 3 Description

nag\_pde\_interp\_1d\_fd (d03pzc) is an interpolation function for evaluating the solution of a system of partial differential equations (PDEs), at a set of user-specified points. The solution of the system of equations (possibly with coupled ordinary differential equations) must be computed using a finite difference scheme or a Keller box scheme on a set of mesh points. nag\_pde\_interp\_1d\_fd (d03pzc) can then be employed to compute the solution at a set of points anywhere in the range of the mesh. It can also evaluate the first spatial derivative of the solution. It uses linear interpolation for approximating the solution.

#### 4 References

None.

#### 5 Arguments

**Note:** the arguments **x**, **m**, **u**, **npts** and **npde** must be supplied unchanged from the PDE function.

1: **npde** – Integer *Input*

*On entry:* the number of PDEs.

*Constraint:* **npde** ≥ 1.

2: **m** – Integer *Input*

*On entry:* the coordinate system used. If the call to nag\_pde\_interp\_1d\_fd (d03pzc) follows one of the finite difference functions then **m** must be the same argument **m** as used in that call. For the Keller box scheme only Cartesian coordinate systems are valid and so **m** must be set to zero. No check will be made by nag\_pde\_interp\_1d\_fd (d03pzc) in this case.

**m** = 0

Indicates Cartesian coordinates.

**m** = 1

Indicates cylindrical polar coordinates.

$\mathbf{m} = 2$

Indicates spherical polar coordinates.

*Constraints:*

$0 \leq \mathbf{m} \leq 2$  following a finite difference function;  
 $\mathbf{m} = 0$  following a Keller box scheme function.

- 3: **u**[**npde** × **npts**] – const double *Input*  
*On entry:* the PDE part of the original solution returned in the argument **u** by the PDE function.  
*Constraint:* **npde** ≥ 1.
- 4: **npts** – Integer *Input*  
*On entry:* the number of mesh points.  
*Constraint:* **npts** ≥ 3.
- 5: **x**[**npts**] – const double *Input*  
*On entry:* **x**[ $i - 1$ ], for  $i = 1, 2, \dots, \mathbf{npts}$ , must contain the mesh points as used by the PDE function.
- 6: **xp**[**intpts**] – const double *Input*  
*On entry:* **xp**[ $i - 1$ ], for  $i = 1, 2, \dots, \mathbf{intpts}$ , must contain the spatial interpolation points.  
*Constraint:* **x**[0] ≤ **xp**[0] < **xp**[1] <  $\dots$  < **xp**[**intpts** - 1] ≤ **x**[**npts** - 1].
- 7: **intpts** – Integer *Input*  
*On entry:* the number of interpolation points.  
*Constraint:* **intpts** ≥ 1.
- 8: **itype** – Integer *Input*  
*On entry:* specifies the interpolation to be performed.  
**itype** = 1  
 The solutions at the interpolation points are computed.  
**itype** = 2  
 Both the solutions and their first derivatives at the interpolation points are computed.  
*Constraint:* **itype** = 1 or 2.
- 9: **up**[*dim*] – double *Output*  
**Note:** the dimension, *dim*, of the array **up** must be at least **npde** × **intpts** × **itype**.  
 The element **UP**( $i, j, k$ ) is stored in the array element **up**[( $k - 1$ ) × **npde** × **intpts** + ( $j - 1$ ) × **npde** +  $i - 1$ ].  
*On exit:* if **itype** = 1, **UP**( $i, j, 1$ ), contains the value of the solution  $U_i(x_j, t_{\text{out}})$ , at the interpolation points  $x_j = \mathbf{xp}[j - 1]$ , for  $j = 1, 2, \dots, \mathbf{intpts}$  and  $i = 1, 2, \dots, \mathbf{npde}$ .  
 If **itype** = 2, **UP**( $i, j, 1$ ) contains  $U_i(x_j, t_{\text{out}})$  and **UP**( $i, j, 2$ ) contains  $\frac{\partial U_i}{\partial x}$  at these points.
- 10: **fail** – NagError \* *Input/Output*  
 The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 3.2.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle value \rangle$  had an illegal value.

### NE\_EXTRAPOLATION

On entry, interpolating point  $\langle value \rangle$  with the value  $\langle value \rangle$  is outside the  $\mathbf{x}$  range.

### NE\_INT

On entry,  $\mathbf{intpts} \leq 0$ :  $\mathbf{intpts} = \langle value \rangle$ .

On entry,  $\mathbf{itype} = \langle value \rangle$ .  
Constraint:  $\mathbf{itype} = 1$  or  $2$ .

On entry,  $\mathbf{m} = \langle value \rangle$ .  
Constraint:  $\mathbf{m} = 0, 1$  or  $2$ .

On entry,  $\mathbf{npde} = \langle value \rangle$ .  
Constraint:  $\mathbf{npde} > 0$ .

On entry,  $\mathbf{npts} = \langle value \rangle$ .  
Constraint:  $\mathbf{npts} > 2$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.  
See Section 3.6.6 in How to Use the NAG Library and its Documentation for further information.

### NE\_NO\_LICENCE

Your licence key may have expired or may not have been installed correctly.  
See Section 3.6.5 in How to Use the NAG Library and its Documentation for further information.

### NE\_NOT\_STRICTLY\_INCREASING

On entry, interpolation points  $\mathbf{xp}$  badly ordered:  $I = \langle value \rangle$ ,  $\mathbf{xp}[I - 1] = \langle value \rangle$ ,  $J = \langle value \rangle$  and  $\mathbf{xp}[J - 1] = \langle value \rangle$ .

On entry, mesh points  $\mathbf{x}$  badly ordered:  $I = \langle value \rangle$ ,  $\mathbf{x}[I - 1] = \langle value \rangle$ ,  $J = \langle value \rangle$  and  $\mathbf{x}[J - 1] = \langle value \rangle$ .

## 7 Accuracy

See the PDE function documents.

## 8 Parallelism and Performance

nag\_pde\_interp\_1d\_fd (d03pzc) is not threaded in any implementation.

## 9 Further Comments

None.

## 10 Example

See Section 10 in nag\_pde\_parab\_1d\_fd (d03pcc), nag\_pde\_parab\_1d\_fd\_ode\_remesh (d03ppc) and nag\_pde\_parab\_1d\_keller\_ode\_remesh (d03prc).

---