

# NAG Library Routine Document

## C06FXF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

C06FXF computes the three-dimensional discrete Fourier transform of a trivariate sequence of complex data values. This routine is designed to be particularly efficient on vector processors.

### 2 Specification

```

SUBROUTINE C06FXF (N1, N2, N3, X, Y, INIT, TRIGN1, TRIGN2, TRIGN3, WORK,      &
                  IFAIL)
INTEGER          N1, N2, N3, IFAIL
REAL (KIND=nag_wp) X(N1*N2*N3), Y(N1*N2*N3), TRIGN1(1), TRIGN2(1),      &
                  TRIGN3(1), WORK(1)
CHARACTER(1)    INIT

```

### 3 Description

C06FXF computes the three-dimensional discrete Fourier transform of a trivariate sequence of complex data values  $z_{j_1 j_2 j_3}$ , for  $j_1 = 0, 1, \dots, n_1 - 1$ ,  $j_2 = 0, 1, \dots, n_2 - 1$  and  $j_3 = 0, 1, \dots, n_3 - 1$ .

The discrete Fourier transform is here defined by

$$\hat{z}_{k_1 k_2 k_3} = \frac{1}{\sqrt{n_1 n_2 n_3}} \sum_{j_1=0}^{n_1-1} \sum_{j_2=0}^{n_2-1} \sum_{j_3=0}^{n_3-1} z_{j_1 j_2 j_3} \times \exp\left(-2\pi i \left(\frac{j_1 k_1}{n_1} + \frac{j_2 k_2}{n_2} + \frac{j_3 k_3}{n_3}\right)\right),$$

where  $k_1 = 0, 1, \dots, n_1 - 1$ ,  $k_2 = 0, 1, \dots, n_2 - 1$ ,  $k_3 = 0, 1, \dots, n_3 - 1$ .

(Note the scale factor of  $\frac{1}{\sqrt{n_1 n_2 n_3}}$  in this definition.)

To compute the inverse discrete Fourier transform, defined with  $\exp(+2\pi i(\dots))$  in the above formula instead of  $\exp(-2\pi i(\dots))$ , this routine should be preceded and followed by forming the complex conjugates of the data values and the transform.

This routine performs, for each dimension, multiple one-dimensional discrete Fourier transforms by the fast Fourier transform (FFT) algorithm (see Brigham (1974)). It is designed to be particularly efficient on vector processors.

### 4 References

Brigham E O (1974) *The Fast Fourier Transform* Prentice–Hall

Temperton C (1983) Self-sorting mixed-radix fast Fourier transforms *J. Comput. Phys.* **52** 1–23

### 5 Arguments

1: N1 – INTEGER *Input*  
*On entry:*  $n_1$ , the first dimension of the transform.  
*Constraint:*  $N1 \geq 1$ .

- 2: N2 – INTEGER *Input*  
*On entry:*  $n_2$ , the second dimension of the transform.  
*Constraint:*  $N2 \geq 1$ .
- 3: N3 – INTEGER *Input*  
*On entry:*  $n_3$ , the third dimension of the transform.  
*Constraint:*  $N3 \geq 1$ .
- 4: X( $N1 \times N2 \times N3$ ) – REAL (KIND=nag\_wp) array *Input/Output*  
5: Y( $N1 \times N2 \times N3$ ) – REAL (KIND=nag\_wp) array *Input/Output*  
*On entry:* the real and imaginary parts of the complex data values must be stored in arrays X and Y respectively. If X and Y are regarded as three-dimensional arrays of dimension (0 :  $N1 - 1$ , 0 :  $N2 - 1$ , 0 :  $N3 - 1$ ), then  $X(j_1, j_2, j_3)$  and  $Y(j_1, j_2, j_3)$  must contain the real and imaginary parts of  $z_{j_1 j_2 j_3}$ .  
*On exit:* the real and imaginary parts respectively of the corresponding elements of the computed transform.
- 6: INIT – CHARACTER(1) *Input*  
7: TRIGN1(1) – REAL (KIND=nag\_wp) array *Input/Output*  
8: TRIGN2(1) – REAL (KIND=nag\_wp) array *Input/Output*  
9: TRIGN3(1) – REAL (KIND=nag\_wp) array *Input/Output*  
10: WORK(1) – REAL (KIND=nag\_wp) array *Output*  
These arguments are no longer accessed by C06FXF.
- 11: IFAIL – INTEGER *Input/Output*  
*On entry:* IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.  
For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**  
*On exit:* IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry,  $N1 < 1$ .

IFAIL = 2

On entry,  $N2 < 1$ .

IFAIL = 3

On entry,  $N3 < 1$ .

IFAIL = 4

Not used at this Mark.

IFAIL = 5

Not used at this Mark.

IFAIL = 6

Not used at this Mark.

IFAIL = 7

An unexpected error has occurred in an internal call. Check all subroutine calls and array dimensions. Seek expert help.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

## 7 Accuracy

Some indication of accuracy can be obtained by performing a subsequent inverse transform and comparing the results with the original sequence (in exact arithmetic they would be identical).

## 8 Parallelism and Performance

C06FXF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

C06FXF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The time taken is approximately proportional to  $n_1 n_2 n_3 \times \log(n_1 n_2 n_3)$ , but also depends on the factorization of the individual dimensions  $n_1$ ,  $n_2$  and  $n_3$ . C06FXF is faster if the only prime factors are 2, 3 or 5; and fastest of all if they are powers of 2.

## 10 Example

This example reads in a trivariate sequence of complex data values and prints the three-dimensional Fourier transform. It then performs an inverse transform and prints the sequence so obtained, which may be compared to the original data values.

## 10.1 Program Text

```

!   C06FXF Example Program Text
!   Mark 26 Release. NAG Copyright 2016.

Module c06fxfe_mod

!   C06FXF Example Program Module:
!       Parameters and User-defined Routines

!   .. Use Statements ..
Use nag_library, Only: nag_wp
!   .. Implicit None Statement ..
Implicit None
!   .. Accessibility Statements ..
Private
Public                               :: readxy, writxy
!   .. Parameters ..
Integer, Parameter, Public           :: nin = 5, nout = 6
Contains
Subroutine readxy(nin,x,y,n1,n2,n3)
!   Read 3-dimensional complex data

!   .. Scalar Arguments ..
Integer, Intent (In)                 :: n1, n2, n3, nin
!   .. Array Arguments ..
Real (Kind=nag_wp), Intent (Out) :: x(n1,n2,n3), y(n1,n2,n3)
!   .. Local Scalars ..
Integer                               :: i, j, k
!   .. Executable Statements ..
Do i = 1, n1
  Do j = 1, n2
    Read (nin,*)(x(i,j,k),k=1,n3)
    Read (nin,*)(y(i,j,k),k=1,n3)
  End Do
End Do
Return
End Subroutine readxy

Subroutine writxy(nout,x,y,n1,n2,n3)
!   Print 3-dimensional complex data

!   .. Scalar Arguments ..
Integer, Intent (In)                 :: n1, n2, n3, nout
!   .. Array Arguments ..
Real (Kind=nag_wp), Intent (In) :: x(n1,n2,n3), y(n1,n2,n3)
!   .. Local Scalars ..
Integer                               :: i, j, k
!   .. Executable Statements ..
Do i = 1, n1
  Write (nout,*)
  Write (nout,99998) 'z(i,j,k) for i =', i
  Do j = 1, n2
    Write (nout,*)
    Write (nout,99999) 'Real ', (x(i,j,k),k=1,n3)
    Write (nout,99999) 'Imag ', (y(i,j,k),k=1,n3)
  End Do
End Do
Return

99999  Format (1X,A,7F10.3,/, (6X,7F10.3))
99998  Format (1X,A,I6)
End Subroutine writxy
End Module c06fxfe_mod

Program c06fxfe

!   C06FXF Example Main Program

!   .. Use Statements ..
Use nag_library, Only: c06fxf, nag_wp

```

```

      Use c06fxfe_mod, Only: nin, nout, readxy, writxy
!      .. Implicit None Statement ..
      Implicit None
!      .. Local Scalars ..
      Integer                                :: ieof, ifail, n, n1, n2, n3
      Character (1)                          :: cdum
!      .. Local Arrays ..
      Real (Kind=nag_wp)                     :: dum(1)
      Real (Kind=nag_wp), Allocatable        :: x(:), y(:)
!      .. Executable Statements ..
      Write (nout,*) 'C06FXF Example Program Results'
!      Skip heading in data file
      Read (nin,*)

loop: Do
      Read (nin,*,Iostat=ieof) n1, n2, n3
      If (ieof<0) Then
         Exit loop
      End If

      n = n1*n2*n3
      Allocate (x(n),y(n))

      Call readxy(nin,x,y,n1,n2,n3)
      Write (nout,*)
      Write (nout,*) 'Original data values'
      Call writxy(nout,x,y,n1,n2,n3)

!      ifail: behaviour on error exit
!      =0 for hard exit, =1 for quiet-soft, =-1 for noisy-soft
      ifail = 0
!      -- Compute transform
      Call c06fxf(n1,n2,n3,x,y,cdum,dum,dum,dum,dum,ifail)

      Write (nout,*)
      Write (nout,*) 'Components of discrete Fourier transform'
      Call writxy(nout,x,y,n1,n2,n3)

!      -- Compute inverse transform
      y(1:n) = -y(1:n)
      Call c06fxf(n1,n2,n3,x,y,cdum,dum,dum,dum,dum,ifail)
      y(1:n) = -y(1:n)

      Write (nout,*)
      Write (nout,*) 'Original sequence as restored by inverse transform'
      Call writxy(nout,x,y,n1,n2,n3)
      Deallocate (x,y)
End Do loop

End Program c06fxfe

```

## 10.2 Program Data

C06FXF Example Program Data

2	3	4		:	n1, n2, n3
1.000	0.999	0.987	0.936		
0.000	-0.040	-0.159	-0.352		
0.994	0.989	0.963	0.891		
-0.111	-0.151	-0.268	-0.454		
0.903	0.885	0.823	0.694		
-0.430	-0.466	-0.568	-0.720		
0.500	0.499	0.487	0.436		
0.500	0.040	0.159	0.352		
0.494	0.489	0.463	0.391		
0.111	0.151	0.268	0.454		
0.403	0.385	0.323	0.194		
0.430	0.466	0.568	0.720	:	x, y

### 10.3 Program Results

C06FXF Example Program Results

Original data values

$z(i,j,k)$  for  $i = 1$

Real	1.000	0.999	0.987	0.936
Imag	0.000	-0.040	-0.159	-0.352

Real	0.994	0.989	0.963	0.891
Imag	-0.111	-0.151	-0.268	-0.454

Real	0.903	0.885	0.823	0.694
Imag	-0.430	-0.466	-0.568	-0.720

$z(i,j,k)$  for  $i = 2$

Real	0.500	0.499	0.487	0.436
Imag	0.500	0.040	0.159	0.352

Real	0.494	0.489	0.463	0.391
Imag	0.111	0.151	0.268	0.454

Real	0.403	0.385	0.323	0.194
Imag	0.430	0.466	0.568	0.720

Components of discrete Fourier transform

$z(i,j,k)$  for  $i = 1$

Real	3.292	0.051	0.113	0.051
Imag	0.102	-0.042	0.102	0.246

Real	0.143	0.016	-0.024	-0.050
Imag	-0.086	0.153	0.127	0.086

Real	0.143	-0.050	-0.024	0.016
Imag	0.290	0.118	0.077	0.051

$z(i,j,k)$  for  $i = 2$

Real	1.225	0.355	-0.000	-0.355
Imag	-1.620	0.083	0.162	0.083

Real	0.424	0.020	0.013	-0.007
Imag	0.320	-0.115	-0.091	-0.080

Real	-0.424	0.007	-0.013	-0.020
Imag	0.320	-0.080	-0.091	-0.115

Original sequence as restored by inverse transform

$z(i,j,k)$  for  $i = 1$

Real	1.000	0.999	0.987	0.936
Imag	0.000	-0.040	-0.159	-0.352

Real	0.994	0.989	0.963	0.891
Imag	-0.111	-0.151	-0.268	-0.454

Real	0.903	0.885	0.823	0.694
Imag	-0.430	-0.466	-0.568	-0.720

$z(i,j,k)$  for  $i = 2$

Real	0.500	0.499	0.487	0.436
Imag	0.500	0.040	0.159	0.352

Real	0.494	0.489	0.463	0.391
Imag	0.111	0.151	0.268	0.454
Real	0.403	0.385	0.323	0.194
Imag	0.430	0.466	0.568	0.720

---