

NAG Library Routine Document

E02AEF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

E02AEF evaluates a polynomial from its Chebyshev series representation.

2 Specification

```
SUBROUTINE E02AEF (NPLUS1, A, XCAP, P, IFAIL)
  INTEGER          NPLUS1, IFAIL
  REAL (KIND=nag_wp) A(NPLUS1), XCAP, P
```

3 Description

E02AEF evaluates the polynomial

$$\frac{1}{2}a_1T_0(\bar{x}) + a_2T_1(\bar{x}) + a_3T_2(\bar{x}) + \cdots + a_{n+1}T_n(\bar{x})$$

for any value of \bar{x} satisfying $-1 \leq \bar{x} \leq 1$. Here $T_j(\bar{x})$ denotes the Chebyshev polynomial of the first kind of degree j with argument \bar{x} . The value of n is prescribed by you.

In practice, the variable \bar{x} will usually have been obtained from an original variable x , where $x_{\min} \leq x \leq x_{\max}$ and

$$\bar{x} = \frac{((x - x_{\min}) - (x_{\max} - x))}{(x_{\max} - x_{\min})}$$

Note that this form of the transformation should be used computationally rather than the mathematical equivalent

$$\bar{x} = \frac{(2x - x_{\min} - x_{\max})}{(x_{\max} - x_{\min})}$$

since the former guarantees that the computed value of \bar{x} differs from its true value by at most 4ϵ , where ϵ is the *machine precision*, whereas the latter has no such guarantee.

The method employed is based on the three-term recurrence relation due to Clenshaw (1955), with modifications to give greater numerical stability due to Reinsch and Gentleman (see Gentleman (1969)).

For further details of the algorithm and its use see Cox (1974) and Cox and Hayes (1973).

4 References

Clenshaw C W (1955) A note on the summation of Chebyshev series *Math. Tables Aids Comput.* **9** 118–120

Cox M G (1974) A data-fitting package for the non-specialist user *Software for Numerical Mathematics* (ed D J Evans) Academic Press

Cox M G and Hayes J G (1973) Curve fitting: a guide and suite of algorithms for the non-specialist user *NPL Report NAC26* National Physical Laboratory

Gentleman W M (1969) An error analysis of Goertzel's (Watt's) method for computing Fourier coefficients *Comput. J.* **12** 160–165

5 Arguments

- 1: NPLUS1 – INTEGER *Input*
On entry: the number $n + 1$ of terms in the series (i.e., one greater than the degree of the polynomial).
Constraint: $NPLUS1 \geq 1$.
- 2: A(NPLUS1) – REAL (KIND=nag_wp) array *Input*
On entry: $A(i)$ must be set to the value of the i th coefficient in the series, for $i = 1, 2, \dots, n + 1$.
- 3: XCAP – REAL (KIND=nag_wp) *Input*
On entry: \bar{x} , the argument at which the polynomial is to be evaluated. It should lie in the range -1 to $+1$, but a value just outside this range is permitted (see Section 6) to allow for possible rounding errors committed in the transformation from x to \bar{x} discussed in Section 3. Provided the recommended form of the transformation is used, a successful exit is thus assured whenever the value of x lies in the range x_{\min} to x_{\max} .
- 4: P – REAL (KIND=nag_wp) *Output*
On exit: the value of the polynomial.
- 5: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: $IFAIL = 0$ unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

$ABS(XCAP) > 1.0 + 4\epsilon$, where ϵ is the *machine precision*. In this case the value of P is set arbitrarily to zero.

IFAIL = 2

On entry, $NPLUS1 < 1$.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.

See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

The rounding errors committed are such that the computed value of the polynomial is exact for a slightly perturbed set of coefficients $a_i + \delta a_i$. The ratio of the sum of the absolute values of the δa_i to the sum of the absolute values of the a_i is less than a small multiple of $(n + 1) \times \mathit{machine\ precision}$.

8 Parallelism and Performance

E02AEF is not threaded in any implementation.

9 Further Comments

The time taken is approximately proportional to $n + 1$.

It is expected that a common use of E02AEF will be the evaluation of the polynomial approximations produced by E02ADF and E02AFF.

10 Example

Evaluate at 11 equally-spaced points in the interval $-1 \leq \bar{x} \leq 1$ the polynomial of degree 4 with Chebyshev coefficients, 2.0, 0.5, 0.25, 0.125, 0.0625.

The example program is written in a general form that will enable a polynomial of degree n in its Chebyshev series form to be evaluated at m equally-spaced points in the interval $-1 \leq \bar{x} \leq 1$. The program is self-starting in that any number of datasets can be supplied.

10.1 Program Text

```

Program e02aeffe
!      E02AEF Example Program Text
!
!      Mark 26 Release. NAG Copyright 2016.
!
!      .. Use Statements ..
Use nag_library, Only: e02aef, nag_wp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: nin = 5, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: p, xcap
Integer                    :: i, ifail, m, n, nplus1, r
!      .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: a(:)
!      .. Intrinsic Procedures ..
Intrinsic                  :: real
!      .. Executable Statements ..
Write (nout,*) 'E02AEF Example Program Results'

!      Skip heading in data file
Read (nin,*)

      Read (nin,*) m
      Read (nin,*) n
      nplus1 = n + 1
      Allocate (a(nplus1))

      Read (nin,*)(a(i),i=1,nplus1)

```

```

Do r = 1, m
  xcap = real(2*r-m-1,kind=nag_wp)/real(m-1,kind=nag_wp)

  ifail = 0
  Call e02aef(nplus1,a,xcap,p,ifail)

  If (r==1) Then
    Write (nout,*)
    Write (nout,*) ' R      Argument      Value of polynomial'
  End If

  Write (nout,99999) r, xcap, p
End Do

99999 Format (1X,I3,F14.4,4X,F14.4)
End Program e02aefe

```

10.2 Program Data

```

E02AEF Example Program Data
11
4
2.0000
0.5000
0.2500
0.1250
0.0625

```

10.3 Program Results

E02AEF Example Program Results

R	Argument	Value of polynomial
1	-1.0000	0.6875
2	-0.8000	0.6613
3	-0.6000	0.6943
4	-0.4000	0.7433
5	-0.2000	0.7843
6	0.0000	0.8125
7	0.2000	0.8423
8	0.4000	0.9073
9	0.6000	1.0603
10	0.8000	1.3733
11	1.0000	1.9375

Example Program
Points on a Degree Four Polynomial

