

NAG Library Routine Document

F11DGF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F11DGF solves a real sparse nonsymmetric system of linear equations, represented in coordinate storage format, using a restarted generalized minimal residual (RGMRES), conjugate gradient squared (CGS), stabilized bi-conjugate gradient (Bi-CGSTAB), or transpose-free quasi-minimal residual (TFQMR) method, with block Jacobi or additive Schwarz preconditioning.

2 Specification

```

SUBROUTINE F11DGF (METHOD, N, NNZ, A, LA, IROW, ICOL, NB, ISTB, INDB,      &
                  LINDB, IPIVP, IPIVQ, ISTR, IDIAG, B, M, TOL, MAXITN,    &
                  X, RNORM, ITN, WORK, LWORK, IFAIL)
INTEGER            N, NNZ, LA, IROW(LA), ICOL(LA), NB, ISTB(NB+1),      &
                  INDB(LINDB), LINDB, IPIVP(LINDB), IPIVQ(LINDB),      &
                  ISTR(LINDB+1), IDIAG(LINDB), M, MAXITN, ITN, LWORK,    &
                  IFAIL
REAL (KIND=nag_wp) A(LA), B(N), TOL, X(N), RNORM, WORK(LWORK)
CHARACTER(*)      METHOD

```

3 Description

F11DGF solves a real sparse nonsymmetric linear system of equations:

$$Ax = b,$$

using a preconditioned RGMRES (see Saad and Schultz (1986)), CGS (see Sonneveld (1989)), Bi-CGSTAB(ℓ) (see Van der Vorst (1989) and Sleijpen and Fokkema (1993)), or TFQMR (see Freund and Nachtigal (1991) and Freund (1993)) method.

F11DGF uses the incomplete (possibly overlapping) block LU factorization determined by F11DFF as the preconditioning matrix. A call to F11DGF must always be preceded by a call to F11DFF. Alternative preconditioners for the same storage scheme are available by calling F11DCF or F11DEF.

The matrix A , and the preconditioning matrix M , are represented in coordinate storage (CS) format (see Section 2.1.1 in the F11 Chapter Introduction) in the arrays A , $IROW$ and $ICOL$, as returned from F11DFF. The array A holds the nonzero entries in these matrices, while $IROW$ and $ICOL$ hold the corresponding row and column indices.

F11DGF is a Black Box routine which calls F11BDF, F11BEF and F11BFF. If you wish to use an alternative storage scheme, preconditioner, or termination criterion, or require additional diagnostic information, you should call these underlying routines directly.

4 References

Freund R W (1993) A transpose-free quasi-minimal residual algorithm for non-Hermitian linear systems *SIAM J. Sci. Comput.* **14** 470–482

Freund R W and Nachtigal N (1991) QMR: a Quasi-Minimal Residual Method for Non-Hermitian Linear Systems *Numer. Math.* **60** 315–339

Saad Y and Schultz M (1986) GMRES: a generalized minimal residual algorithm for solving nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **7** 856–869

Salvini S A and Shaw G J (1996) An evaluation of new NAG Library solvers for large sparse unsymmetric linear systems *NAG Technical Report TR2/96*

Sleijpen G L G and Fokkema D R (1993) BiCGSTAB(ℓ) for linear equations involving matrices with complex spectrum *ETNA* **1** 11–32

Sonneveld P (1989) CGS, a fast Lanczos-type solver for nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **10** 36–52

Van der Vorst H (1989) Bi-CGSTAB, a fast and smoothly converging variant of Bi-CG for the solution of nonsymmetric linear systems *SIAM J. Sci. Statist. Comput.* **13** 631–644

5 Arguments

1: METHOD – CHARACTER(*) *Input*

On entry: specifies the iterative method to be used.

METHOD = 'RGMRES'

Restarted generalized minimum residual method.

METHOD = 'CGS'

Conjugate gradient squared method.

METHOD = 'BICGSTAB'

Bi-conjugate gradient stabilized (ℓ) method.

METHOD = 'TFQMR'

Transpose-free quasi-minimal residual method.

Constraint: METHOD = 'RGMRES', 'CGS', 'BICGSTAB' or 'TFQMR'.

2: N – INTEGER *Input*

3: NNZ – INTEGER *Input*

4: A(LA) – REAL (KIND=nag_wp) array *Input*

5: LA – INTEGER *Input*

6: IROW(LA) – INTEGER array *Input*

7: ICOL(LA) – INTEGER array *Input*

8: NB – INTEGER *Input*

9: ISTB(NB + 1) – INTEGER array *Input*

10: INDB(LINDB) – INTEGER array *Input*

11: LINDB – INTEGER *Input*

12: IPIVP(LINDB) – INTEGER array *Input*

13: IPIVQ(LINDB) – INTEGER array *Input*

14: ISTR(LINDB + 1) – INTEGER array *Input*

15: IDIAG(LINDB) – INTEGER array *Input*

On entry: the values returned in arrays IROW, ICOL, IPIVP, IPIVQ, ISTR and IDIAG by a previous call to F11DFF.

The arrays ISTB, INDB and A together with the the scalars N, NNZ, LA, NB and LINDB must be the same values that were supplied in the preceding call to F11DFF.

16: B(N) – REAL (KIND=nag_wp) array *Input*

On entry: the right-hand side vector b .

17: M – INTEGER *Input*

On entry: if METHOD = 'RGMRES', M is the dimension of the restart subspace.

If METHOD = 'BICGSTAB', M is the order ℓ of the polynomial Bi-CGSTAB method. Otherwise, M is not referenced.

Constraints:

if METHOD = 'RGMRES', $0 < M \leq \min(N, 50)$;
if METHOD = 'BICGSTAB', $0 < M \leq \min(N, 10)$.

18: TOL – REAL (KIND=nag_wp) *Input*

On entry: the required tolerance. Let x_k denote the approximate solution at iteration k , and r_k the corresponding residual. The algorithm is considered to have converged at iteration k if

$$\|r_k\|_\infty \leq \tau \times (\|b\|_\infty + \|A\|_\infty \|x_k\|_\infty).$$

If $TOL \leq 0.0$, $\tau = \max(\sqrt{\epsilon}, \sqrt{n}\epsilon)$ is used, where ϵ is the *machine precision*. Otherwise $\tau = \max(TOL, 10\epsilon, \sqrt{n}\epsilon)$ is used.

Constraint: $TOL < 1.0$.

19: MAXITN – INTEGER *Input*

On entry: the maximum number of iterations allowed.

Constraint: $MAXITN \geq 1$.

20: X(N) – REAL (KIND=nag_wp) array *Input/Output*

On entry: an initial approximation to the solution vector x .

On exit: an improved approximation to the solution vector x .

21: RNORM – REAL (KIND=nag_wp) *Output*

On exit: the final value of the residual norm $\|r_k\|_\infty$, where k is the output value of ITN.

22: ITN – INTEGER *Output*

On exit: the number of iterations carried out.

23: WORK(LWORK) – REAL (KIND=nag_wp) array *Workspace*

24: LWORK – INTEGER *Input*

On entry: the dimension of the array WORK as declared in the (sub)program from which F11DGF is called.

Constraints:

if METHOD = 'RGMRES', $LWORK \geq 6 \times N + M \times (M + N + 5) + 101$;
if METHOD = 'CGS', $LWORK \geq 10 \times N + 100$;
if METHOD = 'BICGSTAB', $LWORK \geq 2 \times N \times M + 8 \times N + M \times (M + 2) + 100$;
if METHOD = 'TFQMR', $LWORK \geq 13 \times N + 100$.

25: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry $IFAIL = 0$ or -1 , explanatory error messages are output on the current error message unit (as defined by $X04AAF$).

Errors or warnings detected by the routine:

$IFAIL = 1$

On entry, for $b = \langle value \rangle$, $ISTB(b + 1) = \langle value \rangle$ and $ISTB(b) = \langle value \rangle$.
Constraint: $ISTB(b + 1) > ISTB(b)$, for $b = 1, 2, \dots, NB$.

On entry, $INDB(\langle value \rangle) = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: $1 \leq INDB(m) \leq N$, for $m = 1, 2, \dots, ISTB(NB + 1) - 1$

On entry, $ISTB(1) = \langle value \rangle$.
Constraint: $ISTB(1) \geq 1$.

On entry, $LA = \langle value \rangle$ and $NNZ = \langle value \rangle$.
Constraint: $LA \geq 2 \times NNZ$.

On entry, $LINDB = \langle value \rangle$, $ISTB(NB + 1) - 1 = \langle value \rangle$ and $NB = \langle value \rangle$.
Constraint: $LINDB \geq ISTB(NB + 1) - 1$.

On entry, $LWORK = \langle value \rangle$.
Constraint: $LWORK \geq \langle value \rangle$.

On entry, $M = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: if $METHOD = 'RGMRES'$, $1 \leq M \leq \min(N, \langle value \rangle)$.
If $METHOD = 'BICGSTAB'$, $1 \leq M \leq \min(N, \langle value \rangle)$.

On entry, $MAXITN = \langle value \rangle$.
Constraint: $MAXITN \geq 1$.

On entry, $METHOD = \langle value \rangle$.
Constraint: $METHOD = 'RGMRES'$, $'CGS'$ or $'BICGSTAB'$.

On entry, $N = \langle value \rangle$.
Constraint: $N \geq 1$.

On entry, $NB = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: $1 \leq NB \leq N$.

On entry, $NNZ = \langle value \rangle$.
Constraint: $NNZ \geq 1$.

On entry, $NNZ = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: $NNZ \leq N^2$.

On entry, $TOL = \langle value \rangle$.
Constraint: $TOL < 1.0$.

$IFAIL = 2$

On entry, element $\langle value \rangle$ of A was out of order.
Check that A , $IROW$, $ICOL$, $IPIVP$, $IPIVQ$, $ISTR$ and $IDIAG$ have not been corrupted between calls to $F11DFF$ and $F11DGF$.

On entry, $ICOL(\langle value \rangle) = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: $1 \leq ICOL(i) \leq N$, for $i = 1, 2, \dots, NNZ$.
Check that A , $IROW$, $ICOL$, $IPIVP$, $IPIVQ$, $ISTR$ and $IDIAG$ have not been corrupted between calls to $F11DFF$ and $F11DGF$.

On entry, $IROW(\langle value \rangle) = \langle value \rangle$ and $N = \langle value \rangle$.
Constraint: $1 \leq IROW(i) \leq N$, for $i = 1, 2, \dots, NNZ$.
Check that A , $IROW$, $ICOL$, $IPIVP$, $IPIVQ$, $ISTR$ and $IDIAG$ have not been corrupted between calls to $F11DFF$ and $F11DGF$.

On entry, location $\langle value \rangle$ of (IROW,ICOL) was a duplicate.
Check that A, IROW, ICOL, IPIVP, IPIVQ, ISTR and IDIAG have not been corrupted between calls to F11DFF and F11DGF.

IFAIL = 3

The CS representation of the preconditioner is invalid.
Check that A, IROW, ICOL, IPIVP, IPIVQ, ISTR and IDIAG have not been corrupted between calls to F11DFF and F11DGF.

IFAIL = 4

The required accuracy could not be obtained. However a reasonable accuracy may have been achieved. You should check the output value of RNORM for acceptability. This error code usually implies that your problem has been fully and satisfactorily solved to within or close to the accuracy available on your system. Further iterations are unlikely to improve on this situation.

IFAIL = 5

The solution has not converged after $\langle value \rangle$ iterations.

IFAIL = 6

Algorithmic breakdown. A solution is returned, although it is possible that it is completely inaccurate.

IFAIL = -99

An unexpected error has been triggered by this routine. Please contact NAG.
See Section 3.9 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -399

Your licence key may have expired or may not have been installed correctly.
See Section 3.8 in How to Use the NAG Library and its Documentation for further information.

IFAIL = -999

Dynamic memory allocation failed.
See Section 3.7 in How to Use the NAG Library and its Documentation for further information.

7 Accuracy

On successful termination, the final residual $r_k = b - Ax_k$, where $k = \text{ITN}$, satisfies the termination criterion

$$\|r_k\|_\infty \leq \tau \times (\|b\|_\infty + \|A\|_\infty \|x_k\|_\infty).$$

The value of the final residual norm is returned in RNORM.

8 Parallelism and Performance

F11DGF is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

F11DGF makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the X06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this routine. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

The time taken by F11DGF for each iteration is roughly proportional to the value of NNZC returned from the preceding call to F11DFF.

The number of iterations required to achieve a prescribed accuracy cannot be easily determined *a priori*, as it can depend dramatically on the conditioning and spectrum of the preconditioned coefficient matrix $\bar{A} = M^{-1}A$.

Some illustrations of the application of F11DGF to linear systems arising from the discretization of two-dimensional elliptic partial differential equations, and to random-valued randomly structured linear systems, can be found in Salvini and Shaw (1996).

10 Example

This example program reads in a sparse matrix A and a vector b . It calls F11DFF, with the array LFILL = 0 and the array DTOL = 0.0, to compute an overlapping incomplete LU factorization. This is then used as an additive Schwarz preconditioner on a call to F11DGF which uses the Bi-CGSTAB method to solve $Ax = b$.

10.1 Program Text

```
! F11DGF Example Program Text
! Mark 26 Release. NAG Copyright 2016.

Program f11dgfe

! .. Use Statements ..
Use nag_library, Only: f11dff, f11dgf, nag_wp
! .. Implicit None Statement ..
Implicit None
! .. Parameters ..
Integer, Parameter :: nin = 5, nout = 6
! .. Local Scalars ..
Real (Kind=nag_wp) :: dtolg, rnorm, tol
Integer :: i, ifail, itn, k, la, lfillg, lindb, &
liwork, lwork, m, maxitn, mb, n, nb, &
nnz, nnzc, nover
Character (8) :: method
Character (1) :: milug, pstrag
! .. Local Arrays ..
Real (Kind=nag_wp), Allocatable :: a(:), b(:), dtol(:), work(:), x(:)
Integer, Allocatable :: icol(:), iddiag(:), indb(:), &
ipivp(:), ipivq(:), irow(:), &
istb(:), istr(:), iwork(:), &
lfill(:), npivm(:)
Character (1), Allocatable :: milu(:), pstrat(:)
! .. Executable Statements ..
Continue

! Print example header
Write (nout,*) 'F11DGF Example Program Results'
Write (nout,*)

! Skip heading in data file
Read (nin,*)

! Get the square matrix size
Read (nin,*) n

! Allocate arrays with lengths based on mesh.
liwork = 9*n + 3
```

```

Allocate (b(n),x(n),iwork(liwork))

! Get the number of non zero (nnz) matrix entries
Read (nin,*) nnz
la = 20*nnz
Allocate (a(la),irow(la),icol(la))

lindb = 3*n
Allocate (idiag(lindb),indb(lindb),ipivp(lindb),ipivq(lindb),      &
         istr(lindb+1))

! Read in matrix A
Read (nin,*)(a(i),irow(i),icol(i),i=1,nnz)

! Read in RHS
Read (nin,*) b(1:n)

! Read algorithmic parameters
Read (nin,*) method
Read (nin,*) lfillg, dtolg
Read (nin,*) pstrag
Read (nin,*) milug
Read (nin,*) m, tol, maxitn
Read (nin,*) nb, nover

! Allocate arrays with length based on number of blocks.
Allocate (dtol(nb),istb(nb+1),lfill(nb),npivm(nb),milu(nb),pstrat(nb))

! Set up initial approximate solution x
x(1:n) = 0.0_nag_wp

! Define diagonal block indices.
! In this example use blocks of MB consecutive rows and initialize
! assuming no overlap.
mb = (n+nb-1)/nb
Do k = 1, nb
    istb(k) = (k-1)*mb + 1
End Do
istb(nb+1) = n + 1
Do i = 1, n
    indb(i) = i
End Do

! Modify INDB and ISTB to account for overlap.
Call f11dgfe_overlap(n,nnz,la,irow,icol,nb,istb,indb,lindb,nover,iwork)
If (iwork(1)==-999) Then
    Write (nout,*) '** LINDB too small, LINDB = ', lindb, '.'
    Go To 100
End If

! Set algorithmic parameters for each block from global values
lfill(1:nb) = lfillg
dtol(1:nb) = dtolg
pstrat(1:nb) = pstrag
milu(1:nb) = milug

! Set size of real workspace
lwork = 2*n*m + 8*n + m*(m+2) + 100
Allocate (work(lwork))

! Calculate factorization
ifail = 0
Call f11dff(n,nnz,a,la,irow,icol,nb,istb,indb,lindb,lfill,dtol,pstrat,      &
         milu,ipivp,ipivq,istr,idiag,nnzc,npivm,iwork,liwork,ifail)

! Solve Ax = b using F11DGF
ifail = 0
Call f11dgf(method,n,nnz,a,la,irow,icol,nb,istb,indb,lindb,ipivp,ipivq,      &
         istr,idiag,b,m,tol,maxitn,x,rnorm,itn,work,lwork,ifail)

Write (nout,99999) itn

```

```

Write (nout,99998) rnorm
Write (nout,*)

!   Output x
Write (nout,*) ' Solution vector  X'
Write (nout,*) ' -----'
Write (nout,99997) x(1:n)

100  Continue

99999 Format (' Converged in',I10,' iterations')
99998 Format (' Final residual norm =',1P,D16.3)
99997 Format (F8.4)

Contains

Subroutine f11dgfe_overlap(n,nnz,la,irow,icol,nb,istb,indb,lindb,nover, &
    iwork)

!   Purpose
!   =====
!   This routine takes a set of row indices INDB defining the diagonal
!   blocks to be used in F11DFF to define a block Jacobi or additive
!   Schwarz preconditioner, and expands them to allow for NOVER levels of
!   overlap.
!   The pointer array ISTB is also updated accordingly, so that the
!   returned values of ISTB and INDB can be passed to F11DFF to define
!   overlapping diagonal blocks.
!   -----

!   .. Implicit None Statement ..
Implicit None
!   .. Scalar Arguments ..
Integer, Intent (In)           :: la, lindb, n, nb, nnz, nover
!   .. Array Arguments ..
Integer, Intent (In)           :: icol(la), irow(la)
Integer, Intent (Inout)        :: indb(lindb), istb(nb+1)
Integer, Intent (Out)           :: iwork(3*n+1)
!   .. Local Scalars ..
Integer                         :: i, ind, iover, k, l, m, nadd, row
!   .. Executable Statements ..
Continue

!   Find the number of nonzero elements in each row of the matrix A, and
!   the start address of each row. Store the start addresses in
!   IWORK(N+1,...,2*N+1).
iwork(1:n) = 0
Do k = 1, nnz
    iwork(irow(k)) = iwork(irow(k)) + 1
End Do
iwork(n+1) = 1
Do i = 1, n
    iwork(n+i+1) = iwork(n+i) + iwork(i)
End Do

!   Loop over blocks.
blocks: Do k = 1, nb

!       Initialize marker array.
iwork(1:n) = 0

!       Mark the rows already in block K in the workspace array.
Do l = istb(k), istb(k+1) - 1
    iwork(indb(l)) = 1
End Do

!       Loop over levels of overlap.
Do iover = 1, nover

!           Initialize counter of new row indices to be added.
ind = 0

```



```

!           Loop over the rows currently in the diagonal block.
Do l = istb(k), istb(k+1) - 1
  row = indb(l)

!           Loop over nonzero elements in row ROW.
Do i = iwork(n+row), iwork(n+row+1) - 1

!           If the column index of the nonzero element is not in the
!           existing set for this block, store it to be added later, and
!           mark it in the marker array.
If (iwork(icol(i))=0) Then
  iwork(icol(i)) = 1
  ind = ind + 1
  iwork(2*n+1+ind) = icol(i)
End If
End Do
End Do

!           Shift the indices in INDB and add the new entries for block K.
!           Change ISTB accordingly.
nadd = ind
If (istb(nb+1)+nadd-1>lindb) Then
  iwork(1) = -999
  Exit blocks
End If

Do i = istb(nb+1) - 1, istb(k+1), -1
  indb(i+nadd) = indb(i)
End Do

Do i = 1, nadd
  l = istb(k+1) + i - 1
  indb(l) = iwork(2*n+1+i)
End Do

Do m = k + 1, nb + 1
  istb(m) = istb(m) + nadd
End Do
End Do
End Do blocks

Return

End Subroutine flldgfe_overlap
End Program flldgfe

```

10.2 Program Data

```

FlldGF Example Program Data
  9           : n
  33 : nnz
  64.0      1      1
 -20.0      1      2
 -20.0      1      4
 -12.0      2      1
  64.0      2      2
 -20.0      2      3
 -20.0      2      5
 -12.0      3      2
  64.0      3      3
 -20.0      3      6
 -12.0      4      1
  64.0      4      4
 -20.0      4      5
 -20.0      4      7
 -12.0      5      2
 -12.0      5      4
  64.0      5      5
 -20.0      5      6

```

```

-20.0    5    8
-12.0    6    3
-12.0    6    5
 64.0    6    6
-20.0    6    9
-12.0    7    4
 64.0    7    7
-20.0    7    8
-12.0    8    5
-12.0    8    7
 64.0    8    8
-20.0    8    9
-12.0    9    6
-12.0    9    8
 64.0    9    9 : a(i), irow(i), icol(i) for i=1,nnz
100.0
100.0
100.0
100.0
100.0
100.0
100.0
100.0
100.0
100.0
100.0 : b(i) for i=1,n
'BICGSTAB'      : method
0  0.0          : lfillg, dtolg
'N'            : pstrag
'N'            : milug
2  1.D-6  100   : m, tol, maxitn
3  1          : nb, nover

```

10.3 Program Results

F11DGF Example Program Results

```

Converged in      4 iterations
Final residual norm =      1.106D-05

```

Solution vector X

```

-----
5.2603
5.9165
4.1131
5.9165
6.6636
4.6119
4.1131
4.6119
3.2919

```
