

NAG Library Routine Document

X04DCF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

X04DCF is an easy-to-use routine to print a complex triangular matrix stored in a packed one-dimensional array.

2 Specification

SUBROUTINE X04DCF (UPLO, DIAG, N, A, TITLE, IFAIL)

INTEGER N, IFAIL
 COMPLEX (KIND=nag_wp) A(*)
 CHARACTER(*) TITLE
 CHARACTER(1) UPLO, DIAG

3 Description

X04DCF prints a complex triangular matrix stored in packed form. It is an easy-to-use driver for X04DDF. The routine uses default values for the format in which numbers are printed, for labelling the rows and columns, and for output record length. The matrix must be packed by column.

X04DCF will choose a format code such that numbers will be printed with an F8.4, an F11.4 or a 1PE13.4 format. The F8.4 code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 1.0. The F11.4 code is chosen if the sizes of all the matrix elements to be printed lie between 0.001 and 9999.9999. Otherwise the 1PE13.4 code is chosen. The chosen code is used to print each complex element of the matrix with the real part above the imaginary part.

The matrix is printed with integer row and column labels, and with a maximum record length of 80.

The matrix is output to the unit defined by X04ABF.

4 References

None.

5 Arguments

1: UPLO – CHARACTER(1) *Input*

On entry: indicates the type of the matrix to be printed

UPLO = 'L'

The matrix is lower triangular. In this case, the packed array A holds the matrix elements in the following order: (1, 1), (2, 1), ..., (N, 1), (2, 2), (3, 2), ..., (N, 2), etc.

UPLO = 'U'

The matrix is upper triangular. In this case, the packed array A holds the matrix elements in the following order: (1, 1), (1, 2), (2, 2), (1, 3), (2, 3), (3, 3), (1, 4), etc.

Constraint: UPLO = 'L' or 'U'.

- 2: DIAG – CHARACTER(1) *Input*
On entry: indicates whether the diagonal elements of the matrix are to be printed.
 DIAG = 'B'
 The diagonal elements of the matrix are not referenced and not printed.
 DIAG = 'U'
 The diagonal elements of the matrix are not referenced, but are assumed all to be unity, and are printed as such.
 DIAG = 'N'
 The diagonal elements of the matrix are referenced and printed.
Constraint: DIAG = 'B', 'U' or 'N'.
- 3: N – INTEGER *Input*
On entry: the order of the matrix to be printed.
 If N is less than 1, X04DCF will exit immediately after printing TITLE; no row or column labels are printed.
- 4: A(*) – COMPLEX (KIND=nag_wp) array *Input*
Note: the dimension of the array A must be at least $\max(1, N \times (N + 1)/2)$.
On entry: the matrix to be printed. Note that A must have space for the diagonal elements of the matrix, even if these are not stored.
 More precisely,
 if UPLO = 'U', the upper triangle of A must be stored with element A_{ij} in $A(i + j(j - 1)/2)$ for $i \leq j$;
 if UPLO = 'L', the lower triangle of A must be stored with element A_{ij} in $A(i + (2n - j)(j - 1)/2)$ for $i \geq j$.
 If DIAG = 'U', the diagonal elements of A are assumed to be 1, and are not referenced; the same storage scheme is used whether DIAG = 'N' or 'U'.
- 5: TITLE – CHARACTER(*) *Input*
On entry: a title to be printed above the matrix.
 If TITLE = ' ', no title (and no blank line) will be printed.
 If TITLE contains more than 80 characters, the contents of TITLE will be wrapped onto more than one line, with the break after 80 characters.
 Any trailing blank characters in TITLE are ignored.
- 6: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this argument you should refer to Section 3.4 in How to Use the NAG Library and its Documentation for details.
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this argument, the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**
On exit: IFAIL = 0 unless the routine detects an error or a warning has been flagged (see Section 6).

6 Error Indicators and Warnings

If on entry `IFAIL = 0` or `-1`, explanatory error messages are output on the current error message unit (as defined by `X04AAF`).

Errors or warnings detected by the routine:

`IFAIL = 1`

On entry, `UPLO` \neq 'L' or 'U'.

`IFAIL = 2`

On entry, `DIAG` \neq 'N', 'U' or 'B'.

`IFAIL = -99`

An unexpected error has been triggered by this routine. Please contact NAG.

See Section 3.9 in *How to Use the NAG Library and its Documentation* for further information.

`IFAIL = -399`

Your licence key may have expired or may not have been installed correctly.

See Section 3.8 in *How to Use the NAG Library and its Documentation* for further information.

`IFAIL = -999`

Dynamic memory allocation failed.

See Section 3.7 in *How to Use the NAG Library and its Documentation* for further information.

7 Accuracy

Not applicable.

8 Parallelism and Performance

X04DCF is not threaded in any implementation.

9 Further Comments

A call to X04DCF is equivalent to a call to X04DDF with the following argument values:

```
NCOLS = 80
INDENT = 0
LABROW = 'I'
LABCOL = 'I'
FORM = ' '
USEFRM = 'A'
```

10 Example

The example program calls X04DCF twice, first to print a 3 by 3 lower triangular matrix, and then to print a 4 by 4 upper triangular matrix.

10.1 Program Text

```

Program x04dcfe

!      X04DCF Example Program Text

!      Mark 26 Release. NAG Copyright 2016.

!      .. Use Statements ..
Use nag_library, Only: nag_wp, x04dcf, ztrttp
!      .. Implicit None Statement ..
Implicit None
!      .. Parameters ..
Integer, Parameter          :: n = 4, nout = 6
!      .. Local Scalars ..
Real (Kind=nag_wp)         :: aa
Integer                    :: i, ifail, info, j, lda
Character (1)              :: uplo
!      .. Local Arrays ..
Complex (Kind=nag_wp), Allocatable :: a(:,,:), ap(:)
!      .. Intrinsic Procedures ..
Intrinsic                  :: cmplx, real
!      .. Executable Statements ..
Write (nout,*) 'X04DCF Example Program Results'

Write (nout,*)
Flush (nout)

!      Generate a full-format symmetric array of data

lda = n
Allocate (a(lda,n))

Do j = 1, n

    Do i = 1, j
        aa = real(10*i+j,kind=nag_wp)
        a(i,j) = cmplx(aa,-aa,kind=nag_wp)
        a(j,i) = a(i,j)
    End Do

End Do

!      Print order (n-1) lower triangular matrix

!      Convert a to packed storage.

Allocate (ap(n*(n+1)/2))

!      The lower triangle.

uplo = 'L'

!      The NAG name equivalent of ztrttp is f01vbf
Call ztrttp(uplo,n-1,a,lda,ap,info)

If (info/=0) Then
    Write (nout,99999) 'Failure in ZTRTTP. INFO =', info
    Go To 100
End If

ifail = 0
Call x04dcf('Lower','Unit',n-1,ap,'Example 1:',ifail)

Write (nout,*)
Flush (nout)

!      Print order n upper triangular matrix

!      Convert the upper triangle of a to packed storage.

```

```

        uplo = 'U'

!       The NAG name equivalent of ztrttp is f01vbf
        Call ztrttp(uplo,n,a,lda,ap,info)

        If (info/=0) Then
            Write (nout,99999) 'Failure in ZTRTTP. INFO =', info
            Go To 100
        End If

        ifail = 0
        Call x04dcf('Upper', 'Non-unit', n, ap, 'Example 2:', ifail)

100     Continue

99999  Format (1X,A,I4)
        End Program x04dcfe

```

10.2 Program Data

None.

10.3 Program Results

X04DCF Example Program Results

Example 1:

	1	2	3
1	1.0000 0.0000		
2	12.0000 -12.0000	1.0000 0.0000	
3	13.0000 -13.0000	23.0000 -23.0000	1.0000 0.0000

Example 2:

	1	2	3	4
1	11.0000 -11.0000	12.0000 -12.0000	13.0000 -13.0000	14.0000 -14.0000
2		22.0000 -22.0000	23.0000 -23.0000	24.0000 -24.0000
3			33.0000 -33.0000	34.0000 -34.0000
4				44.0000 -44.0000
